



DISTRIBUTING, INC.



**MANUFACTURER HOUSING  
PARTS & ACCESSORIES**

# CONTENTS

01 SKIRTING .....	3-12
02 ANCHORS, STEPS & SETUP MATERIAL.....	12-22
03 DOORS & WINDOWS.....	23-31
04 VENTILATION.....	32-33
05 COATINGS & CLEANERS.....	34-39
06 HARDWARE & LP GAS .....	40-45
07 ELECTRICAL .....	46-54
08 FAUCETS & PLUMBING .....	55-89
09 HEATING & COOLING .....	90-91
10 TOWING & BRAKES.....	92-98
INDEX.....	99-100




# EverRock Simulated Rock Skirting

3

SKIRTING



- **Won't Dent or Scratch**
- **Tough Vinyl Construction**
- **Vent Inserts Available**
- **Frost Heave System Available**
- **Flame Retardant**
- **Non-Prorated Warranty**



**Sandstone & Grey Panels**

**Brown Panels**

## CALCULATION CHART

Typical Home Size	12'x50'	12'x55'	12'x60'	12'x65'	12'x70'	14'x60'	14'x65'	14'x70'	14'x80'	24'x50'	24'x60'	24'x65'	24'x70'	28'x65'	28'x70'
Linear Feet Less Hitch	116	126	136	146	156	140	150	160	180	140	160	170	180	178	188
No. of 5' Panels Needed	25	28	30	32	34	30	32	34	38	30	34	36	38	38	40

The five foot wide rocks come in 3 heights" 30", 36", and 48". Measure the height the home is above the ground every five feet, add three inches and order needed rocks by heights. The 30" x 5' size covers 58 inches horizontally, while the 36" x 5' and 48" x 5' cover 60 inches horizontally. If a 24 inch or less height is needed, cut the 48" x 5' in half to create a 24" size.

## PANELS



<b>830626</b>	(271830)	30" x 5'	Grey Panel
<b>830628</b>	(271840)	36" x 5'	Grey Panel
<b>830630</b>	(271860)	48" x 5'	Grey Panel
<b>830618</b>	(271833)	30" x 5'	Brown Panel
<b>830622</b>	(271843)	36" x 5'	Brown Panel
<b>830624</b>	(271863)	48" x 5'	Brown Panel
<b>830640</b>	(271836)	30" x 5'	Sandstone Panel
<b>830641</b>	(271846)	36" x 5'	Sandstone Panel
<b>SO</b>	(271866)	48" x 5'	Sandstone Panel

## ACCESSORIES



<b>830621</b>	(180240-1)	EZ Access Door (White) 18"H x 24"W
<b>830629</b>	(18250-1)	EZ Access Door (Black) 18"H x 24"W
<b>SO</b>	(270600)	Access Door Kit
<b>830642</b>	(276901)	Sandstone Bottom Rail 12'
<b>830634</b>	(270800)	Black Vent Inserts
<b>SO</b>	(276801)	Sandstone Vent 10" x 18.5"
<b>SO</b>	(270901)	Black Bottom Rail 12'
<b>SO</b>	(276200)	Sandstone 1" Hex Screws 500/Bx
<b>500550</b>	(SP-81PQF2000-500)	Black 1" Hex Screws 500/Bx

# How To Measure For **TruGard™ Skirting**



- 1. To find linear feet** of skirting you'll need, just measure the entire perimeter of the home
- 2. To find average height**, measure the height of the space between the ground and the home's bottom edge at each corner and at the center of each side. Total all six measurements and divide by 6—add by 1"
- 3. Using the chart below**, Circle the appropriate measurements and the number of materials required to complete a job. The chart will give you your needs for that job

	Park Models		Calculation Chart For Single Wide/Double Wide																							
HOME SIZE (FT.)	8 X 32	8X 35	12 X 50	12 X 55	12 X 60	12 X 65	12 X 70	14 X 60	14 X 65	14 X 70	14 X 76	14 X 80	16 X 70	16 X 80	24 X 50	24 X 60	24 X 65	24 X 70	28 X 65	28 X 70	28 X 80	32 X 70	32 X 80			
LIN. FT. LESS HITCH	80	86	116	126	136	146	156	140	150	160	172	180	164	184	140	160	170	180	178	188	208	196	216			
AVG. HT. OF SKIRT			Number of 12-Foot Skirting Panels Required																							
18"	10"	10"	14"	15"	16"	17"	18"	17"	18"	19"	20"	21"	19"	22"	17"	19"	20"	21"	21"	22"	24	23	25			
24"	13"	14"	18"	20"	21"	23"	24"	22"	24"	25"	27"	28"	26"	29"	22"	25"	27"	28"	28"	29"	32	30	33			
28"	16"	16"	22"	24"	26"	27"	29"	26"	28"	30"	32"	34"	31"	34"	26"	30"	32"	34"	33"	35"	38	36	40			
30"	16"	17"	23"	25"	27"	29"	30"	27"	29"	31"	34"	35"	32"	36"	27"	31"	33"	35"	35"	37"	48	45	50			
36"	-	-	27"	30"	32"	34"	36"	33"	35"	37"	40"	42"	38"	43"	33"	37"	40"	42"	42"	44"	48	45	50			
42"	-	-	36"	39"	42"	45"	48"	44"	47"	50"	53"	56"	51"	57"	44"	50"	53"	56"	55"	58"	64	60	66			
TRIM PARTS			Number of 12' Skirting Trim Components Required																							
VGC	7"	8"	10"	11"	12"	13"	13"	12"	13"	14"	15"	15"	14"	16"	12"	14"	15"	15"	15"	16"	18"	17"	18"			
TTM	7"	8"	10"	11"	12"	13"	13"	12"	13"	14"	15"	15"	14"	16"	12"	14"	15"	15"	15"	16"	18"	17"	18"			
TTF	7"	8"	10"	11"	12"	13"	13"	12"	13"	14"	15"	15"	14"	16"	12"	14"	15"	15"	15"	16"	18"	17"	18"			
Spikes	60"	65"	87"	95"	102"	110"	117"	105"	113"	120"	129"	135"	123"	138"	105"	120"	128"	135"	134"	141"	156"	147"	162"			
Nails	120"	129"	174"	189"	204"	219"	234"	210"	225"	240"	258"	270"	246"	276"	210"	240"	255"	270"	267"	282"	312"	294"	324"			


All panels and trim components packaged in 12" lengths - Panels 13" wide exposure. Above calculations are exact with no allowance for error in cutting. Park models calculations do not include material need for tip outs.

## Skirting Information

Code	Description	Contents	Approx. Weight	White	Cameo	Victorian Grey	Sand
15 TLVMS	TruGard Vinyl Skirt 15 Panels Per Carton	15 skirting panels; All panels packaged in 12 ft. lengths; 13 in. exposure; 195 sq. ft./ctn	76 lbs/ctn	810200	810300	830300	830400
14TKT	Trim Carton; Top Trim Front Top Trim Mounting Vinyl Grnd. Channel Steel Nails; Spikes	10 pcs. top trim front, 12 ft, 120 linear ft 4 pcs. top front notched corner 12 ft.; 48 lin. ft. 14 pcs. top trim mounting, 12 ft, 168 lin. ft. 14 pcs. vinyl grnd. channel, 12 ft, 168 lin. ft. 252 steel nails; 100 7 in. spikes	100 lbs/ctn	810205	810305	830305	830405
15 Vent	TruGard Vinyl Skirt 15 Ventilated Panels Per Ctn.	15 perforated skirting panels; All panels packaged in 12 ft. lengths, 13 in. exposure, 5.01 sq. in. of free air space per lin. ft. 195 sq. ft. per carton	76 lbs/ctn	810210	810310	830310	830410



# TruGard™ Skirting



Optional, self-ventilating 13" wide panels with patented interlock design and easy accessibility

Solid 13" wide panels with patented interlock design and easy accessibility

2-piece top trim system securely holds panels in place


Ground spikes fasten vinyl ground channel in place

Vinyl ground channel can be shaped to follow the contour of the ground to hold panels securely


## Component & Replacement Parts

Maintain your investment with premier quality skirting from TruGard


	Code	Description	Packaging Data	White	Cameo	Victorian Grey	Sand
<b>A</b>	TLVMS	Solid Skirting Panel - Each	12' Length	810200	810300	830300	830400
<b>B</b>	VENT	Vented Skirting Panel - Each	12' Length	810210	810310	830310	830410
<b>C</b>	TTF	Top Rail Front - Each	12' Length	810221	810321	830321	830421
<b>D</b>	TTM	Top Rail Back - Each	12' Length	810220	810320	830320	830420
<b>E</b>	VGC	Vinyl Ground Channel - Each	12' Length	810222	810322	830322	830422
<b>F</b>	SP/NAIL	T-Lok Hardware Package				810215	
<b>C, D, E, F</b>	TKT	TrimRail Kit - 14 Each TF; TB; BR + Kit	12' Length	810205	810305	830305	830405



Solid Panel (15 TLVMS)




Vented Panel (15 VENT)




Top Trim Front (TTF)



Top Mount Back (TTM)



Vinyl Ground Channel (VGC)



Ground Spikes & Nails (SP/NAIL)

# Vinyl Skirting by



USTIQUE  
ENTERPRISES INC.

## VANGUARD SKIRTING SYSTEMS



### Skirting Features:

- Choice of air-flow or solid panels
- 3 locking ribs
- Maintenance-free
- Rich wood grain trim
- .036 gauge thickness
- 4 colors: White, Shadow, Almond, and Light Gray

### Defender Skirting Protector

This vinyl skirting protection system stops string trimmer damage and covers existing damage up to 4" high., .024 gauge aluminum. Easy to install and fits most ground channels.

### Calculations Chart


Home Size	Perimeter	Average Height of Skirting (Panel Cut Length)				Rails 11' 8" pcs. required
		20"	23 3/8"	28"	35"	
12' x 50'	116	13	15	18	22	10 pcs.
12' x 55'	126	14	16	19	24	11 pcs.
12' x 60'	136	15	17	21	26	12 pcs.
12' x 65'	146	16	19	22	28	13 pcs.
12' x 70'	156	17	20	24	30	14 pcs.
14' x 60'	140	15	18	21	27	12 pcs.
14' x 65'	150	17	19	23	29	13 pcs.
14' x 70'	160	18	20	24	30	14 pcs.
14' x 76'	172	19	22	26	33	15 pcs.
14' x 80'	180	20	23	27	34	16 pcs.
16' x 70'	164	18	21	25	31	14 pcs.
16' x 80'	184	20	23	28	35	16 pcs.
24' x 50'	140	15	18	21	27	12 pcs.
24' x 60'	160	18	20	24	30	14 pcs.
24' x 65'	170	19	22	26	32	15 pcs.
24' x 70'	180	20	23	27	34	16 pcs.
28' x 65'	178	20	23	27	34	16 pcs.
28' x 70'	188	21	24	29	36	16 pcs.

### Square inches of ventilation per piece

Height	Air Flow	Full Vent Panel	Height	Air Flow	Full Vent Panel
20"	7.158	11.714	30"	10.742	17.578
24"	8.593	14.062	32"	11.455	18.745
28"	10.024	16.403	35"	12.532	20.507


## Did you know?

Blowout can happen to any vinyl skirting product, occurring during a light wind or the strongest storm. Rustique has developed a system that keeps wind blowout to a minimum. Their "F" channel has 3 locking ribs built into the receiver channel that keeps their panels from lifting out and blowing away. Along with one of the tightest top rail components made today, this system can reduce the chance of losing your skirt in a storm.



### Vanguard

Bring an attractive finish to any manufactured home with Vanguard vinyl skirting. Vanguard is the highest quality, economically priced skirting you can buy. Strong, durable, uniquely designed for the styles of today's manufactured homes.



Solid Skirting

Airflow Skirting

Parts List	White	Shadow	Almond	Light Gray
Vanguard Airflow	810110 1VCTWA	810910 1VCTSA	810410 1VCTAA	810610 1VCTLGA
Vanguard Solid • PCs per ctn. 14 pc's • 12' L ft./ctn. • 65lbs./ctn. • .034 +/-3	810100 1VCTWP	810900 1VCTSP	810400 1VCTAP	810600 1VCTLGP
Trim Pack 14 PCs • Front Rail • 14 PCs Back Rail • 14 PCs Ground Rail • 7" Ground Spikes (162 Lin Ft.) • 97 lbs./ctn.	820105 1GCTWT	820905 1GCTST	820405 1GCTAT	820605 1GCTLGT
Defender - White Only • 14' Long • 14 Per Bundle	820123 1AWRFZ	-	-	-
Replacement Parts				
Front Rail	820121 1GWZ12	820921 1GSZ12	-	-
Back Rail	820120 1GWB12	-	-	-
Ground Rail	820122 1PWF12	-	820422 1PAF12	-



**WITHSTANDS  
THE FORCE OF  
A WEED EATER!**

### The Rustique RIBB is:


- Warrantied resistance to weed eater damage
- Patent pending design
- 92 ounce panel extruded for structural integrity
- 16"W x 12'L panels for faster installs
- Engineered for greater impact durability and wind resistance
- Embossed stucco finish for a tailored appearance and ease of maintenance

### Rustique Airflow Vented Ribb Skirting Panels w/Stucco Finish - White

*Sold in full boxes only*

*(Kansas City and Omaha Branches Only)*

930100 **1RRCTWA** 14-Pack



Recessed vents for a clean appearance

### Rustique Ribb Solid Skirting Panels w/Stucco Finish - White

*Sold in full boxes only*

930200 **1RRCTWS** 14-Pack



Both Styles Available in **White**

### Rustique Genesis Trim Kit w/ Hardware (White) *(Omaha Branch Only)*

930205 **1GCTWT** *Sold in full boxes only*

- Advanced "F" channel ground track can be installed quickly and easily over any terrain-even on a grade
- Contains **14 pieces** of each rail (front, back, and bottom)
- 11' 8" top cap/top back & bottom rail; 7" galvanized spikes



# Rapid Wall Skirting

## Calculations Chart



**Rapid Wall skirting is engineered uniquely to serve HUD wind loading for zones 1, 2 and 3. It is especially designed for use in frost protected shallow foundation systems.**

- Clean Concrete Foundation Like Appearance
- Installs like traditional vinyl skirting. No special training required
- 4 ft. wide panels mean fast installation
- EPS foam backing gives the panel **R9** insulating value
- Foam backing stiffens the panel and can be installed without framework in most cases
- No special tools required for installation
- 20 year warranty


### Skirting Panels Required

Typical Home Size	14x 70	14x 80	16x 70	16x 80	24x 60	24x 65	24x 70	28x 65	28x 70	32x 70
Linear Feet Less Hitch	160	180	164	184	160	170	180	178	188	196
To 24 inches	7	8	7	8	7	8	8	8	8	9
To 28 inches	8	9	9	10	8	9	9	9	10	10
To 36 inches	12	12	11	12	10	11	12	12	12	13
<b>Trim Parts</b>										
Top Front Rail	14	15	14	16	14	15	15	15	16	17
Top Back Rail	14	15	14	16	14	15	15	15	16	17
Ground Channel	14	15	14	16	14	15	15	15	16	17

\*Measurements may vary, call the distributor of your state for more detailed instructions.



### 10 panel average per trim kit



TOP FRONT RAIL




GROUND CHANNEL RAIL



TOP BACK RAIL

### Color Options:



WHITE



GRAY



ALMOND



CLAY

	WHITE	CLAY	ALMOND	GRAY
<b>Rapid Wall Panels - 4'W x 12'L x 2"T</b> 25 Pieces Per/Skid	920100 1VRWWP	920200 1VRWCP	920400 1VRWAP	920600 1VRWGP
<b>Rapid Wall S.T.D Trim Kit (up to 186' Lin. Ft.) 2-Box Kit</b> Includes 16 Pieces of Top Front, Top Back, Ground Channel	920105 1RWCTWT	920205 1RWCTCT	920405 1RWCTAT	920605 1RWCTGT
<b>Rapid Wall Top Back Rail</b> 40 Pieces Per/Box	920120 1RWCTWB	920220 1RWCTCB	920420 1RWCTAB	920620 1RWCTGB
<b>Rapid Wall Top Front Rail</b> 20 Pieces Per/Box	920121 1RWCTWZ	920221 1RWCTCZ	920421 1RWCTAZ	920621 1RWCTGZ
<b>Rapid Wall Ground Channel Rail</b> 20 Pieces Per/Box	920122 1RWCTWF	920222 1RWCTCF	920422 1RWCTAF	920622 1RWCTGF
<b>Rapid Wall Hardware Kit</b>	920099	RWHW	-	-



Undermount Trim Kits:  
GRAY (920615) LEFT  
ALMOND (920415) RIGHT

Corner Kit: CLAY (920210)



Corner Kit  
(TOP VIEW)



	WHITE	CLAY	ALMOND	GRAY
<b>Rapid Wall Undermount Trim 4-Box Kit (up to 186' Lin. Ft.) (Limited Stock)</b>	920115 1RWUTW	920215 1RWUTC	920415 1RWUTA	920615 1RWUTG
<b>Rapid Wall Corner Kit (12' Long + Parts)</b> 15 Pieces Per/Box	920110 1VCW12	920210 1VCC12	920410 1VCA12	920610 1VCG12

# Witten Foundation Vents


## Parts Listings

### Open Aire Grills

Rapid Wall Vents with Screen and Damper




920500 500 BLACK



920501 500WH

Rapid Wall Vent with Screen (No Damper)



920511 510 GRAY



### Automatic Foundation Vents


- Automatically opens and closes
- Reduces crawl space moisture
- Lowers risk of frozen pipes
- Aids in termite control
- Helps cut fuel bills




920306 306M WHITE



920309 306M BLACK



920308 306M GRAY



920307 306M BROWN



306M WHITE In Use





## Ground Cover & Closure Film

Our construction sheeting is general-purpose plastic sheeting for a variety of construction applications. Made from polyethylene-based heavy-duty plastic, it protects surfaces from paint, water, dust, and more. It can also be used as a curing blanket for concrete slabs, as a covering for crawl spaces, a temporary covering for equipment, and more.

- Three-layer, co-extruded high strength film
- High density out layers provide exceptional puncture resistance in addition to a tough flexible inner core that is designed to out perform the tear resistance of ordinary polyethylene films
- Contains UV inhibitors



Part No.		Dimensions	Sq. Ft.	Color	Material	Thickness
420184	614-300WHT	14' X 300'	4200	White	Closure Film	6 MIL
420168	RPB163006W	16' X 300'	4800	White	Closure Film	6 MIL
420167*	16X100 6MIL	16' X 100'	1600	Black	Closure Film	6 MIL
420182	620-C	20' X 100'	2000	Clear	Ground Cover	6 MIL
420172	620B	20' X 100'	2000	Black	Ground Cover & Closure Film	6 MIL

\*Hammond Branch Only

## Mobile Flex™ The Super Strong Bottom Closure

Ideal for RVs and manufactured homes, BOTTOM BOARD is one of the strongest bottom closures available. Woven from high-density polyethylene, it is impervious to water and qualifies as a vapor barrier.

**420169 BB1680**

Underbelly Board 16' X 80' - Black



## Vivi•Flex

This Single-Sided Tape Combines a Heavy Duty, Weather Resistant Polyethylene Backing with an Aggressive Rubber Adhesive.



300404 TVB4 4" X 210' Roll White



## Scrim Shield™

Permanent and waterproof, SCRIM SHIELD is an all-purpose mending tape for rips and tears. Its durability and aggressive adhesion creates a permanent seal for undercarriage repairs on RVs and manufactured homes.



420173 022-BP2825 28" X 25'


420174 022-BP4180 4" X 180'

420176 022-BP6180 6" X 180'



## Duct Tape

Utility grade duct tape with high tack adhesive bond. It's made with a versatile polyethylene coated cloth and is easy to tear. The DUG series is a 9 mil thick tape.



420190 022-DUG48S 2" X 180' Silver

420320 022-DUG48B 2" X 180' Black

# REFLECTIX, INC.



## Foil Tape

- Foil Tape - A heavy gauge aluminum foil bonded to an acrylic adhesive with a release liner
- White Poly Tape - A white poly bonded to an acrylic adhesive

531000 FT21024 2" X 30'

531001 FT25006 2" X 150'

## Foil Insulation

Reflectix aluminum and polyethylene bubble insulation has been thoroughly tested and proven to be a highly efficient energy barrier that maintains temperatures and comfort levels. Use it wherever regular insulation won't work.



531003 BP24010 2" X 10'

531006 BP48010 48" X 10'

531008 BP24050 24" X 50'

531010 BP3610001 36" X 100'

531005 BP48050 48" X 50'

531007 BP4810001 48" X 100'



# Minute Man Anchors

'Specializing in Anchoring Earth Bound Objects'

## Tension Head Anchors



### SINGLE DISC / DOUBLE TENSION HEAD ANCHOR

Earth anchor with 6" disc and double fastening and tension head.

ARROW	MFG	MARK	MODEL	DESCRIPTION	SOIL CLASS
840105	1101	MMA-4	650-DH 3/4" Rod	6" Disc, 50" Anchor	2,3,4(a)



### DOUBLE DISC / DOUBLE TENSION HEAD ANCHORS

Double disc earth anchors with double fastening and tensioning head for use with straps. Designed to be augured into extremely hard soil where a 6" disc and anchor will not suffice.

*This anchor must be field tested for holding strength.*

ARROW	MFG	MARK	MODEL	DESCRIPTION	SOIL CLASS
844046	1271	MMA-6	4430-DH 3/4" Rod	Dbl. 4" Disc, 30" Anchor	2,3
840108 Hammond Only	1346	MMA-52	4636-DH 3/4" Rod	4" & 6" Disc, 36" Anchor	2,3,4(a)
844047 Omaha Only	1282	NA	4450-DH 7/8" Rod	Dbl. 4" Disc, 48" Anchor	2,3,4(a)
840106	1284	MMA-55	4450-DH 3/4" Rod	Dbl. 4" Disc, 50" Anchor	2,3,4(a)

*\*Hammond & Elkhart Branches Only*



### BARB ROCK DRIVE ANCHOR

Barbed anchor designed to secure structures to extremely hard, rocky soil or an asphalt foundation where auger anchors will not suffice.

ARROW	MFG	MARK	MODEL	DESCRIPTION	SOIL CLASS
844058	1390	MMA-BR	24 BR 3/4" Barb Anchor	24" Barb Anchor	1




### DOUBLE SINGLE DISC / DOUBLE TENSION HEAD EZ ANCHORS

Anchor and stability combined as one! E-Z Anchor can drastically cut installation time. This means faster, easier setup and more in-pocket cash. Meets building code approval for compression and is designed for std. Keeps decks, steps, etc. in place.

ARROW	MFG	MARK	MODEL	DESCRIPTION	SOIL CLASS
840107*	1592	MMA-92	4430-EZDH 3/4" Rod	Dbl. 4" Disc, 30" EZ Anchor	2,3
840123*	1593	MMA-93	4636-EZDH 3/4" Rod	4" & 6" Disc, 36" EZ Anchor	2,3,4

*\*Hammond & Elkhart Branches Only*



### GW-2 ANCHOR

Combines a patented elongated hole in the tension head with a stabilizing and compaction cap with drive rod guides. When combined with a grade 5 bolt, the anchor will rotate in all directions allowing adjustment to uneven terrain. Under load conditions the cap rotates downward in the direction of the pull, causing a double compaction of the soil and laterally restricts movement of anchor through the soil.

ARROW	MFG	MODEL	DESCRIPTION	SOIL CLASS
844004	1322	GW-2 Soil Anchor	4" Disc 30" Anchor w/Cap	2, 3





# Galvanized Strap & Attachment Hardware

15

ANCHORS, STEPS & SETUP MATERIAL



ARROW	MFG	MARK	MODEL	DESCRIPTION
844038	2694	MMA-29	FCII W/S	Frame Clamp II w/7" G-60 Strap
844032	2698	MMA-29	FCII W/S	Frame Clamp II w/8" G-60 Strap
844031	2697	MMA-29	FCII W/S	Frame Clamp II w/10' G-60 Strap
844030	2688	MMA-29	FCII W/S	Frame Clamp II w/12' G-60 Strap
844021	2693	MMA-29	FCII W/S	Frame Clamp II w/15' G-60 Strap
844040	2681	MMA-29	FCII W/S	Frame Clamp II Only



840050



ARROW	MFG	MARK	MODEL	DESCRIPTION
840055	2701	MMA-32	BUC/WS	Single Slot Buckle w/7" G-60 Strap
840114	2708	MMA-32	BUC/WS	Single Slot Buckle w/8" G-60 Strap
840046	2715	MMA-32	BUC/WS	Single Slot Buckle w/15' G-60 Strap
840050	2520	MMA-23	22 Buckle	Double Slot 2"x2" - Frame Strap Buckle Only (100BX)

ARROW	MFG	MARK	MODEL/DESCRIPTION
840045	2580	STRAP	37' Galvanized Steel Strap Cert. ANSI 225.1 and ASTM D 3953 G-60
840040	2670	STRAP	600' Galvanized Steel Strap Cert. ANSI 225.1 and ASTM D 3953 G-60
844070	2710	MMAS	MMAS Crimp Seal For Strap




844070



**CRIMPING TOOL**  
(SPECIAL ORDER ITEM)

ARROW	MFG	DESCRIPTION
844044	2550	Tie Down Strap Crimping Tool is designed for use with .035 thickness, 1-1/4" wide strap and steel MMAS Crimping Seals.



**ROOF BRACKET**

ARROW	MFG	DESCRIPTION
844013	2491	S-Type 4"x4" Galvanized Bracket



**SPLIT BOLTS W/NUTS**

ARROW	MFG	MARK	MODEL	DESCRIPTION
840110	2010	MMA	SBN	Split Bolt w/Nut - 8/Bag

## MINUTE MAN ELECTRIC DRIVE MACHINE

ARROW	MFG	FEATURES & BENEFITS
844035	2730	<ul style="list-style-type: none"> <li>One-half horse power motor</li> <li>11.8 rpms</li> <li>120 volt 60 cycle, 9 amps</li> </ul>
844042	2741	<p><b>MMA DRIVE MACHINE ADAPTER</b></p> <p>Anchor Adapter attaches to Minute Man Drive Machine and fits over the Minute Man tension head anchors. Adapter dimensions are designed to fit Minute Man brand anchors and may not fit over other manufacturers anchor heads.</p>





## CONCRETE INSTALLATION COMPONENTS

### LATERAL SYSTEM

#### For Concrete Flex Tube

##### System Components-

- (1) Galv. 60" Adj Lateral Brace Tube w/Hardware

840166 3632 60" Adj. Lateral Brace Tube w/Hardware (Max Ext. 110")

840167 3637 72" Adj. Lateral Brace Tube w/Hardware (Max Ext. 122")

### LATERAL & LONGITUDINAL SYSTEM

#### For Concrete Flex Tubes

##### System Components-

- (1) Galvanized 60" Adj. Lateral Brace Tube w/Hardware #3632


- (1) Galv. Longitudinal Brace Tube w/Beam Clip

844028 3639 Galv. 39" Longitudinal Flex Tube w/Beam Clip for piers up to 24"

844018 3644 Galv. 44" Longitudinal Flex Tube w/Beam Clip for piers up to 32"

844053 3653 Galv. 53" Longitudinal Flex Tube w/Beam Clip for piers up to 40"

844054 3665 Galv. 65" Longitudinal Flex Tube w/Beam Clip for piers up to 48"



## ALL PARTS CONTAINED IN ONE NEAT PACKAGE FOR YOUR CONVENIENCE!



#### Lateral Brace Tubes Hardware #3631

- 2 2" x 7-3/4" Lateral Clamps (top of beam)
- 2 1/2" x 1-3/8" Washers
- 2 1/2" x 2-1/2" Carriage Bolts & Nuts
- 8 1/4" x 3/4" Self Drilling Screws
- 2 5/8" x 3" Sleeve Anchors (for dry concrete)



#### S/O #3636

6" Wet concrete anchors (box of 4)

**Sold Separately  
Special Order Item**

#### Adjustable Lateral Brace Tubes 2pk

- 2 1-1/2" sq. x 60" Galv. Steel Outer/Lower Tubes
- 2 1-1/4" sq. x 60" Galv. Steel Inner/Upper Tubes
- 1 Box Hardware

Box of Hardware and  
Instruction Sheet



#### Longitudinal Brace Tubes Hardware #3699

- 4 3-3/4" x 2-3/4" Top Cover Attachment Clips
- 8 1/2" x 1-1/4" Carriage Bolts & Nuts
- 2 5/8" x 3" Sleeve Anchors (for dry concrete)

#### Longitudinal Brace Tubes w/Beam Clips 2pk

- 2 1-1/2" sq. Galv. Steel Tube x 39", 44", 53" or 65" long
- 2 Pre-Assembled Beam Clips
- 1 Box Hardware

Box of Hardware and  
Instruction Sheet







### SOIL INSTALLATION COMPONENTS

#### LATERAL SYSTEM

##### with 20" Steel Pier Pad


###### System Components-

- (1) Galvanized 20" Steel Pier Pad,
- (1) Galv. 60" Adj. Lateral Brace Tube w/Hardware

800120 3521 Galv. Steel Pier Pad w/16" Pins

844029 3532 Galv. 60" Adj. Lateral Brace Tube w/Hardware (Max Ext. 110")

844037 3537 Galv. 72" Adj. Lateral Brace Tube w/Hardware (Max Ext. 122")



#### LATERAL & LONGITUDINAL SYSTEM

##### with 20" Steel Pier Pad

###### System Components-


- (1) Galvanized 20" Steel Pier Pad, #3521
- (1) Galvanized Lateral Brace Tube, #3537
- (1) Galv. Longitudinal Brace Tube w/Beam Clip

844090 3739 Galv. 39" Longitudinal Brace Tube w/Beam Clip for piers up to 24"

840160 3744 Galv. 44" Longitudinal Brace Tube w/Beam Clip for piers up to 32"

840161 3753 Galv. 53" Longitudinal Brace Tube w/Beam Clip for piers up to 40"

840162 3765 Galv. 65" Longitudinal Brace Tube w/Beam Clip for piers up to 48"



**ALL PARTS CONTAINED IN ONE NEAT PACKAGE FOR YOUR CONVENIENCE!**

#### Lateral Brace Tubes Hardware #3531

- 2 2" x 7-3/4" Lateral Clamps (top of beam)
- 2 1-5/8" x 2" Tube Clamps
- 4 1/2" x 1-3/8" Washers
- 2 1/2" x 1-1/4" Carriage Bolts & Nuts
- 4 1/2" x 2-1/2" Carriage Bolts & Nuts
- 8 1/4" x 3/4" Self Drilling Screws



#### Adjustable Lateral Brace Tubes 2pk

- 2 1-1/2" sq. x 60" Galv. Steel Outer/Lower Tubes
- 2 1-1/4" sq. x 60" Galv. Steel Inner/Upper Tubes
- 1 Box Hardware



Uses adjustable galvanized tubing for easy assembly and structural integrity




#### Longitudinal Brace Tubes w/Beam Clips 2pk

- 2 1-1/2" sq. Galv. Steel Tube x 39", 44", 53" or 65" long
- 2 Pre-Assembled Beam Clips
- 1 Box Hardware

#### Longitudinal Brace Tubes Hardware #3799

- 4 3-3/4" x 2-3/4" Top Cover Attachment Clips
- 8 1/2" x 1-1/4" Carriage Bolts & Nuts






Flat pad design installs easily on concrete or on soil and provides a sturdy, tight fit

#### Steel Pier Pad Assembly

- 1 20" Galv., Steel Pier Pad
- 4 16" Angle Drive Pins
- 2 1/2" x 2-1/2" Carriage Bolts & Nuts




## Minute Man LLBS Flex Tubes for Concrete Installation *Saves Time and Money!*



- 4-ply folded tube for a stronger connection to the concrete
- Tubes connect directly to concrete with only one anchor bolt; less parts, less drilling and less installation time
- Tubes can fit on smaller diameter footers
- Tubes easily flex from 10 degrees to 45 degrees
- Preassembled Beam Clips on Longitudinal Tubes
- Neatly packaged for warehousing and transport to job site; Lateral and Longitudinal Tubes conveniently packaged in pairs with all hardware included, no separated parts

## The Minute Man Stabilizing System for All Wind Zones, Soil Installation *Saves Time and Money!*

- Can eliminate or reduce frame ties, anchors and stabilizers
- Versatile and interchangeable parts easily adapt to most any foundation requirements on homes being manufactured today
- Top quality heavy gauge galvanized steel provides stability
- Adaptable to steel piers, concrete block piers and poured foundations; 20" x 20" steel pad will hold double block piers
- Versatile-provides support as needed: combined lateral and longitudinal support, or only lateral, or only longitudinal
- Easy to install on dirt or concrete
- Neatly packaged for warehousing and transport to job site; Lateral and Longitudinal Tubes conveniently packaged in pairs with all hardware included





**Approved for wind zones  
I, II, III, and Florida**




# Longitudinal Frame Tie & Clamp (For Wind Zone I)

19








ARROW	MFG	MARK	MODEL	DESCRIPTION
844069	2709	MMA-71-C	CT/WS	Corner Tie w/5/8" hole 7' strap FL.

ARROW	MFG	MARK	MODEL	DESCRIPTION
844025	2822	MMA-34	Frame Tie (bottom beam flange)	Longitudinal Frame Tie 4-bolt



## Xi2 Ground Foundation System

- Easiest system to install
- Stabilizer plates and diagonal frame ties are not required in most set-ups
- Longitudinal stabilization is easily added with Tie Down's LSD strut kit
- Heavy galvanized coating on bracket and struts
- For use in Wind Zones I, II & III, Florida & Seismic Loads



## Xi2 Ground Lateral System

- 571104 59306 5' Strut w/Pad & Hardware
- 840133 59625 7' Strut w/Pad & Hardware
- 105198 59624 7' Strut w/Pad & Hardware (30/Skid)

## Longitudinal Hardware Kit

Includes Hardware for 2 struts: I-beam brackets, U-bolt, nuts, bolts & washers.

- 571114 59331 Xi2 Ground System Tie Down Kit

## Longitudinal Struts for "Ground Systems"

- 840153 59330-30 30" - Pier Height Up to 2 Blocks
- 840156 59330-39 39" - Pier Height Up to 3 Blocks
- 840157 59330-44 44" - Pier Height Up to 4 Blocks

## Xi2 Concrete Lateral Systems "Dry Set"

- 840147 59307 Includes 5' Strut, Bracket & Hardware

## Longitudinal Struts For "Concrete Systems"


- 840137 59016 30" - Pier Height Up to 2 Blocks
- 840149 59012 39" - Pier Height Up to 3 Blocks
- 840134 59013 44" - Pier Height Up to 4 Blocks
- 840151 59014 53" - Pier Height Up to 5 Blocks
- 840150 59015 65" - Pier Height Up to 6 Blocks

## Xi2 Longitudinal Hardware Kit

- 840148 59263 Includes Hardware For 2 Struts: I-beam, Bracket, Nuts, Bolts & Washers

*\*These parts are exclusively in Des Moines*





### Quik-Set Stabilization Plate

- Sets Quickly
- Requires little or no hammering
- Quick-N-Easy installation, let the Drive Machine do the work
- Inclined steady rest engineered to allow ground anchor to be installed at a slight back angle (10-15 degrees)


**\*840155 59291** Lateral Stabilizer Plate

*\*Omaha and Des Moines Branches Only*



### Adjustable Outrigger/ Diagonal Strut\*

Use under doors and windows instead of perimeter blocking. Allows for easy door adjustments. Easy to install, installation instructions included. Includes all hardware.




**844064 59363** 24" Outrigger

For 14' Wide Home - Tie Down (4 Bags Per/Box)  
Sold As 2 Per/Bag, 8 Pairs Per/Master Carton

**840111 59365** 36" Outrigger

For 16' Wide Home - Tie Down (4 Bags Per/Box)  
Sold As 2 Per/Bag, 8 Pairs Per/Master Carton



### Pier Pads

**800121 BP1616** 16"x16"x1" Poly Pad  
(10/BNDL, 450SKD)

**800126 BP1818** 18.5"x18.5"x1" Poly Pad  
(10/BNDL, 300SKD)

**800127 BP2020** 20"x20"x1" Poly Pad  
(10/BNDL, 300SKD)

**800123 BP2424** 24"x24"x1" Poly Pad  
(5/BNDL, 200SKD)



### Flat Boards\*

**800017** Hard Ash 20/Bndl. 3/8"T x 8"W x 16"L

**800018** Hard Ash 20/Bndl. 1/2"T x 8"W x 16"L

**800019** Hard Ash 20/Bndl. 5/8"T x 8"W x 16"L

**800001** Hard Ash 10/Bndl. 1"T x 8"W x 16"L

**800002** Hard Ash 5/Bndl. 1-1/2"T x 8"W x 16"L

**800003** Hard Ash 5/Bndl. 2"T x 8"W x 16"L


**800087 HP265401** Hard Oak Cap Blocks  
10/Bndl. 1"T x 8"W x 16"L *\*Elkhart Branch Only*

### Wedges\*

**800008** Hard Ash 40/Bndl. 1"T x 4"W x 10"L

**800009** Hard Ash 36/Bndl. 1"T x 5-3/4"W x 10"L

**800086 HP265403** Hard Oak 30/Bndl.  
1"T x 8"W x 16"L *\*Elkhart Branch Only*



### Lag Screw & Washer (Sold Separately)

**840113 386HLP** 3/8" Hex Head Lag Screw  
6" Length - Standard Thread. No Washer

*\*Hammond Branch Only*

**500560 38USSFWZ** Washer For Lag Bolt  
Part #386HLP

*\*Hammond Branch Only*



# Quality Steps & Decks

That Enhance the Beauty of Any Home

All steps and platform boards are double grooved to increase tread efficiency. All metal parts are dipped in semi-gloss black paint. Lumber is select grade 2" x 10" and dipped in deep penetrating stain.

## 850015 20202-2SP

2-Step w/30" Platform & Single Handrail - 24"H x 36" Wide

## 850020 20203-3SP

3-Step w/30" Platform & Single Handrail - 32"H x 36" Wide

## 850016 20601-HH3BR

Back Rail (Optional) For 3-Steps w/30" Platform x 36" Wide




## 850035 20420-4W2SP

2-Step w/30" Platform & Double Handrail - 24"H x 48" Wide

**850040 20430-4W3SP** 3-Step w/30" Platform  
& Double Handrail - 32"H x 48" Wide

## 850018 20602-HH4BR

Back Rail (Optional) For 3-Steps w/30" Platform x 48" Wide



## Fold Out Steps

All H&H fold out economy steps are preassembled at the factory as a time saving convenience for our customers. Angle iron and metal strip frame.

**Check with warehouse for availability.**

**571014 20445-4SNPFOMA** 4-Step 1/2 Platform - 32"H x 36" Wide w/Single Handrail & Hardware Kit & Back Brace





A totally efficient thermal entrance system for manufactured housing. Completely pre-hung and ready to install, the 9000 series includes a **24 gauge vinyl clad** steel inner door and an energy efficient storm door.

- 24 gauge vinyl clad steel door core
- Full 1-3/4" thermally broken core
- Rugged stainless steel lock system with adjustable strike plate
- Core is edge bored and capped or easy addition of deadbolt
- Prefinished PVC jamb system
- Lockside metal blind stop and integral sealing system
- Thermally broken threshold
- Four leaf sill sweep



**570358 (570358) - 34" x 76" LH** - Vinyl/Steel Combo Door; 6-Panel (White) w/6" Vinyl Jamb (White), Standard Storm Door (White), Interior & Exterior (White) Drilled For Knob/Knob Lock and Dead Bolt.

**570359 (0211142) - 34" x 80" LH** - Vinyl/Steel Combo Door; 6-Panel (White) w/6" Vinyl Jamb (White), Standard Storm Door (White), Interior & Exterior (White) Drilled For Silver Knob/Knob Lock and Dead Bolt.

**570360 (0211143) - 34" x 80" RH** - Vinyl/Steel Combo Door; 6-Panel (White) w/6" Vinyl Jamb (White), Standard Storm Door (White); Interior & Exterior (White)—Drilled for Knob/Knob Lock and Dead Bolt.

**570385 (0211103) - 38" x 80" LH** - Vinyl/Steel Combo Door; 6-Panel (White) w/6" Vinyl Jamb (White), Standard Storm Door (White); Interior & Exterior (White)—Drilled For Silver Knob/Knob Lock and Dead Bolt.

**570386 (0211102) - 38" x 80" RH** - Vinyl/Steel Combo Door; 6-Panel (White) w/6" Vinyl Jamb (White), Standard Storm Door (White); Interior & Exterior (White)—Drilled For Silver Knob/Knob Lock and Dead Bolt.

**570375 (0211159) - 38" x 82" RH** - Vinyl/Steel Combo Door; 6-Panel (White) w/4" Vinyl Jamb (White), Standard Storm Door (White); Interior & Exterior (White)—Drilled For Silver Knob/Knob Lock and Dead Bolt.

## CLASSIC OAK INTERIOR DOORS

These beautiful doors are prefinished with a tough synthetic coating and machined for standard hardware to save time and money.

- Doors can be used as either left hand or right hand swing
- Beautiful and durable
- Light oak color
- 1-3/8" Thick
- *Hardware Not Included*

<b>570535</b>	<b>026758D</b>	24" x 78" Standard Interior Door - Classic Oak
<b>570536</b>	<b>028194D</b>	26" x 78" Standard Interior Door - Classic Oak
<b>570540</b>	<b>026967D</b>	28" x 78" Standard Interior Door - Classic Oak
<b>570545</b>	<b>026969D</b>	30" x 78" Standard Interior Door - Classic Oak
<b>570435</b>	<b>026942D</b>	24" x 80" Standard Interior Door - Classic Oak
<b>570436</b>	<b>028146D</b>	26" x 80" Standard Interior Door - Classic Oak
<b>570440</b>	<b>026945D</b>	28" x 80" Standard Interior Door - Classic Oak
<b>570445</b>	<b>026992D</b>	30" x 80" Standard Interior Door - Classic Oak
<b>570443</b>	<b>022050</b>	36" x 80" Standard Interior Door - Classic Oak



**FEATURES:**

- Painted Galvanized Steel - Long Lasting
- Double Seal - Folded Steel Edge w/Weather Stripping - Protects against air, light, and water
- Adjustable Door Stop
- Polyurethane Foam Core - Highly Energy Efficient
- Quality Cellular PVC Jamb
- Swivel Bolts - Easy Lock Installation
- Adjustable Stop
- Sloped Threshold
- 10" x 10" Clear Diamond Window

**4" Wall Jamb White Finish w/Storm Door (White)**

<b>32" x 72" LH</b>	<b>570300</b> (0210880)
<b>32" x 72" RH</b>	<b>570095</b> (403272RG213)
<b>32" x 74" LH</b>	<b>570097</b> (0212100)
<b>32" x 74" RH</b>	<b>570098</b> (0212101)
<b>32" x 76" LH</b>	<b>570100</b> (0210874)
<b>32" x 76" RH</b>	<b>570101</b> (0210875)
<b>32" x 78" LH</b>	<b>570310</b> (0211074)
<b>32" x 78" RH</b>	<b>570311</b> (0211073)
<b>32" x 80" LH</b>	<b>570105</b> (0211308)
<b>32" x 80" RH</b>	<i>Special Order Item</i>
<b>34" x 74" LH</b>	<b>570106</b> (0211322)
<b>34" x 74" RH</b>	<i>Special Order Item</i>
<b>34" x 76" LH</b>	<b>570116</b> (0210878)
<b>34" x 76" RH*</b>	<b>570320</b> (0212111)
<b>34" x 78" LH</b>	<b>570370</b> (0211304)
<b>34" x 78" RH</b>	<b>570325</b> (0211305)
<b>34" x 80" LH</b>	<b>570315</b> (0211306)
<b>34" x 80" RH</b>	<b>570125</b> (0211307)
<b>36" x 80" LH</b>	<b>570361</b> (403680LG213)
<b>36" x 80" RH</b>	<i>Special Order Item</i>

\*Prepped For Deadbolt Lock

**6" Wall Jamb White Finish w/Storm Door (White)**

<b>34" x 76" LH</b>	<b>570330</b> (0211180)
<b>34" x 76" RH</b>	<b>570324</b> (0211181)
<b>34" x 78" LH</b>	<b>570362</b> (0212267)
<b>34" x 78" RH</b>	<b>570363</b> (0211238)
<b>34" x 80" LH</b>	<b>570364</b> (0211182)
<b>34" x 80" RH</b>	<b>570365</b> (0211183)
<b>36" x 76" LH*</b>	<b>570372</b> (0212269)
<b>36" x 76" RH*</b>	<b>570371</b> (0212268)
<b>36" x 80" LH*</b>	<b>570366</b> (0212271)
<b>36" x 80" RH*</b>	<b>570367</b> (0212270)
<b>38" x 76" LH*</b>	<b>570374</b> (0212273)
<b>38" x 76" RH*</b>	<b>570373</b> (0212272)
<b>38" x 80" LH*</b>	<b>570368</b> (0211101)
<b>38" x 80" RH*</b>	<b>570369</b> (0211100)

\*Prepped For Deadbolt Lock



### FEATURES:

- For use with 6000 & 9000 Series House Type Steel Doors
- Heavy-gauge, hollow, aluminum door frame reinforced with 14-gauge corner gussets
- Fiberglass screen resists impact without permanent deformation
- Sliding glass window
- 1/8" tempered safety glass installed in all conventional size doors

Size(Width/Height)	White Finish
30" x 78" LH	<i>Special Order Item</i>
30" x 78" RH	<i>Special Order Item</i>
32" x 72" LH	570255 (60003272LMN)
32" x 72" RH	570198 (60003272RMN)
32" x 74" LH	570195 (RXSC3274WL)
32" x 74" RH	<i>Special Order Item</i>
32" x 76" LH	570196 (0211007)
32" x 76" RH	570178 (0211008)
32" x 78" LH	570197 (64003278LWN)
32" x 78" RH	570200 (RXSC3278WR)
32" x 80" LH	570304 (RXSC3280WL)
32" x 80" RH	570303 (RXSC3280WR)
34" x 76" LH	570252 (0211053)
34" x 76" RH	570253 (0211054)

Size(Width/Height)	White Finish
34" x 78" LH	570256 (64003478LWN)
34" x 78" RH	570257 (RXSC3478WR)
34" x 80" LH	570258 (0211064)
34" x 80" RH	570259 (0211063)
36" x 76" LH	570269 (0211043)
36" x 76" RH	570268 (0211044)
36" x 80" LH	570260 (0211050)
36" x 80" RH	570261 (64003680RWN)
38" x 76" LH	570267 (0211045)
38" x 76" RH	570266 (0211046)
38" x 80" LH	570262 (0211017)
38" x 80" RH	570263 (0211016)
38" x 82-1/4" LH	570264 (0211048)
38" x 82-1/4" RH	570265 (0211049)



## DOOR ACCESSORIES

### Spring & Assembly Door Chain



540175 0210601 Safety Chain Kit For Exterior Door

### Storm Door Hardware Kit



500657 0212036 Storm Door Hardware Set - Black  
 500658 0212038 Storm Door Hardware Set - White



# SERIES 5140

## MOBILE HOME DOORS

- Heavy damage-resistant fiberglass panels are securely bonded to the core
- Patented pre-cambered steel styles provide a positive seal every time
- Welded frame for added strength
- Effective insulating foam core
- Door system comes complete with lock, door chain and threshold—dead bolts are optional
- Wide choice of window options to enable you to match an existing door or upgrade

Size (Width/Height)	No Window-Blank	10" x 10" Diamond - Clear	Vertical Slide 14"W x 27"H	10" x 10" Square - Col. White
30" x 72" LH	<b>*570050</b> (1945016) S/O	<b>570010</b> (1954655)	<b>*570388</b> (307200VS) S/O	-
30" x 72" RH	-	<b>570005</b> (2151456)	-	-
30" x 74" LH	-	<b>570011</b> (2196794)	-	-
30" x 74" RH	-	<b>570012</b> (2051764)	-	-
30" x 76" LH	-	<b>570013</b> (3515114)	-	-
30" x 76" RH	-	<b>570014</b> (2030463)	-	-
32" x 72" LH	<b>570065</b> (1892222)	<b>570015</b> (1842390)	<b>570390</b> (2151469)	-
32" x 72" RH	<b>570055</b> (1842402)	<b>570020</b> (1956296)	<b>*570391</b> S/O	-
32" x 74" LH	<b>570345</b> (1905672)	<b>570350</b> (1917354)	<b>570352</b>	-
32" x 74" RH	-	<b>570351</b> (2537211)	-	-
32" x 76" LH	<b>570070</b> (1838586)	<b>570025</b> (1842392)	<b>570028</b> (1838567)	-
32" x 76" RH	<b>570060</b> (1850291)	<b>570030</b> (1842398)	-	-
32" x 78" LH	<b>570075</b> (10083150)	<b>570035</b> (1956298)	<b>*570034</b> (2066186) S/O	-
32" x 78" RH	<b>570076</b> (1850293)	<b>570040</b> (1968531)	<b>*570036</b> (2549116) S/O	-
32" x 80" LH	<b>*570077</b> (1892229) S/O	<b>570041</b> (1905645)	-	-
32" x 80" RH	-	<b>570042</b> (1905657)	-	-
34" x 72" LH	-	-	<b>570392</b>	-
34" x 74" LH	-	<b>570083</b> (1968537)	-	-
34" x 74" RH	-	<b>570084</b>	-	-
34" x 76" LH	<b>*570354</b> (1878085) S/O	<b>570043</b> (1842400)	<b>*570393</b> (2030453) S/O	-
34" x 76" RH	<b>570355</b> (1968550)	<b>570044</b> (2010672)	<b>570394</b> (1968544)	-
34" x 78" LH	-	<b>570078</b> (1842404)	-	-
34" x 78" RH	-	<b>570079</b>	-	-
34" x 80" LH	<b>570082</b> (2837235)	<b>570081</b> (1892257)	-	-
34" x 80" RH	-	<b>570096</b>	-	-
36" x 78" RH	-	-	-	<b>570086</b> (1917351)
36" x 80" LH	<b>570088</b> (1892233)	-	<b>570085</b>	<b>570087</b> (1905667)
36" x 80" RH	<b>570080</b> (1905679)	-	-	-



*\*S/O: Special Order Items*

### HOW TO MEASURE A DOOR:

There are many ways to measure a door replacement, but we recommend that you measure the rough opening and select the opening size that is closest to it. For example: Your rough opening measurements (32-1/2" x 76-1/4") ALWAYS BACK DOWN TO THE NEAREST SIZE and order size (32" x 76"). To determine the HINGE of a door, stand outside of the house facing the door. If the hinge is on the left side of the door, the door is left hand.



Size (Width x Height)	Vertical Sliders (Mill Finish)	Self-Storing Storm (Inside) White
14-1/4" x 27-1/16"	580025 (0462524)	580026 (0462607)
14-1/4" x 21-3/4"	580023 (0462602)	580024 (0462602)
14-1/4" x 39-5/8"	580027 (0462559)	580028 (VSW1439)
24-1/4" x 27-1/16"	580030 (VM2427)	580031 (0465600)
24-1/4" x 39-5/8"	580035 (VM2439)	580036 (VSW2439)
30-1/4" x 21-3/4"	580120 (VM3021)	580121 (VSW3021)
30-1/4" x 27-1/16"	580020 (0462506)	580021 (0462601)
30-1/4" x 35-3/4"	580013 (VM3035)	580014 (VSW3035)
30-1/4" x 39-5/8"	580015 (0462507)	580016 (0462610)
30-1/4" x 52-1/4"	580047 (VM3052)	580048 (0462614)
30-1/4" x 53-5/16"	580040 (0462525)	580041 (0462615)
30-1/4" x 58-5/8"	580045 (VM3058)	580046 (0462623)
36-1/4" x 39-5/8"	580050 (VM3639)	580051 (VSW3639)
36-1/4" x 53-5/16"	580090 (VM3653)	580091 (VSW3653)
40-1/4" x 39-5/8"	580080 (0462582)	580081 (0462619)
46-1/4" x 27-1/16"	580055 (0462496)	580056 (VSW4627)
46-1/4" x 35-3/4"	580057 (0462540)	580058 (VSW4635)
46-1/4" x 39-5/8"	580085 (0462694)	580086 (0462621)
46-1/4" x 53-5/16"	580060 (0462498)	580061 (0462622)

## WINDOW FEATURES:

- Drop-in glazing
- Heavy metal latches on vertical sliders
- Removable screens
- Multiple fixed open positions
- Full weather stripping along jams



## METAL WINDOW SCREEN EXTRUSIONS

- 530599 0462422 Screen Frame Extrusion 12' White  
 530600 0462421 Screen Frame Extrusion 12' Mill  
 530607 0262440 Screen Corner Lock Large Gray/Mill  
 530606 0262441 Screen Corner Lock Large White

- 530615 0462428 Screen Spring Retention  
 530620 0462408 Screen Spline 5/32" 20' Roll Blk  
 530625 0462411 Glazing 12' White  
 530626 0462413 Glazing 12' Black

- 530602 0269026 Vinyl Screen 36" x 100' Roll - Charcoal

- 530672 0210450 Storm Door Window Top Glides - For Bottom Glass  
 530664 0210452 Storm Door Clips & Springs - For Bottom Glass



## DECADES OF PROVEN PERFORMANCE

The Comfort Series model 6100 single hung is a new generation window for Gerkin! After decades of proven performance with our single hung, we found a way to make it even better! Here at Gerkin, we only make changes in our products to ensure better performance. Many competitors are working hard at seeing how cheap they can build a single hung. We believe our customers want a quality product and the best value. That's why we build our windows to perform among the best in the industry.

The 6100 is highlighted by a stylish 2 1/2" beveled frame design, fusion welded sash and frame with triple weather seals. We have designed this window to perform at a very high level through the use of multiple vinyl chambers, internal aluminum reinforcements, heavy-duty block and tackle balances as well as warm edge technology glass! If you're looking for a high performance single hung window with easy operation and low maintenance all at a great value, look no further than the Comfort Series 6100!

Part Number	Width	Height
591427	14.15"	27.00"
591428	J-CHANNEL - LOOSE	
591439	14.25"	39.625"
591440	J-CHANNEL - LOOSE	
593027	30.25"	27.00"
593028	J-CHANNEL - LOOSE	
593039	30.25"	39.625"
593040	J-CHANNEL - LOOSE	
593053	30.25"	53.25"
593054	J-CHANNEL - LOOSE	
593639	36.25"	39.625"
593640	J-CHANNEL - LOOSE	
593653	36.25"	53.25"
593654	J-CHANNEL - LOOSE	
594627	46.25"	27.00"
594628	J-CHANNEL - LOOSE	
594639	46.25"	39.25"
594640	J-CHANNEL - LOOSE	
594653	46.25"	53.25"
594654	J-CHANNEL - LOOSE	




### Sloped Sill Design:

Our single hung utilizes a fully sloped, weepless sill design. This provides for excellent drainage and air infiltration performance. Plus, there are no weeps to get plugged!



### Balance / Tilt Latches:

6100 operates on a smooth operating block and tackle balance system. The tilt latches are recessed into the sash for a more attractive appearance.



### Aluminum Reinforced Sash:

The sash is reinforced with extruded aluminum stiffeners in the full perimeter of the sash. The sash is also glazed on the exterior for a more attractive appearance on the interior.



### Vinyl Glazing Bead

- For Vinyl Windows
- 16' Long Sticks
- White

Part Number: 530623





## Privacy Lock



- Turn button to lock; inside knob always free for exit
- Outside knob can be unlocked by using a coin or screwdriver
- Fits 2-3/8" backset
- Standard or drive-in style latches
- Fits doors 1-3/8" to 1-3/4" thick

540202 **L32CS100** Door Lock Bathroom/bedroom Privacy Knob X Knob Stainless Steel Clam Shell



## 4-Way Knob Lever

- 4-way universal
- Fits doors 1-3/8" to 1-5/8" thick
- Fits 2-3/8" or 2-3/4" backsets
- Standard or drive-in style latches



540192 **L32CS000** Door Lock Entrance Knob X Lever Stainless Steel Clam Shell



## 4-Way Knob Lock

- 4-way universal
- Fits doors 1-3/8" to 1-5/8" thick
- Fits 2-3/8" or 2-3/4" backsets
- Standard or drive-in style latches
- Stainless steel finish, and rekeyable.



540154 **L32CS010** Door Lock Entrance Knob X Knob Stainless Steel Clam Shell



## Deadbolt w/ Drive Bolt

- Fits 2-3/8" backset
- Fits doors 1-3/8" to 5-5/8" thick
- Standard or drive-in style latches



540161 **L32CS3108** Deadbolt Single Cylinder 1" Latch Bolt Stainless Steel Clam Shell



## Single Cylinder Deadbolt

- Fits 2-3/8" backset
- Fits doors 1-3/8" to 1-3/4" thick
- Standard or drive-in style latches



540162 **L32CS3008** Deadbolt Single Cylinder 5/8" Latch Bolt Stainless Steel Clam Shell



## Deadbolt

- Fits 2-3/8" backset
- Standard or drive-in style latches



540240 **L32CS3208** Deadbolt Double Cylinder 5/8" Throw Stainless Steel Clam Shell



## EZ Set Deadbolt

Easy installation replacement for most locks. Quality ANSI Grade 3 locks standards 200,000 cycle test. Function Single Cylinder, Double Cylinder, One side deadbolt.



540137 **J114B** E-Z Set Silver Dead Bolt No Bolts



## EZ Set® Entry Keylock

- Key unlocking outside, button locking inside
- For door: 1-3/8" - 1-3/4"



540139 **3904-02** E-Z Set Complete Knob & Knob Silver w/Drive Latch



## Entrance Lockset



- For front & back doors
- Turn button in inside knob locks the door
- Inside knob is always free for exit

540138 **J167NB** EZ Set Gold Knob/No Bolts



## Combination Lockset



- Entrance keyed lock and deadbolt combo with striker plate and bolt
- For front & back doors keyed alike
- Stainless steel

540140 **0295041** Deadbolt Combo w/Striker Plate & Bolt - Stainless Steel




## Privacy Lock

Privacy Lock Set Polished Brass Finish with Lock.




540221 **LSK-C3-B** Privacy Lock Set w/Lock

540226 **LSK-C2-B** Passage Lock Set less lock

**strybuc****Weatherstripping**

Vinyl Weatherstripping for sealing cracks between RV door and window frames. 10' per pack.

530266 1562C Weatherstrip 10'

**VALTERA®****EZ Strike Plate Set**

Replacement Latch Strike Plate with screws.

540165 L32PB060 Door Strike Plate w/Screws

**PATRICK METALS**  
ALUMINUM EXTRUSIONS**Standard Roof Edge**

- Punched on 4" centers
- 1-1/8" W x 5/8" high. 14'
- Mill finish

500110 164717 Roof Edge 14' Mill Finish

**PATRICK METALS**  
ALUMINUM EXTRUSIONS**Drip Rail Serrated Face**

Punched on 4" centers.

500506 164045 Drip Rail Serrated Face 14' Mill Finish

**PATRICK METALS**  
ALUMINUM EXTRUSIONS**Floor Seam Binder**

Seam binders are designed to join two floor coverings of the same height.


500118 165019 Floor Seam Binder 12'L x 4"W Mill Finish

**DEXTER****Drip Caps**

500405	3216-20-00	2043227	Drip Cap 20"
500410	3216-25-00	2289067	Drip Cap 25"
500415	3216-28-00	1909948	Drip Cap 28"
500420	3216-31-00	1960665	Drip Cap 31"
500425	1909951		Drip Cap 34"
500435	3216-36-00		Drip Cap 36"
500440	3216-34-00	1985454	Drip Cap 38"
500445	3216-40-00		Drip Cap 40"
500455	3216-48-00	3216DC-48	Drip Cap 48" (Tear Drop)
500465	3216-60-00	4353893	Drip Cap 60"
500470	3216-72-00	2332621	Drip Cap 72"

**PATRICK METALS**  
ALUMINUM EXTRUSIONS**Drip Rail**

Punched on 4" centers 7/16" wide 1-1/4" high



500285 164001 Standard Drip Rail 14' Mill Finish

**COGHLANS Screen Repair Patches**


Self adhesive screen patches contains 3-5" x 6 1/2" pieces.



000185 8150 Screen Repair Patches 3PK

**strybuc****Window Knob**

7/8" Operator Knob. Plastic with screw. Color: Black.



530101 743CE BLK 7/8" Shaft Round

**R Designer****Window Cranks**

503181 H701 Window Crank Black Plastic 1"  
530104 H703 Window Crank Black Plastic 1-3/8"  
530107 H705 Window Crank Black Plastic 1-3/4"

**strybuc****Window Cranks**

530120 748P 1-3/8" Shaft Carded Black  
530135 705PZBULK 2-1/4" Shaft Bulk Black  
530215 771P 2-1/2" Shaft Bulk Black  
530440 838Z 1" Shaft Bulk Black

**strybuc****Window Crank w/Screw**

520232 838C BLK 1" Plastic Crank Handle w/Screw Black

**JR PRODUCTS****Window Cranks**

504005 20265 1" Metal Window Crank  
504006 20275 1-3/4" Metal Window Crank





## Window Cranks

530126 **H707** 1" Shank Metal Window Crank  
530178 **H709** 1-3/4" Shank Metal Window Crank



## Window Cranks w/Screw



530545 **795P** Metal Crank Handle 1-3/4" Shaft




## Extension w/Screw



530375 **831Z** 1/2" Metal Extension w/Screw  
530380 **832Z** 7/8" Metal Extension w/Screw  
530385 **833Z** 1-1/8" Metal Extension w/Screw  
530420 **834P** 2" Metal Extension w/Screw



## Torque Bar Bearings



530200 **763P** Nylon 1/2" ID x 7/8" High




## Torque Bars



530165 **756PX** 1/2" ID x 36" Bar  
530170 **756PY** 1/2" ID x 48" Bar



## Vent Hinge



530425 **835P** WCM Hinge w/Stud 4-3/8"L



## Vent Hinge



530515 **786P** WCM Hinge w/Stud 3-7/8"L



## Hehr Small Vent Hinge



530060 **729P** WCM Small Vent Hinge




## Arm Gear Operator Kits



530300 **806CK** 5-2/8" Arm & 2-5/16" CC Mount  
530305 **807CK** 7-11/16" Arm & 2-5/16" CC Mount  
530475 **814CK** 6" Arm & 2-15/16" CC Mount




## Bi-Fold Door Bottom Guide



530635 **2934P** Bi-fold Door Bottom Guide Pair



## Slant Sill Side Mount Torque Operator



1/2" ID Hole, w/ 3/16" Hub Projection  
1 Polybagged

530195 **762P** Side Mount Operator Left Hand

1 Carded

530491 **762C** Side Mount Operator Left Hand



## Phillips Side Mount Operator



1/2" ID Hole, w/3/16" Hub Projection  
1 Polybagged

530080 **735Z** Side Mount Operator Right Hand



## Side Mount Operator




1/2" ID Hole, w/1/2" Hub Projection  
1 Polybagged

530350 **808PR** Side Mount Operator Right Hand



## Side Mount Operator



3/8" Square w/1/8" Hub Projection  
1 Polybagged

530130 **749PR** Side Mount Operator Right Hand

# RANGE & DRYER



## Range Hood



### PC Series Range Hood


- 42" w x 5-3/4" h x 12" d, White
- Combination Vertical/Horizontal Exhaust
- 115V 2-Speed Motor
- 100 CFM
- 12" Cabinet Depth
- 18" Total Capture Area
- White Pebble Finish

130269 PC62-42WC-1 42" Width - White



## Range Hood Filter


Aluminum grease filter for range hoods. For part number 130266.



520231 BCC0246-00 8" x 8" Filter



## Range Hood Fan Motor



Replacement range hood fan motor.

- 110-volt
- 150-cfm
- 2-speed

130231 BVD0278-00 110v Fan Motor



## Ceiling Fan Blade

Plastic Ventline replacement fan blade fits the V2244-50 and V2262-50 fan assemblies.

3 blades, turns clockwise. 6.5" diameter, 3/16" center hole.

Simply pushes onto the shaft of the motor. Compatible with 601336 and 601340 bathroom vents, and 130233 side wall vents.

500695 BVA0312-00 6.5" CW Rotation White



## Exhaust Range Hood Fan Blade



- Measures 7" in diameter
- 4 blades, turns counterclockwise
- 3/16" center hole which pushes onto shaft of motor
- Replaces some 5-blade fans
- For part number 130266

S/O BCD0409-00 7"D Black



## Inside Grill



- ASM interior grill
- White finish
- 3" wall thickness

130240 V0131-46 Interior Grill White Finish



## Side Wall Fan



- For 2-3/4"-4" wall
- Interior grill Silver finish
- Outside door Colonial White finish
- Rough opening 9 1/2" x 9 1/2"
- 120 volt UL CSA approved-111 CFM
- Comes with inside grill

130232 V2215-11 Mill Finish w/White Grill

130233 V2215-21 Polar White w/White Grill



## Flexible Air Duct

4" x 25' Dryer Hose.

300075 013-3100-M





# ROOF & CEILING



## Ceiling Ventilator

- Lighted
- Vertical Exhaust
- CFM - 50
- Rough Opening - 10.75" Diameter Circle
- Duct Size - 7" Diameter Outlet
- Compatible Ducting Accessories
- P7.10 Series Hard Duct or VC0292 Flex Duct

601340 V2244-50 Ventilator 110v w/Light  
520257 BVC0133-00 Frosted Dome Only



## Plastic Plumb Stack

- Made of high impact plastic
- UV stabilized
- For vent pipes 1-1/4" or 1-1/2" Dia. with projections up to 2-1/2" above roof Snap-on cap


601329 V2049-01 White  
601330 V2049-03 Colonial White  
601335 V2084-00 Metal



## Ceiling Ventilator

- Lighted - No
- Exhaust - Vertical
- CMF - 50
- Rough Opening - 8" Diameter Circle
- Duct Size - 7" Diameter Outlet
- Compatible Ducting Accessories - P7.19 Series Hard Duct or VC0292 Flex Duct

601336 V2262-50 7" Ventilator 110v  
S/O BVB0574-00 Ceiling Grill Only



## Plumbing Vent Caps

The Universal Vent Cap eliminates the need to replace the entire vent just because of a lost cap top.

601338 40034 Cap Only - Polar White  
601342 40137 Cap Only - Black



## Metal Roof Cap & Flange




- Roof vent and flange galvanized
- Designed for flat roofs

520237 V2005-00-S01 V2005-1 5" Cap & Flange



## Exterior Vent w/ Louvered Design



- Constructed of durable injection molded styrene plastic
- Louvered design
- Use with large outlet, static exhaust range hood
- Requires 10-1/2" x 3-3/4" rough opening

130120 BV2111-03 5/8" Deep Polar White  
130217 BV2111-18 1-3/4" Deep Off-White



# CLEAR PATCH

## STOPS LEAKS INSTANTLY!

- Super strong adhesive
- Sticks to almost everything
- Clear patches for almost invisible repairs
- The perfect patch for your mobile home!



420056 QRCP420 4" x 20'



## Pro Aluminum



Repairs metal and flat roofs mobile homes, trucks, trailers, gutters, flashing and skylights. Just peel off the self-stick, super reinforced aluminum release paper and press in place! Five puncture resistant layers mean your roof repairs last for years.

420101	QR325	3" x 25' Standard
420106	QR625	6" x 25' Standard
420103	WQR325	3" x 25' White
420108	WQR625	6" x 25' White



## Self-Adhesive EPDM Roof Repair



QUICK ROOF FOR EPDM RUBBER ROOFING is composed of a fully cured strip of EPDM rubber with an exceptionally aggressive butyl rubber adhesive. It creates a waterproof barrier that seals out moisture, and is designed for use on RV roof repairs. QUICK ROOF FOR EPDM RUBBER ROOFING is compatible with all RV roof types, including EPDM rubber, as well as TPO, Hypalon, modified asphalt, and metal roof surfaces.

420143	RQR624	6" x 24' Black Butyl
--------	--------	----------------------





**PERMANENTLY BONDS TO ALMOST EVERYTHING!**

# EXTREME

**INSTANT SELF-ADHESIVE ROOF REPAIR**

## PERMANENTLY REPAIRS:

EPDM • TPO • Metal • Fiberglass

Aged & Rigid PVC • Vinyl Wood

OSB • and most building materials



420104 **UBE425** 4" x 25' White  
 420107 **UBE625** 6" x 25' White  
 420097 **UBE475** 4" x 75' White  
 420099 **UBE675** 6" x 75' White



420111 **B-UBE425** 4" x 25' Black  
 420137 **T-UBE425** 4" x 25' Tan  
 420115 **T-UBE625** 6" x 25' Tan

**COFAIR**  
**PRODUCTS, INC.**

# KOOLSEAL™ ROOF COATINGS

## 10-Year Elastomeric Roof Coating

Kool Seal® Premium 10 Year Premium Elastomeric Roof Coating is a quality, flexible roof coating that provides reflectivity and durability.

- 10 Year Warranty
- Good reflectivity to help lower cooling costs
- Expands and contracts with roof
- Long lasting protection and reflectivity

410301 **KST063600-16** Premium White 1 Gal  
410306 **KST063600-20** Premium White 4.75 Gal



## 3-Year Elastomeric Finish Coat

Formulated with 100% acrylic elastomeric resin. The coating forms a thick rubber like blanket of protection that expands and contracts with roofs. It remains flexible from 30 F. to 160 F. for long lasting protection and provides superior reflectivity to lower interior temperatures and save energy. Designed to be durable in any climate. Helps absorb sound. Higher solids for better coverage.

410311 **KSRV08300-16** Premium 1 Gal



## Premium Aluminum Roof Coating

This unique formulation is specially developed to provide longer life. It protects against moisture, reduces sunlight heat build up and keeps building interiors cooler—providing energy savings up to 30%. Protects against moisture. Maintains aluminum color and reflectivity. Unique asphalt and aluminum formulation. Specially developed to provide longer life. Reduces heat build up and keeps building interiors cooler.

410302 **KS0024600-16** Premium 1 Gal



## Aluminum Roof Coating

This asphalt-based aluminum protects against moisture and also reflects sunlight to keep building interiors cooler. Expected energy saving up to 20%.

Asphalt-based Aluminum protects against moisture and damaging UV rays. Reinforced with fiber for durability.

410305 **KS0024300-16** Standard 1 Gal  
410304 **KS0024300-20** Standard 4.75 Gal



## 5-Year Elastomeric Finish Coat

Must be primed with Kool Seal RV Rubber Roof Primer. Reflects 94% of the sun's rays. Keeps interior cooler and saves energy. Gives added protection, extends life of roof. Makes repairs blend in to look like new. Easy to apply with deep nap roller or brush. Soap and water clean up. Dried film is mildew and algae resistant.

410309 **KSRV08600-16** Premium 1 Gal



## Storm Patch



Recommended for vents, trucks, trailer and camper roofs and much more. Stops leaks and seals instantly. Never cracks, peels, or shrinks.

410314 **KS0018103-99** 2" x 3' Gray



# ROOF COATINGS

## Alkyd Fibered Roof Coating



Roof Coat is a non-asphalt, high quality chemically engineered roof coating that contains long fibers, titanium pigments and non-drying resins. Unlike coatings that contain asphalt, Roof Coat will not run, streak or stain. For use on metal roofs. Not for homes with asphalt or rubber roofing. Stays flexible, sold each.

WHITE			ALUMINUM		
410050	45032	1-Quart Roof Coat	410090	43032	1-Quart Roof Coat
410055	45128	1-Gal Roof Coat	410068	43128-4	1-Gal Roof Coat
410053	45448	3.5-Gal Roof Coat			

## Rubber Roof Coating

Use over rubber roofs, at seams and tears, seal vents, air conditioners, etc. Has outstanding exterior durability and high adhesion to rubber. It is UV resistant, and expands and contracts with roof.

410058 **46032** 1-Quart White Rubber Roof Coat  
410059 **46128-4** 1-Gal White Rubber Roof Coat



## Elastomeric Coating

Use over asphalt roof shingles, galvanized steel, concrete, wood, polyurethane foam, and bitumas built up roofs (BUR's). Used as a reflective and protective coating. Has outstanding exterior durability and UV resistance. Expands and contracts with roof.

410060 **47032** 1-Quart Elastomeric Roof Coating White  
410312 **47128** 1-Gal Elastomeric Roof Coating White







# STICKNBOND

## TANK & ROOF REPAIR KITS

Stick 'N Bond repair kits are an easy-to-use, one step peel and stick product useful for all types of repairs.

Aluminum kits provide instant repair for tanks, roofs or any surface where tensile strength is desired and flexibility is not essential. Perfect on ABS, polyethylene, steel and aluminum (non-pressurized). Works on metal roofs too. Does not rot require any glues, preparation, mixing, or pouring.

White kits work on all surfaces rubber, polyethylene, polypropylene, fiberglass, wood, steel and aluminum. Designed for maximum flexibility, durability and UV protection. It applies easily over old roof seams and roof coatings.

420205	60019	6" x 6" Patch Kit - WHITE
420207	60023	4" x 25' Roll - WHITE
420208	60018	4" x 37' Roll - WHITE

## ETERNABOND

### EternaPrime Spray

EternaPrime is an adhesive and surface conditioner intended to aid adhesion of EternaBond MicroSealant tapes, or other, non-MicroSealant tapes such as butyl tapes and other self adhesive seaming tapes.

EternaPrime is also an excellent primer for use with self-adhered modified bitumen membranes. EternaPrime allows EternaBond MicroSealant tapes to be installed in temperatures as low as -20 degrees F (-29 degrees C).



400031 EB-EPSPC 14 OZ Primer Spray Can

## ETERNABOND

### Web Seal

Eternabond WebSeal Tape is used to seal roof joints (seams) and tears, flashings, copings, skylights, gutters, etc. Perfect for repairing and restoring roofs on mobile homes and RVs. Extremely flexible, with no memory, so WebSeal conforms to virtually any shape without springing back. WebSeal also seals to itself so it can be cut and folded around an object.



400044 WB-4-50 4" x 50' Pre-Roof Coat Tape Roll

## ETERNABOND

### Roof Seal - Black

RoofSeal is the best solution for leak repair or corrosion protection in tough environments and conditions, including land-fill and pond liners. The specialized backing has proven to be UV stable, even after 16 years in full sunlight. The patented adhesive has an integrated primer which allows RoofSeal to BOND with the surface it is installed on. Perfect for re-seaming all roofs, regardless of the material, RoofSeal makes a permanent water-tight seal (except silicones). Also great for tank repairs. Rubber, fiberglass, aluminum, modified, shingle, PVC, steel, hot-tar, etc.



400029	EB-RB040-50R	4" x 50' Tape Black
400028	EB-RB060-50R	6" x 50' Tape Black

## BOSS PRODUCTS

### 378 Silicone

Remains flexible and reliable in extreme temperature changes, moisture, weathering, vibration. Bonds to most surfaces



420345	142175	10.3 oz Tube Almond
420018	142291	10.3 oz Tube Clear
420019	142292	10.3 oz Tube White
420020	142260	10.3 oz Tube Aluminum
420305	142290	10.3 oz Tube Black

## BOSS PRODUCTS

### 362 Tub 'N' Tile

Low temperature flexibility; Paintable, mildew resistant, and non-yellowing; Developed for sealing around sinks, back-splashes, showers, baths and tubs; Sealing corner joints, baseboards and trim; Sealing anywhere a weathertight seal is desired.



420013 142165 5-1/2 oz Tube White

## dicor products

An AIRCEL Brand

### Self Leveling Lap Sealant

Helps create a watertight seal along a roof's edges, around air vents, vent pipes and screw heads. Dicor Lap Sealant is a versatile sealant formulated for EPDM roofing but also compatible with any other roofing material. It offers excellent adhesion to aluminum, mortar, wood, vinyl, galvanized metal and concrete. It improves the ability to continuously seal and remain flexible. Color matched, the lap sealant is UV stabilized to prevent discoloration and deterioration and will not stain or discolor any material to which it is applied.



410196	501LSW-1	11 oz Lap Sealant White
410192	501LSV-1	11 oz Lap Sealant Ivory



**NOVAFLEX****Multi-Purpose  
Silicone Sealant**

The Novagard Novaflex M150 is a 10.3 oz. cartridge of multi-purpose silicone sealant that resists weather and mildew for use in damp outdoor applications such as filling or sealing gaps and cracks up to 3/4" wide in windows, doors, gutters, metal roofs, and vinyl siding. It can be applied to a variety of common building materials without the use of primer. The sealant meets American Society for Testing and Materials International (ASTM) C-920; American Architectural Manufacturers Association (AAMA) 802.3, 805.2, and 808.3; and Federal Specifications TT-S-001543A and TT-S-230C.

420355	M150	Silicone Sealant Clear 10.3 Oz
420356	M110	Silicone Sealant Black 10.3 Oz
420357	M100	Silicone Sealant White 10.3 Oz
420358	M111	Silicone Sealant Gray 10.3 Oz
420359	M140	Silicone Sealant Beige 10.3 Oz
420360	M107	Silicone Sealant Canvas 10.3 Oz
420361	M146	Silicone Sealant Sandstone 10.3 Oz
420362	M141	Silicone Sealant Tan 10.3 Oz
420363	M143	Silicone Sealant Almond 10.3 Oz
420634	M134	Silicone Sealant Terratone 10.3 Oz

**HENG'S****Putty Tape**

A heavy gray mastic, flexible putty tape. Non-hardening and pliable. For use under molding, around windows, doors and vents. Waterproofs overlapping metal seams.

420927	5431	1/8" x 3/4" x 30' Black
420933	5631	1/8" x 3/4" x 30' Gray
420928	5625	1/8" x 1" x 30' Gray
420932	5626	1/8" x 1-1/2" x 30' Gray
420934	16-5629	1/8" x 1-3/4" x 30' Gray
420930	5655	3/16" x 3/4" x 20' Gray
420931	873307	3/16" x 1-3/4" x 20' Gray

**HENG'S****Trimmmable  
Butyl Tape**

Trimmmable Butyl Tape Economical, high performance sealant. Provides premium quality, it is pressure sensitive, extruded butyl tape. Adheres to a variety of surfaces. Low temperature flexibility. Non-corrosive. Water resistant. Sold in case quantities.

420949	89585204G	1/8" x 1" x 30' Gray 16/cs
420952	5125	1/8 x 1 x 30' White 16/cs
420950	89585206G	1/8" x 1-1/2" x 30' Gray 12/cs
420947	5850	3/16"x 1"x 20' Off-White 16/cs

**HENG'S****SS Butyl Tape**

Economical, high performance sealant. Provides premium quality, it is pressure sensitive, extruded butyl tape.

420944	5331	1/8" x 3/4" x 30' Gray
--------	------	------------------------

**VALTERA®****PTFE Tape**

- .0035 mil thickness
- .35 density

420175	A05-0260	1/2" x 260"
--------	----------	-------------

**dicor** products  
An AIRCEL Brand**Seal-Tite™  
Sealing Tape**

Seal-Tite vinyl rolls and patches are backed with a flexible weather resistance compound that is designed for sealing EPDM rubber, TPO, PVC, fiberglass, wood, plastic, steel or aluminum. Permanently seals most leaks immediately and fully cures within 24 hours.



420170	522TPO-450-1C	4" x 50' Roll
--------	---------------	---------------

**AP Products****Duct Tape  
Utility Grade**

Utility grade Duct tape is versatile polyethylene coated cloth tape. High tack adhesive bond, easy tear cloth tape.

420190	022-DUG48S	2" x 180' Silver
420320	022-DUG48B	2" x 180' Black

**Electrical  
Wiring Tape**

- UL Approved
- Weather Resistant
- General Purpose



420185	3460U	3/4" x 60"
--------	-------	------------



# AP Products STA'-PUT

## SP2

### EPS Foam Bonding Adhesive

Sta'-put SP2 is a pressure sensitive adhesive specifically formulated for bonding expanded polystyrene foam (EPS) to itself and other materials. Superior bond strength properties and exceptional tack makes Sta'-Put SP2 an excellent choice for most temporary and permanent EPS applications.

- SP2 provides high shear strength
- heat/UV stability
- water resistance
- fast drying and a long working time
- It can be used on porous and many non-porous surfaces
- The ideal application temperature for Sta'-Put is 70°F/38°C.

410149 001-SP213ACC 13 oz Spray Can



*Kwik*

### Silicone Spray

Changes from a penetrating fluid to tough, protective grease in minutes. The grease creates a film that is impervious to moisture and temperatures above 400 degrees.



420270 379177 11 oz Can Silicone Spray

*Kimo Composites*

### Tite Bond II Adhesive

Tite bond is a polymer based adhesive for use with EIF systems applied over most substrates. Tite Bond provides a superior bond between foam and substrate.



420335 TITEBOND 11 oz Construction Adhesive

**AP Products**

### SPRAY 'N' GO Spray Paint

- **Dries quick**
- **No drip application**
- **12 oz. Aerosol.**



420054 003-55280 Flat White 6/cs    420070 003-55279 Flat Gray 6/cs  
420060 003-55274 Gloss White 6/cs    420085 003-55275 Flat Black 6/cs  
420065 003-55276 Gloss Black 6/cs

**BOSS®  
PRODUCTS**

### Skeleton Gun



510121 144149 M0017 Caulk Gun Standard

# SAFE-T-ALERT™

Replace your  
CO alarms that are over  
5 years old!

## CO Alarm Kit w/ Solenoid Valve



- Sealed-In lithium battery
- No replacement needed!
- Easy installation
- Long 5-year battery life

**171113 SA-339** Battery Operated CO Alarm  
Round White Kit w/Solenoid Valve

## Smoke & Fire Alarm



- 9V battery operated with mute button to temporarily silence alarm
- No wiring required
- Includes test button, low battery signal and 85 decibel horn
- 24 hour continuous protection
- Includes 9V battery

**171117 SA-775A** 4"D Alarm w/9v Battery

## Photoelectric Smoke Alarm



- 10 year sealed-in lithium battery; no replacement needed!
- Compact, design for RV Use
- Low battery indication
- Built-in test/hush functions
- Conforms to UL 217 RV Standard

**171155 SA-866** Photoelectric Smoke Alarm White

**CAMICO**

## GM3 Gas Matches

The continuous ignition system means that the flame will never blow out. Long slender design lets you get at hard-to-reach places with total safety. Features safety lock, fully adjustable flame and fuel viewing window. 10,000 starts. Refillable with butane lighter fluid. Uses one AA battery (included).

**000076 57473** Gas Match 2-PK

**000088 57684** Flexible Gas Match Lighter  
40-3/4" (26" Extender)



**CAMICO**

## Butane Fuel

Universal fueling tip adapts to most refillable butane lighters. Contains as much butane fuel as 90 disposable lighters. Made in USA.

**000083 57496** 5.8 OZ



**Kidde**

## Fire Extinguisher ABC

Clear instruction label using graphics to show steps required to operate extinguisher. Easy-to-read gauge tells you fire extinguisher is charged and ready for use. Easy-to-pull safety pin, rust and impact resistant nylon handle. Clear instruction label using graphics to show steps required to operate extinguisher. Easy-to-read gauge tells you fire extinguisher is charged and ready for use. Easy-to-pull safety pin, rust and impact resistant nylon handle

**700066 BRKFE3A40GR** 5 LB Fire Extinguisher ABC Multi-Purpose Metal Valve



## Fire Extinguishers BC

Fire Extinguisher, Dry Chemical, Class BC, UL Rating 5B:C, Capacity 1.5 lb., Extinguish Agent Type Sodium Bicarbonate, Height 13-3/4 In., Diameter 3-1/4 In., Cylinder Material Aluminum, Operating Pressure 100 psi, Discharge Time 8 to 12 sec., Range Max. 8 ft., Bracket Included Plastic Strap, Handle Material Plastic, Valve Material Plastic, Rechargeable No, Disposable Yes Standards UL Listed.

**700055 RC210DB** 2 LB Fire Extinguisher Dry Chemical 210D 5 BC

**700060 RC10BC** 2-3/4 LB Fire Extinguisher Dry Chemical 210D 10 BC





## BATH/TUB Epoxy Repair Kit

Color matched repairs for all bath and tub fixtures. Excellent for fiberglass, plastic and enamel. Repairs holes up to 1" diameter or tears up to 5" in length.

400001 002-90216 White/Almond-Bisque Kit



## PLASTIC TANK & RADIATOR Universal Repair Kit

Permanently mend pin holes, cracks or tears in leaking tanks, ABS, polyethylene, plastic and metal. Complete kit includes epoxy, sandpaper, fiberglass cloth and application brush.

400005 002-90214 Universal Repair Kit



## HOLDING TANK Patch Kit

Instantly repair holding tanks with this simple to use peel and stick patch. Formulated to bond with polyethylene tanks, ABS, PVC and similar plastics. No special tools needed. Creates a long lasting repair.

520526 IP48 4" x 8" Holding Tank Patch Kit



## Non-Skid Surfacing Tape

- Improves footing on steps, ladders, and trailer frames.
- Can be cut to shape.
- Adheres to any clean, dry, non-porous surface.
- Durable in wet or dry conditions.

000584 A10-2210VP 2" X 10' Black Carded

000583 A10-2260 2" X 60' Black Bulk



# BITS & SCREWDRIVERS

**AP Products**

## Clutch Head Screwdriver



Common type used in mobile home and RV construction. 8" Blade

**510040 C-3** 5/32" Clutch Screwdriver Carded

**AP Products**

## Square Recess Screwdriver



Quality driver in the two most popular sizes.

**510035 HDQB2L** #2 Drive Large Handle (Not Carded)

**AP Products**

## Magnetic 5-In-1 Screwdriver



This innovative screwdriver has a storage chamber in the handle for five inset bits:

- 5/22" clutch
- #1 square
- #2 square
- #2 phillips
- #6-8 slotted

The 1/4" magnetic bit holder also doubles as a driver for 1/4" hex nuts.

**510168 009-RVM5IN1A** 5-In-1 Screwdriver

**AP Products**

## Square Recess Insert Bit



**510005 009-250R2** Square Recess Insert Bit 1/4" X 1" Drive By Length

**AP Products**

## Slotted Insert Bit



**510016 009-250QB1P** Square Recess Power Bit 1/4" X 2" - Drive By Length Size #1 (not Carded)

**510010 009-250QB2P** Square Recess Power Bit 1/4" X 2" Drive By Length Size #2 (not Carded)

**510015 009-250QB2P3** Square Recess Power Bit 1/4" X 3" Drive By Length Size #2 (not Carded)

**510025 009-250QB2P6** Square Recess Power Bit 1/4" X 6" Drive By Length Size #2 (not Carded)

**AP Products**

## Phillips Power Bits



**510090 009-42P2** Phillips Bit #2 X 2

**510095 009-43P2** Phillips Bit #2 X 2-3/4"

**510100 009-42P1** Phillips Bit #1 X 2"

**510105 009-43P1** Phillips Bit #1 X 2-3/4"

**AP Products**

## Clutch Power Bit



**510074 009-100C3** 1/4 x 1-15/16" Drive By Length 5/32-G (Not Carded)

**AP Products**

## Phillips Insert Bit



**510092 009-4P1C** Phillips Bits Insert #1 X 1" (Carded)

**AP Products**

## Magnetic Power Nutsetters



**510029 009-104** Magnetic Power Nutsetter 1/4" x 1-3/4" Drive By Length Size 1/4 (not Carded)

**510030 009-134** Magnetic Power Nutsetter 1/4" x 2-9/16" Drive By Length Size 1/4 (not Carded)



## White Rosettes

1" Diameter white plastic. Includes 1-1/4" #6 white head mounting screws. Fastens ceiling panels to rafters.



**500178 C2242** White Rosettes (12/Bag)

**500177 184** White Rosette Screws (200/Bag)

**R Designer**

## White Rosettes

Washers Includes #6 screws.



**730309 H613** White Rosettes 14-PK



## Clear Rosette

Plastic rosette fits a 1-1/4" screw. Commonly found on ceiling panels; Mounting screws included.



**504024 20465** Clear Plastic Rosettes 14-PK





## Pan Head Self Drilling Screws



500865	SP-834PQT22000-500	#8 x 3/4" Black - 500
500764	SP-81PQT2Z-500	#8 x 1" Zinc - 500
500775	81PQT2Z	#8 x 1" Zinc - 1000
500837	SP-81PQT22000-500	#8 x 1" Black - 500
500867	81PQT2-2000	#8 x 1" Black - 1000
500877	SP-81PQT29000-500	#8 x 1" White - 500
500868	81PQT2-9000	#8 x 1" White - 1000
500869	SP-8112PQT22000-500	#8 x 1 1/2" Black - 500
500881	SP-8112PQT29000-500	#8 x 1 1/2" White - 500

## Flat Head Screws

FT = Fully Threaded  
2/3 = 2/3 Thread



500820	SP-81FQAZ-500	#8 x 1" FT, Zinc - 500
500808	81FQAZ	#8 x 1" FT Zinc - 1000
500813	8114FQ23DTZ	#8 x 1 1/4" 2/3 Zinc - 1000
500818	8112FQ23DTP	#8 x 1 1/2" 2/3 Plain - 1000
500821	SP-8112FQ23DTP-500	#8 x 1 1/2" 2/3 Raw - 500
500748	SP-8112FQ23DTZ-500	#8 x 1 1/2" 2/3 Zinc - 500
500822	SP-82FQ23DTP-500	#8 x 2" 2/3 Raw - 500
500827	SP-8212FQ23DTP-500	#8 x 2 1/2" 2/3 Raw - 500
500838	SP-83FQ23DTP-500	#8 x 3" 2/3 Plain - 500
500840	SP-84FQ23DTP-100	#8 x 4" 2/3 Raw - 100

## Truss Octa (Skin/Roof) Screws



G2 coating = 1000 hour salt spray rating  
#2 Square Bit

500759	SP-1034TOT3G2-500	#10 x 3/4" G2 Coating - 500
500780	SP-1034TOT3G22000-500	#10 x 3/4" G2 Black - 500
500781	SP-1034TOT3G29000-500	#10 x 3/4" G2 White - 500
500752	SP-101TOT3G2-500	#10 x 1" G2 Coating - 500
500754	SP-101TOT3G22000-500	#10 x 1" G2 Black - 500
500758	SP-101TOT3G29000-500	#10 x 1" G2 White - 500

## Hex Head Fast Thread Screws



500546	SP-834HWFZ-50	8 x 3/4" Zinc 50
500547	834HWFZ	8 3/4" Zinc 1000
500548	81HWFZ	8 x 1" Zinc 1000
500549	SP-81HWFZ-50	8 x 1" Zinc 50
500551	81HWF-9000	8 x 1" White 1000
500552	SP-8114HWFZ-50	8 x 1 1/4" Zinc - 50
500553	8114HWFZ	8 1 1/4" Zinc - 1000
500554	8114HWF-9000	8 1 1/4 White - 1000
500556	SP-8114HWF9000-500	8 x 1 1/4 White - 500
500561	SP-8112HWFZ-50	8 x 1 1/2" Zinc - 50
500562	8112HWFZ	8 x 1 1/2" White - 1000
500563	8112HWF-9000	8 x 1 1/2" White - 1000
500581	SP-82HWFZ-50	8 x 2" Zinc - 50
500582	SP-82HWFZ-250	8 x 2" Zinc - 250
500757	812HWAZ	8 x 1/2" Zinc - 1000

## Pan Head Fast Thread Screws



500872	SP-812PQA2000-500	#8 x 1/2" Black - 500
500844	834PQFZ	#8 x 3/4" Zinc - 1000
500866	SP-834PQF2000-500	#8 x 3/4" Black - 500
500845	SP-834PQF4000-500	#8 x 3/4" Brown - 500
500846	SP-834PQF9000-500	#8 x 3/4" White - 500
500823	SP-81PQF2000-500	#8 x 1" Black - 500
500751	81PQF-2000	#8 x 1" Black - 1000
500848	81PQFZ	#8 x 1" Zinc - 1000
500849	SP-81PQF4000-500	#8 x 1" Brown - 500
500850	SP-81PQF9000-500	#8 x 1" White - 500
500851	81PQF-9000	#8 x 1" White - 1000
500905	SP-8114PQFZ-500	#8 x 1 1/4" Zinc - 500
500858	8114PQFZ	#8 x 1 1/4" Zinc - 1000
500824	SP-8114PQF2000-500	#8 x 1 1/4" Black - 500
500859	SP-8114PQF4000-500	#8 x 1 1/4" Brown - 500
500861	SP-8114PQF9000-500	#8 x 1 1/4" White - 500
500864	8114PQF-9000	#8 x 1 1/4" White - 1000
500749	8112PQFZ	#8 x 1 1/2" Zinc - 1000
500854	SP-8112PQF4000-500	#8 x 1 1/2" Brown - 500
500855	SP-8112PQF9000-500	#8 x 1 1/2" White - 500
500853	8112PQF-2000	#8 x 1 1/2" Black - 1000
500856	8112PQF-9000	#8 x 1 1/2" White - 1000
500873	SP-82PQA2000-250	#8 x 2" Black - 250
500857	SP-82PQA9000-250	#8 x 2" White - 250

## Round Washer Screws

FT = Fully Threaded  
2/3 = 2/3 Thread



500768	834RWQFZ	#8 x 3/4" FT Zinc - 1000
500795	81RWQFZ	#8 x 1" FT Zinc - 1000
500772	81RWQF-9000	#8 x 1" FT White - 1000
500777	8114RWQ23DTZ	#8 1 1/4" 2/3 Zinc - 1000
500782	8112RWQ23DTZ	#8 x 1 1/2" 2/3 Zinc - 1000
500762	SP-8134RWQ23DTSB-500	#8 x 1 3/4" 2/3 St Brze - 500
500787	SP-82RWQ23DTZ-500	#8 x 2" 2/3 Zinc - 500
500797	SP-83RWQ23DTZ-500	#8 x 3" 2/3 Zinc - 500

## Face Frame Screws



500760	SP-6114PQ12DT17P-500	#6 x 1 1/4" 1/2 Raw - 500
500783	SP-6112PQ12DT17P-500	#6 x 1 1/2" 1/2 Raw - 500

## Hex Head Self Drilling Screws



500585	SP-812HWT2Z-500	8 1/2" Zinc - 500
500586	SP-834HWT2Z-500	8 x 3/4" Zinc - 500
500587	SP-81HWT2Z-500	8 x 1" Zinc - 500
500588	SP-8112HWT2Z-500	8 1 1/2" Zinc - 500
500559	SP-1434HWT3Z-50	14(3/8") x 3/4" Zinc - 50
500566	SP-1434HWT3Z-500	14(3/8") x 3/4" Zinc - 500
500557	SP-1411HWT3Z-50	14(3/8") x 1" Zinc - 50
500558	SP-14112HWT3Z-50	14(3/8") x 1 1/2" Zinc - 50

## Hex Lag Screws & Washers



500784	38212HLP (Special Order)	3/8" x 2 1/2 Hex Lag Plain
500785	383HLP (Special Order)	3/8" x 3" Hex Lag Plain
500786	384HLP (Special Order)	3/8" x 4" Hex Lag Plain
840113	386HLP (Hammond Only)	3/8" x 6" Hex Lag Plain
500560	38USSFWZ (Hammond Only)	3/8" Flat Washer Zinc



## Double Roller Catch




501140 H201 Roller Catch w/Prong 2-PK



## Cabinet Catch & Strikes

Used for any style cabinet door. Strike depths: 5/8", 3/4", 7/8" and 1".



505021 70495 Cabinet Catch w/4 Strikes 1-PK



## Cabinet Catch & Strikes

Used for any style cabinet door. Strike depths: 5/8", 3/4", 7/8" and 1".



505022 70505 Cabinet Catch w/4 Strikes (12cs)



## Positive Latch w/Strikes

Fits most doors with strike depths: 3/8"x 1/2", 5/8", and 3/4".



501140 H201 Positive Latch w/4 Strikes



## Non-Mortise Hinge Brass




Use these three inch hinges to replace your worn out or rusty and corroded hinges. Easy to install sold as a pair.

501045 013-046 1-5/16" x 3-1/2" 2-PK



## Non-Mortise Hinge

Used anywhere a flush fit hinge is needed. Often used in bi-fold doors.



505036 70625 3-1/2" 2-PK Brass



## Non-Mortise Hinge

Often used on bi-fold doors.




Mounting screws included.

505037 70635 3-1/2" 2-PK Nickel



## Non-Mortise Hinge


Often used on bi-fold doors. Mounting screws included.



505038 70645 3" 2-PK Chrome



## Offset Bumper Catch




501138 013-104 Exterior Door Catch Metal 3" Single



## Barrel Catch w/Metal Clip

RV Designer Double Barrel Friction Catch. 1-3/4" x 1/2". White with Metal Clip. Package of 6.



501056 H215 Barrel Catch w/Metal Clip 6-PK



## Barrel Catch w/Metal Clip

Concealed friction catch, metal clip and plastic catch. Screws included.



501056 70205 Barrel Catch w/Metal Clip 6-PK

505002 70215 Nylon Friction Catch w/Metal Clip 2-PK



## Double Roller Catch

Can be installed on any style of door or cabinet to provide a positive catch. Strong catch made of durable steel and adjustable for a great fit.



505004 70235 Cabinet Catch w/Prong 2-PK





## Front Side Saddle Guide



This Corner glide possesses superior wear and lubricity for smooth and quiet drawer action. Easy staple installation through the staple pads provided.

500261 013-211 Front Side Saddle Guide 6-PK



## Deluxe Drawer Slide Rear



Three-point suspension plastic parts can be stapled or screwed.

500260 162107 Drawer Slide Rear Deluxe



## Brass Reducing Bushing

Reducer Bushing 1/2" MPT x 3/8" FPT.




670390 042021820 1/2" MPT x 3/8" FPT

670395 6014412089800 3/4" MPT x 1/2" FPT



## Brass Flare Plug

Plug, 3/8 Male, Brass, RV/Camper/Trailer.



670350 140JF40015 Flare Plug 1/4"

670355 140JF40016 Flare Plug 3/8"

670360 049210008 Flare Plug 1/2"



## Brass Flare Cap

Flare cap, for terminating/closing pipe end. Brass material lasts long. Not for use in potable drinking water applications. Used for fuel, oil, air, liquid petroleum. (LP) and natural gas lines connections.



670330 5115404989800 Flare Cap 1/4"

670335 140JF40020 Flare Cap 3/8"

670340 140JF40021 Flare Cap 1/2"



## Brass Flare Union

Two piece construction - nut and body. Use with brass tubing. Standard fittings use short nuts. Resists mechanical pullout. Easy to disassemble and can be reassembled many times with no effect on the seal.



670050 049210293 Flare Union 3/8"

670055 049210295 Flare Union 1/2"



## Brass Flare Nut

Brass short flare nut.



670009 049210050 Flare Nut 3/8"

670015 5119208989800 Flare Nut 1/2"

670020 5119210989800 Flare Nut 5/8"



## Forged Flare Nut

Brass Short Forged Flare Nut.



670011 140JF40010 Forged Flare Nut 3/8"

670016 5219208989800 Forged Flare Nut 1/2"



## Brass Flare Elbow

90° brass elbow 3/8" Male Flare Elbow.



670315 5123506069800 3/8" FL x 3/8" FL



## Brass Elbow

90-degree elbow for changing flow direction. Male National Pipe Taper (NPT) threads for connecting two female pipes. Made from brass for higher corrosion resistance than steel. PT threads for creating tighter seals than straight threads.




670290 140JF40092 1/2" x 1/2" MPT



## Flare Tee

Metal Brass Tube Fitting, Tee, 1/2" Flare x 1/2" Flare x 1/2" Male Pipe.



670105 5146008080800 Flare Tee 1/2"



## Brass Flare Tee

Metals Brass Tube Fitting, Flare Tee, 3/8" x 3/8" x 3/8" Flare.



670100 5146006060600 Flare Tee 3/8"



## Brass Flare Reducing Union

Brass Flare Reducing Union, 1/2" x 3/8".



670085 049210323 Reducing Union 1/2" x 3/8"

# INTERIOR & EXTERIOR LIGHTING



## LaSalle Bristol Interior Globe



Uses one 60-Watt bulb (not included).

210657 1574 Globe Only - 8" White



## LaSalle Bristol Interior Light Base Only



Replacement light base for Interior Globe light.

210225 BF100208B008 Light Base Only White



## LaSalle Bristol Acorn Nuts

Acorn nuts for  
glass ceiling  
lights MFG #'s  
1511 and 1522.



210353 MP199002F008 Acorn Nuts 4Pk



## LaSalle Bristol Porch Light (Globe Only)

Clear porch light, globe only. Base  
(#81482-700 sold separately) uses  
one 60 watt bulb, not included.



200663 1306 Porch Light Globe Only Clear



## Outdoor Power Outlets w/Breaker

RV Power outlet boxes that provide electrical receptacles in a single enclosure for RV, Home and Farm. Features include: NEMA 3R Raintight enclosure, unique cover design allows cord to be used when door is closed. All components come factory wired and assembled. Lugs are suitable for use with Aluminum or copper wire. Safe and Easy to Install! ETL Listed.

220186 U054P 50-AMP Power Outlet w/Breaker  
220194 U013CP 30-AMP Power Outlet w/ 1 Pole 30 AMP Breaker



**U054P**

**U013CP**



# SWITCHES & RECEPTACLES



## 50 AMP Receptacle


This 50 amp, 125 volt, NEMA 5-50R, 2 pole, 3 wire, flush mounting receptacle is straight blade, steel strap, industrial grade, side wired, and features grounding.



**211138 DG50VP** 50 AMP Flush 125v 3-Wire

## LEVITON 30AMP Receptacle

Single-Flush Dryer Receptacle (4 Wire)



**220290 278** 30-AMP Dryer Receptacle



## Receptacle Cover

This clear cover with foam sealant gasket offers protection from the elements. Use with RV Flush Receptacle 30 Amp. Includes installation hardware, gasket, and instructions.



**220294 3795-FS** 30-AMP Receptacle Cover

## Receptacle Box



Weatherproof exterior single gang box.

**220296 WPB23** Receptacle Box



## Self-Contained Switch

Unique, self-contained wiring devices totally eliminate the need for an outlet box, wire stripping, wire nuts and wall plates, and secures to the wall opening with built-in adjustable pawls.



**220527 WDSU151WT/ WPDUW** Switch - White



## Toggle Switch w/ Cover Plate



AC "Self Contained" Wall Switch With Cover-Plate. 125-Volt AC.

**212047 S821** Switch w/Cover Plate - White



## Decorator Switches

Verve® Decorator Switches are wireless and can be installed anywhere you need them in minutes because there is never a need to run additional wiring. The simple act of pressing the rocker creates enough energy to send a radio signal to other Verve sensors and controls to set back temperature and turn off lighting and other electric loads.



**220510 66713** Switch Only White

**220511 99846** Switch Only Ivory



## Toggle Switch w/Cover

Speed Box Toggle Switch with Cover.



**220713 WDS151WT** Switch w/Cover White

**220712 WDS151BR** Switch w/Cover Brown



## Speed Box Switch w/Cover

Plastic wallplate will not change shape under heat of cold conditions. Dimensions 4-1/2" H x 2-3/4" W.



**220724 DG52595VP/ 52595** Speed Box Decor Switch w/ Cover White

**212262 DG52493VP/ 52493** Speed Box Square Receptacle w/Cover Brown

# SWITCHES & RECEPTACLES



## Square Touch Switch

15-AMP, 120/277 Volt, Decora Rocker Single-Pole AC Quiet Switch, Residential Grade, Grounding, Quickwire Push-In & Side Wired. UL and CSA Listed.



**220707** **DGSC10VP/SSCS-10** Square Touch Switch - White



## Touch Switch w/Cover Plate

125-Volt AC wall switch with cover plate.




**212049** **S841** Touch Switch - White  
**212050** **S843** Touch Switch - Ivory



## Self-Contained Receptacle

Self contained two part system allowing installation of switch without a stud or box. Screw mount with snap on cover. Heavy duty rated 15A 125V AC, UL Listed and CSA Approved.



**220714** **DG20TV** 20-AMP Self-Contained White  
**220715** **DG15BKVP** 20-AMP Self-Contained Black



## Receptacle & Wall Plate

15 Amp, 125 Volt, NEMA 5-15R, 2P, 3W, with ears duplex receptacle, straight blade, residential grade, grounding, all screws backed out contractor pack, quickwire push-in & side wired, steel strap, ivory.



**220110** **5320-I** 110-Volt 15-AMP Receptacle Ivory



## GFI Receptacle

Ground fault duplex receptacle 15A black. Includes reset button and LED light indication of no power, miswire or end of life indication when unit is not longer capable of providing GFCI protection. 15A or 20A, 120VAC with maximum interrupting Capacity of 2,000 Amps. UL Listed, CSA approved and complies to NEC, CEC and OSHA. Black.



**220720** **DG15VP** GFI Receptacle w/Light Black



## GFI Receptacle w/Light

With reset button, indicator light and cover. 15 or 20-AMP, 12-Volt. Brown in color.



**220716** **DG15BVP** GFI Receptacle w/Light Brown  
**220717** **DG15VVP** GFI Receptacle w/Light Ivory  
**220718** **DG20VP** GFI Receptacle w/Light 20-AMP White  
**220719** **DG151VP** GFI Receptacle w/Light White



## GFCI Electrical Outlet

15 Amp @ 125 VAC  
UL/cUL approved



**212337** **15005** 15-AMP 120V White Packaged



## Dual GFCI Outlet

AC GFCI Outlet With Cover-Plate. Ground Fault Circuit Interrupter (GFCI). Use on 125 V AC Grounded Two-Wire Branch Circuits (15-Amp or 20-Amp over current protected systems).



**212042** **S803** Dual GFCI Outlet Ivory  
**212043** **S805** Dual GFCI Outlet Brown  
**212380** **S801** Dual GFCI Outlet White  
**212415** **S807** Dual GFCI Outlet Black



## Dual Outlet - Self Contained Speedwire

AC "Self Contained" Contemporary Dual Outlet, Speed wire w/ Cover-Plate. 125-Volt AC.



**212048** **S831** Dual Outlet w/Cover Plate White



# SWITCHES & RECEPTACLES



## Dual Outlet w/Cover Plate




AC "Self Contained" Dual Outlets With Cover-Plate. 125-Volt AC.

212044	S811	Dual Outlet w/Cover Plate - White
212046	S815	Dual Outlet w/Cover Plate - Brown
212416	S817	Dual Outlet w/Cover-Plate Black



## Standard Receptacle

Standard receptacle with ground. Ivory or brown. Single.



212275	DG0VVP/ 270V-BOX	Standard Receptacle w/ Ground Ivory 1Pk
212274	DG0BVP/ 270B-BOX	Standard Receptacle w/ Ground Brown 1Pk



## Square Receptacle

15-Amp, 125 Volt, NEMA 5-15R, 2-Pole, 3-Wire, Decora Duplex Receptacle, Straight Blade, Residential Grade, Grounding, Quickwire Push-In & Side Wired, Steel Strap. UL and CSA listed.



212280	DGS58VP/ SSCR-58	Square Receptacle - Ivory
220705	DGS10VP/ 0-7234	Square Receptacle - White



## AC Weatherproof Receptacles

AC Weatherproof Receptacle.



212417	S904	Weatherproof Outlet Cover Black
212055	S911	Snap Cover Plate Only Gray
212054	S905	Weatherproof Dual Outlet w/ Snap Cover Plate White
212053	S901	Weatherproof Dual Outlet w/ Snap Cover Plate Gray
212039	E365	Weatherproof Outlet Cover White



## Duplex Outlet Cover

The Duplex Weatherproof Outlet Cover is used in several applications, including to cover a standard two outlet electrical unit. Includes a weatherproof gasket. The spring loaded cover keeps the lid closed to protect the content from rain, snow, and dirt.



220536	47505	Duplex Outlet Cover Packaged Polar White
--------	-------	---



## Duplex Weatherproof Outlet Cover

- Used to cover a standard two outlet electrical unit
- Spring loaded hinges
- Includes a weatherproof gasket



220538	05-12115	Packaged Black
--------	----------	----------------



## Receptacle w/ Weatherproof Cover

White standard weatherproof cover with standard receptacle, 1 card.



212266	DG52499SVP /52499SCREC	Weatherproof Receptacle Cover White
--------	---------------------------	--



## Receptical w/Ground

Standard Receptacle 15-AMP, 125-Volt. White in color.



220703	DG0VVP/270W	Standard Receptacle w/ Ground White
--------	-------------	--



## Snap Cover Outlet

Weatherproof Black Dual Outlet w/ Snap Cover-Plate



212418	S907	Weatherproof Dual Outlet w/Snap Cover-Plate Black
--------	------	--

# COVERS & SWITCH PLATES



## Standard Receptacle Cover

Weatherproof Standard Receptacle Cover. Color White



212265 **DG52499VP/52499** Plastic Receptacle Cover White



## Receptacle Covers

Weatherproof Standard Receptacle Cover. Color Grey



220704 **DG80SRVP/3780SCREC** Weatherproof Receptacle Cover Grey



## Weatherproof Cover

Weatherproof Decor Receptacle Cover.



212268 **DG52516VP/52516** Decora REC CVR White  
 212267 **DG52515VP/52515** Decora REC CVR Grey  
 212258 **DG52519VP** Decora REC CVR Black



## Weatherproof GFI Cover

Weatherproof Cover for GFI Outlet, White.



212040 **E465** Weatherproof Cover For GFI Outlet White



## GFCI Outlet Cover

- Weatherproof any GFCI style outlet A716
- Also used to cover 5th wheel landing gear operator switches
- Includes a weatherproof gasket



220540 **05-12215** Black Pkg



## Receptacle Cover

Weatherproof any GFCI style outlet. Also used to cover 5th wheel landing gear operator switches. Includes a weatherproof gasket.



220537 **47515** Weather Proof GFCI Outlet Cover - Polar White



## Decorative Wall Covers



Standard receptacle cover decorative.

220520 **TP26-W** White Wall Plate

220521 **TP26-I** Ivory Wall Plates



## Receptacle Covers



212276 **DG32BVP/4132B-BOX** Standard Receptacle Cover Brown

212265 **DG32VP/4132W-BOX** Standard Receptacle Cover White

212278 **DG34VP/4134W-BOX** Toggle Switch w/Standard Receptacle Cover White



## Speed Box Covers



212263 **DG52495VP/52495** Speed Box Square Receptacle Cover Ivory

220723 **DG52494VP/52494** Speed Box Square Receptacle Cover White





## Cover Plate

AC "Self Contained"  
Contemporary  
Cover-Plate. Accepts  
Contemporary Switches.



212051 S849 Contemporary Cover-Plate White



## Standard Wall Plate


This basic face plate  
works for many appli-  
cations and features  
easy installation.  
Size - 2.74" x 1.61".



212887	DG101VP/ P7101C	Single Standard Wall Plate White Carded
212888	DG118VP/ P7118C	Single Standard Wall Plate Brown Carded
212889	DG158VP	Single Standard Wall Plate Ivory Carded
211135	DG115VP/ P7115C	Single Standard Wall Plate Black Carded



## Standard Toggle Switch Covers



Speed toggle snap on receptacle cover.

210357	DG32VP/4132W-BOX	Switch Cover White
212279	DGSP1VP/SPD1	Switch Cover Brown



## Snap-On Toggle Switch Covers



Speed toggle snap on receptacle cover.

212261	DG52492VP/52492	Toggle Switch Cover White
212260	DG52491VP/52491	Toggle Switch Cover Brown



## Blank Wall Plate



1-Gang No Device Blank Wall plate, Stan-  
dard Size, Thermoset, Box Mount, Ivory.

212850	DG52490VP/52490	Wall Plate Cover Ivory
212851	DG52488VP	Wall Plate Cover Brown



## Liquid Electrical Tape

Liquid Electrical Tape (LET) is easy to use, providing an airtight, waterproof, dielectric coating in minutes. The coating will last for the life of the application, yet it can be removed immediately as needed. One application will protect terminal connections or splices, as well as guard against vibrations that can loosen connections. Star brite Liquid Tape is UL-tested, easy to use and reliable. Cap has an easy-to-use brush applicator. Service range -50°F to +275°F.



420879	84104	4 Oz Can Black
--------	-------	----------------



## Electrical Tape



Black masking tape, 14-Day tape, Ideal for long-term masking projects. Removes clean & easy for up to 14 days without leaving adhesive. Can be used in direct sunlight.

420185	3460U	Electrical Tape 3/4" x 60' Black
--------	-------	----------------------------------



## AC Line Voltage Meter

"This meter helps you monitor high and low voltage conditions which can damage sensitive electronics in your RV."



220306	55263	120-Volt Meter
--------	-------	----------------



## Mighty Cord® Digital AC Volt Meter

Ensure proper power in your mobile home. Accurate digital display Doubles as a night light Monitor your voltage with digital accuracy. Voltage below 108 can damage your electrical devices. Just plug it in! Measures AC 90-132V.



220506	A10-120VM	Plug-In Meter Digital Display
--------	-----------	-------------------------------

# CORDS & ADAPTERS



## 50-AMP LED Extension Cord

This 50 amp RV extension cord with easy grip handles has clear molded ends that light up when powered. Constructed with heavy duty 6/3, 8/1 cable for safe outdoor use - cUL listed.



**220269** A10-5050EHLED 50-AMP Extension Cord 50' Bulk



## 50-AMP Standard Extension Cord

This 50 amp extension cord extends power up to 25' from the original source. 125V and 3 wire, 10 gauge.



**220542** A10-5025E 50-AMP Extension Cord 25' Black Bulk

**220551** A10-5050E 50-AMP Extension Cord 50' Black Bulk



## 50-AMP Red Extension Cord

This 50 amp RV extension cord with finger grip male end is available in 25' and 50' lengths to connect RV at campground or home. Constructed with heavy duty 10/3 cable for safe outdoor use - cETL listed.



**220263** A10-5025EH 50-AMP Extension Cord 25' Red Boxed

**220264** A10-5050EH 50-AMP Extension Cord 50' Red Boxed



## 50-AMP Red Extension Cord



This 30 & 50 amp extension cord extends power in the different sizes, 10', 15', 25', and 50' from the original source, and has a finger grip male end for ease of use. Rated for 125VAC and is made with 10/3 wire.

**220316** A10-5010EH 50-AMP Extension Cord 10' Red Boxed

**230129** A10-5015EH 50-AMP Extension Cord 15' Red Boxed



## 30-AMP Power Cord

30 amp. 125V. 10/3 guage. UL Listed.



**220136** D18330030 30-AMP Power Cord - 30'



## 30-AMP Extension Cord

Cord Extension 30a 10/3 25'. Extension Cord. 30 amp. 125V. 10 gauge, 3 wires, UL listed.



**220135** D19001110 30-AMP Extension 10/3 25'

**220137** D19001111 30-AMP Extension 10/3 50'



## 30-AMP ProGlo™ Extension Cord

ProGlo Extension Cord 30 AMP.



**220635** D19013025 Cord Extension 30-AMP 25' Yellow

**220636** D19013050 Cord Extension 30-AMP 50' Yellow

**220646** D19016050 Cord Extension 30-AMP - 50' Blue



## ProGlo™ Extension Cord



Our special Pro Glo® SJTW (300V) jackets offer high visibility for safety underfoot and extra flexibility in cold weather. Each male plug has a built in amber neon light which indicates that there is power in the cords and outlet. In addition, these extension cords provide Continuous Current and Ground Monitoring (CGM), an OSHA safety requirement. A green neon light in the female connectors lets you know at a glance that there is ground continuity.

**220650** D17333025 Extension Cord (300V) w/ CGM - 25' (Yellow)

**220655** D17334025 Extension Cord (300V) w/ CGM - 25' (Green)

**220665** D17337025 Extension Cord (300V) w/ CGM - 25' (Red)

**220670** D17333050 Extension Cord (300V) w/ CGM - 50' (Yellow)



**CENTURY®**

## 50-AMP ProGrip™ Extension Cord

Our heavy duty Motor Home Lighted Extension Cords (50A - 125V/250V) are designed to bring power into your large motor home, portable trailer or mobile home from RV and Trailer Park power outlets. Large (NEMA 14-50) lighted plugs and connectors are molded with neon lights to indicate that there is power in the outlets. Special Pro Grip fold away nylon handles help the user to easily disconnect our extension cord from the power outlet or from other cord ends.



**230144** **D19048015** Cord Extension 50 AMP  
15' - Black

**APProducts**  
POWER & LIGHTING

## 50-AMP Extension Cord



Extra heavy duty 30', 50 amp extension cord includes molded male & female ends.

**220348** **16-00561** 30' 50-AMP Extension Cord

**APProducts**  
POWER & LIGHTING

## 50-AMP Power Supply Cord



Heavy duty RV power supply cord. This replacement cord is easy to install. Water tight molded plug. 50 AMP 125/250 VAC, 6250 Watts, Flexible 6/3-8/1 cable.

**220250** **16-00563** 25' 50-AMP

**APProducts**  
POWER & LIGHTING

## Replacement Head (Male)

These 50-AMP male replacement heads are constructed from high quality impact resistant ABS.

**200204** **16-00578** 50AMP Male Replacement  
Head 10/50 Pk Black

**VALTRAK®**

## 30/50-AMP Plug Replacements

30 amp and 50 amp replacement female receptacles and male plugs with handles, constructed of durable polyester. Simple installation to replace worn and damaged ends.

**230501** **A10-R30VP** 30AMP Replacement Receptacle Carded  
**230502** **A10-R50VP** 50AMP Replacement Receptacle Carded  
**230503** **A10-P30VP** 30AMP Replacement Plug Carded  
**230504** **A10-P50VP** 50AMP Replacement Plug Carded

**ESCO**

## Motor Base Plug

Weatherproof parallel grounding male motor base 2 pole 3 wire. For use on mobile homes, campers trailers, etc. Aluminum finish with weather proof gasket, mounting screws included. 15 amp 120 volts.


**220090** **3778/WRMB-87** Male Motor Base Plug

**APProducts**  
POWER & LIGHTING

## 4' Dryer Cord

3 wire cords are required for homes built before 1996. Choose 3 wire cords for existing installation or replacement of damaged cords. 3 wire cords come standard with ring connectors, 30 amps. Right angle plug allows installation closer to wall. Strain relief bracket to ensure safe & easy installation.

**220280** **03-00076** 4' Dryer Cord



# WIRES & CONNECTORS

## 8-Gauge Roll Wires (100')

230046	02551	White 100' Spool
--------	-------	------------------

## 10-Gauge Roll Wires (100')

230055	02510	Black 100'
230056	02509	White 100'
230060	02508	Red 100'

## 10-Gauge Roll Wires (500')

230200	02523	White 500'
230205	02524	Blue 500'

## 12-Gauge Roll Wires (100')

230061	02461	Green 100'
230063	02462	Yellow 100'
230064	02459	White 100'
230065	02464	Blue 100'
230066	02460	Black 100'
230067	02458	Red 100'
230325	02463	Brown 100'

## 12-Gauge Roll Wires (1000')

230020	02486	Red 1,000'
230039	02488	Black 1,000'
230040	02487	White 1,000'

## 14-Gauge Roll Wires (100')

230080	02408	Red 100'
230085	02413	Brown 100'
230090	02410	Black 100'
230095	02412	Yellow 100'
230100	02411	Green 100'
230105	02414	Blue 100'
230110	02409	White 100'

## 14-Gauge Roll Wires (1000')

230115	02436	Red 1,000'
230120	02439	Green 1,000'
230125	02438	Black 1,000'
230130	02440	Yellow 1,000'
230135	02441	Brown Wire 1000'
230140	02442	Blue Wire 1000'
230145	02437	White 1,000'

## 16-Gauge Roll Wires (100')

230225	02360	Black 100'
230230	02359	White, 100'
230235	02358	Red 100'
230240	02364	Blue 100'
230245	02363	Brown 100'
230250	02362	Yellow 100'
230255	02361	Green 100'

## 16-Gauge Roll Wires (1000')

230270	02386	Red, 1000'
230290	02389	Green, 1000'



*All primary wire is manufactured from the highest quality copper & polyvinyl coatings.*

## Pacific Industrial Products

### Ring Terminal



211555	1909E	3/8" 12-10 Gauge 100-PK
211560	1908E	5/16" 12-10 Gauge Wire 100-PK
211565	1805E	16-14 Gauge #10 - 100-PK
211570	1905E	12-10 Gauge #10 - 100-PK
211585	1806E	1/4" 16-14 Gauge 100-PK

## Pacific Industrial Products

### Connector Spade



211600	1925E	12-10 Gauge Wire 100-PK
--------	-------	-------------------------

## Pacific Industrial Products

### Quick Female Blade Terminal

Female Spade  
Crimp Terminal  
Connector .250



211545	1855E	Connector Quick Female .250" - 16-14 Gauge 100 PK
211550	1856E	Connector Quick Male .250" 16-14 Gauge 100-PK

## Pacific Industrial Products

### Butt Connector

Connector Butt  
12-10 Gauge  
100 Pack




Insulated and Solderless.

211575	1800E	Blue 16-14 Gauge Wire 100-PK
211576	1700E	Red 22-18 Gauge 100-PK
211580	1900E	Yellow 12-10 Gauge 100-PK

## WirthCo

### 16-14AWG Nylon Butt Connector

- High-Temperature Nylon Insulation Rated to 221°F (105°C)
- Maximum Voltage: 600V



213360	80803	16-14AWG Butt Connector 5Pk
213361	80804	16-14AWG Butt Connector 25Pk

## WirthCo

### Heat Shrink Connectors

High Density Polyethylene Insulation Helps Keep Connection Dry. Shrink Temperature: 302°F (150°C). Maximum Voltage: 600V. 100 Pcs Poly Bag



211568	80427	22-18AWG Heat Shrink Butt Connector - 100/Bag
211569	80428	16-14AWG Heat Shrink Butt Connector - 100/Bag



**CAMCO**

## Screw-In Element




- High Watt Density heating element
- UL Listed
- Easy to Install

150019	02103	1000W 120V HWD Element
150020	02143	1500W 120V HWD Element
150206	02283	3500W 240V HWD Element
150190	02343	4500W 240V HWD Element

## Universal Heat Element

Replace the heating element in your RV water heater with a UL recognized HWD replacement kit.



150195	04363	1500W 120V HWD Element
--------	-------	------------------------

## Water Heater Element Wrench

Remove and replace residential screw-in water heater elements quickly and easily. This 5" long zinc-plated wrench goes where other wrenches can't. It works with your screwdriver and fits 1-1/2" hex screw-in type water heater elements found on residential hot water heaters.



150162	09883	5" Zinc Element Wrench
--------	-------	------------------------

## Water Heater Relief Valve

150-PSI, 200-degree (F), furnished with test lever, 4" long thermostat for installation in hot outlet line.



140375	10421	1/2" T&P Valve w/4" Probe
140376	10473	3/4" T&P Valve w/4" Probe
140377	10423	1/2" T&P Valve w/ 4" Probe Coated
150150	10471	3/4" Relief Valve

## Thermostat (Single Element)

Camco's Single Element Thermodisc Style Thermostat with HLC replaces the heating element in RV water heaters. It has an energy efficient range setting and built-in safety switch to prevent overheating. It also comes complete with detailed instructions and wiring diagrams for easy installation.



150046	08143	TOD Style w/HLC Thermostat
--------	-------	----------------------------

## Drain Valve

Replace water heater valves with a sturdy, easily-installed durable brass replacement.



670655	11663	1/4" Drain Valve
670670	11703	1/2" Drain Valve
670671	11683	3/8" Drain Valve

## Thermocouple Kit



Replace your thermocouple with confidence. Universal thermocouple kits with positioning adapters fit RV gas, water, heaters, and furnaces.

100004	09253	12" Thermocouple Kit
100005	09273	18" Thermocouple Kit
100010	09293	24" Thermocouple Kit

## Gas Control Wrench

Use with 5/8" open end wrench to remove or replace most gas controls.



140390	09963	Gas Control Wrench
--------	-------	--------------------

**Dormont®**  
A WATTS Brand

## Stainless Steel Gas Connectors



These durable, corrosion resistant stainless steel gas connectors designed with safety in mind. CSA approved, these gas connectors are coated with antimicrobial PVC for unmatched protection from weather and abuse. They commonly used for the installation of high BTU appliances such as tankless water heaters, rooftop units and mobile home gas meters.

### MALE X MALE CONNECTORS

171300	41-4141-24	1" OD - 3/4" ID - 3/4" MIP x 3/4" MIP x 24"L
171305	41-4141-36	1" OD - 3/4" ID - 3/4" MIP x 3/4" MIP x 36"L
171306	41-4141-48	1" OD - 3/4" ID - 3/4" MIP x 3/4" MIP x 48"L

### MALE X FEMALE CONNECTOR

*171308	41-4142-36	1" OD - 3/4" ID - 3/4" MIP x 3/4" FIP x 36"L
---------	------------	--

\*Elkhart Branch Only



WHITE




BISQUE PARCHMENT




CHROME POLISHED



VENETIAN BRONZE



BRUSHED SATIN NICKEL



OIL RUBBED BRONZE

## KITCHEN FAUCETS



### Pull-Down Kitchen Faucets

15" Tall Spout,  
Heavy Duty Metal Construction.

680409 DF-NMK503-VB Ven. Bronze Finish

680408 DF-NMK503-SN Satin Nickel Finish



### Streamline Pull-Down Faucet

Metallic, ceramic disk.

680630 DF-NMK530-SN Satin Nickel Finish

680631 DF-NMK530-CP Chrome Finish



### Drinking Fountain Faucet

6" Metal Drinking Fountain  
Faucet 3/8" Internal Pipe

680636 DF-DF350-CP Chrome Finish

680637 DF-DF350-SN Satin Nickel Finish

680638 DF-DF350-VB Ven. Bronze Finish



### Single Handle Pull-Down Faucet

15" Spout, Metal Body, SS Hoses,  
Ceramic Valve, 1 Hole.

680410 DF-NMK508-CP Chrome Finish

680411 DF-NMK508-SN Satin Nickel Finish

680412 DF-NMK508-VB Ven. Bronze Finish



### Single Lever Faucet

Heavy Duty Metal Construction,  
Stainless Steel Ball Valve.

680823 DF-NMK600-SN Satin Nickel Finish

680557 DF-NMK600-CP Chrome Finish

680413 DF-NMK600-WT White Finish



### Designer Pull-Out Faucet

Metal Construction, SS Hoses,  
Ceramic Disk Valve, 1 Hole Installation.

680558 DF-NMK852-CP Chrome Finish

680559 DF-NMK852-SN Satin Nickel Finish

680561 DF-NMK852-VB Ven. Bronze Finish

680416 DF-NMK852-WT White Finish



### Designer Pedestal Goose Neck Faucet

11" Tall Spout, Heavy Duty Metal Construction.

680403 DF-NMK301-SN Satin Nickel Finish

680404 DF-NMK301-VB Ven. Bronze Finish



### Non-Metallic Dual Lever Pull-Down Faucet

15" Tall Spout, Synthetic Waterways.

680444 DF-PK350L-VB Ven. Bronze Finish

680443 DF-PK350L-CP Chrome Finish

680563 DF-PK350L-SN Satin Nickel Finish



### Hi-Rise Pull-Out Faucet

13" Tall Spout, Heavy Duty Metal Construction.

680418 DF-NMK861-SN Satin Nickel Finish



### Coil Spring Pull-Down Faucet

Residential Grade Heavy Duty Construction.

680822 DF-NMK504-SN Satin Nickel Finish

680821 DF-NMK504-CP Chrome Finish



### Non-Metallic Hi-Rise Faucet

11.5" Tall Spout, Synthetic Waterways.

680442 DF-PK340L-VB Ven. Bronze Finish

680441 DF-PK340L-SN Satin Nickel Finish



### Streamline Kitchen Faucet

Metallic, Ceramic Disk.

680634 DF-NMK531-CP Chrome Finish

680635 DF-NMK531-SN Satin Nickel Finish





WHITE




BISQUE PARCHMENT




CHROME POLISHED



VENETIAN BRONZE



BRUSHED SATIN NICKEL



OIL RUBBED BRONZE



### Two Handle Faucet

Synthetic Waterways, Smoked Knobs.

- 680448 **DF-PK600S-BQ** Bisque Finish  
 680449 **DF-PK600S-SN** Satin Nickel Finish  
 680369 **DF-PK600S-WT** White Finish



### J-Spout Faucet

12" Tall Brass Spout, Synthetic. Waterways.

- 680366 **DF-PK330HC-ORB** Oil Rub. Bronze Finish  
 680438 **DF-PK330HC-BQ** Bisque Finish  
 680439 **DF-PK330HC-CP** Chrome Finish  
 680367 **DF-PK330HC-SN** Satin Nickel Finish  
 680440 **DF-PK330HC-WT** White Finish



### Elegant J-Spout Faucet

Elegant J-Spout RV Kitchen Faucet.  
 12" tall brass spout, synthetic waterways.

- 680338 **DF-PK330HLH-SN** Satin Nickel Finish  
 680337 **DF-PK330HLH-CP** Chrome Finish



### Hi-Rise Kitchen Faucet

10" Tall Brass Spout, Synthetic Waterways.

- 680362 **DF-PK210A-CP** Chrome Finish



### Classical Hi-Rise Faucet

12" Tall Brass Spout, Synthetic Waterways.

- 680435 **DF-PK210C-CP** Chrome Finish  
 680434 **DF-PK210C-BQ** Bisque Finish  
 680363 **DF-PK210C-ORB** Oil Rub. Bronze Finish  
 680364 **DF-PK210C-SN** Satin Nickel Finish  
 680365 **DF-PK210C-WT** White Finish



### Hi-Rise Kitchen Faucet

10" Tall Brass Spout, Synthetic Waterways.

- 680437 **DF-PK210S-WT** White Finish  
 680436 **DF-PK210S-BQ** Bisque Finish



### Non-Metallic Pull-Down Faucet

15" Tall Spout, Synthetic Waterways, 1 or 3 hole.

- 680429 **DF-PK160-CP** Chrome Finish  
 680430 **DF-PK160-SN** Satin Nickel Finish



### Two-Handle Non-Metallic Kitchen Faucet

Synthetic Waterways, Smoked Knobs.

- 680368 **DF-PK600A-CP** Chrome Finish



### Non-Metallic Pull-Out Faucet

8" Faucet. Synthetic Waterways, Ceramic Disk.

- 680428 **DF-PK100-WT** White Finish  
 680426 **DF-PK100-CP** Chrome Finish  
 680360 **DF-PK100-ORB** Oil Rub. Bronze Finish  
 680361 **DF-PK100-SN** Satin Nickel Finish



### Heavy Duty Arc Single Lever Kitchen Faucet

Metallic, Less Pop-Up, SS Ball Valve.

- 680491 **DF-NML-210-VB** Ven. Bronze Finish  
 680492 **DF-NML210-CP** Chrome Finish  
 680493 **DF-NML210-SN** Satin Nickel Finish



### 4" Non-Metallic Kitchen/Bar/Galley Faucet

Synthetic Waterways, 8" Long Spout.

- 680450 **DF-PK640A-CP** Chrome Finish  
 680520 **DF-PK640S-WT** White Finish



### Bar Faucets

RV bar faucet. 6" brass spout, Synthetic Waterways.

- 680423 **DF-PB150A-CP** Chrome Finish  
 680424 **DF-PB150C-ORB** Classical Oil Rub. Bronze  
 680425 **DF-PB150C-SN** Classical Satin Nickel



### Single Handle Vessel Lavatory Faucet

Metallic, less pop-up, ceramic disk.

- 680791 **DF-NML800-CP** Chrome Finish  
 680792 **DF-NML800-SN** Satin Nickel Finish



### Single Lever Lavatory Faucet

Metallic, Less Pop-Up, Ceramic Disk Valve.

- 680825 **DF-NML202-SN** Satin Nickel Finish  
 680826 **DF-NML202-VB** Ven. Bronze Finish



### Single Lever Lavatory Faucet

Non-Metallic, Less Pop-Up.

- 680567 **DF-PL100-ORB** Oil Rub. Bronze Finish  
 680566 **DF-PL100-CP** Chrome Finish  
 680568 **DF-PL100-SN** Satin Nickel Finish  
 680569 **DF-PL100-WT** White Finish



WHITE



BISQUE PARCHMENT



CHROME POLISHED



VENETIAN BRONZE



BRUSHED SATIN NICKEL



OIL RUBBED BRONZE

## LAVATORY FAUCETS



### Elegant Lavatory Faucet

Non-Metallic, less pop-up.

680342 **DF-PL700LH-SN** Satin Nickel Finish  
680341 **DF-PL700LH-CP** Chrome Finish



### Two-Handle Faucet

Non-Metallic, less pop-up, Crystal Acrylic Knobs.

680370 **DF-PL700A-CP** Chrome Finish



### Two-Handle Faucet

Non-Metallic, Less Pop-Up, Smoked Knobs.

680373 **DF-PL700S-BQ** Bisque Finish  
680522 **DF-PL700S-SN** Satin Nickel Finish  
680374 **DF-PL700S-WT** White Finish



### Classical Lavatory Faucet

Non-Metallic, Less Pop-Up.

680371 **DF-PL700C-ORB** Oil Rub. Bronze Finish  
680372 **DF-PL700C-SN** Satin Nickel Finish  
680572 **DF-PL700C-WT** White Finish



### Designer Lavatory Faucet

Non-Metallic, Less Pop-Up.

680521 **DF-PL700L-VB** Ven. Bronze Finish  
680300 **DF-PL700L-SN** Satin Nickel Finish



### Classical Faucet w/Diverter

Non-Metallic, Outlet for Shower.

680376 **DF-PL720C-SN** Satin Nickel Finish  
680827 **DF-PL720C-CP** Chrome Finish



### Designer Arc Spout Faucet

Non-Metallic, Less Pop-Up.

680518 **DF-PL620L-CP** Chrome Finish  
680519 **DF-PL620L-SN** Satin Nickel Finish



### Classical Arc Spout Faucet

Non-Metallic, Less Pop-Up.

680496 **DF-PL620C-SN** Satin Nickel Finish  
680494 **DF-PL620C-CP** Chrome Finish  
680495 **DF-PL620C-ORB** Oil Rub. Bronze Finish



### Heavy Duty Single Lever Lavatory Faucet

Metallic, Less Pop-Up, SS Ball Valve.

680420 **DF-NML110-CP** Chrome Finish  
680421 **DF-NML110-SN** Satin Nickel Finish  
680422 **DF-NML110-VB** Ven. Bronze Finish



### Lavatory Faucet w/Diverter

Non-Metallic, Outlet for Shower.

680375 **DF-PL720A-CP** Chrome Finish



### Lavatory Faucet w/Diverter

Non-Metallic, Outlet for Shower, Smoked Knobs

680525 **DF-PL720S-WT** White Finish  
680524 **DF-PL720S-BQ** Bisque Finish





WHITE




BISQUE PARCHMENT




CHROME POLISHED



VENETIAN BRONZE



BRUSHED SATIN NICKEL



OIL RUBBED BRONZE

## BATH, TUB & SHOWER



### Shower Faucet

Non-Metallic, Vacuum Breaker Hose Connection.

680377 **DF-SA100A-CP** Chrome Finish



### Designer Shower Faucet

Non-Metallic, Vacuum Breaker Hose Connection

680350 **DF-SA100L-CP** Chrome Finish

680381 **DF-SA100L-SN** Satin Nickel Finish



### Shower Faucet

Non-Metallic, Vacuum Breaker Hose Connection, Smoked Knobs

680383 **DF-SA100S-WT** White Finish

680382 **DF-SA100S-BQ** Bisque Finish

680722 **DF-SA100S-SN** Satin Nickel Finish



### Exterior Shower Faucet

Non-Metallic, 80° Vacuum Breaker Hose

680378 **DF-SA100A1-WT** White/Crystal Acrylic Knobs

680723 **DF-SA100S1-BK** Black/Smoked Knobs



### Classical Shower Faucet

Non-Metallic, Vacuum Breaker Hose Connection

680379 **DF-SA100C-ORB** Oil Rub. Bronze Finish

680718 **DF-SA100C-BQ** Bisque Finish

680719 **DF-SA100C-CP** Chrome Finish

680380 **DF-SA100C-SN** Satin Nickel Finish

680720 **DF-SA100C-WT** White Finish



### Elegant Shower Faucet

Non-Metallic, Vacuum Breaker Hose Connection

680712 **DF-SA100LH-SN** Satin Nickel Finish

680713 **DF-SA100LH-CP** Chrome Finish



### Tub/Shower Diverter Faucet

Non-Metallic, Pull-Up Tub/Shower Diverter, Crystal Acrylic Knobs.

680384 **DF-SA110A-CP** Chrome Finish



### Single Lever Shower Faucet

Non-Metallic, Vacuum Breaker Hose Connection.

680730 **DF-SA150-CP** Chrome Finish

680731 **DF-SA150-ORB** Oil Rub. Bronze Finish

680732 **DF-SA150-SN** Satin Nickel Finish

680734 **DF-SA150-WT** White Finish



### Tub/Shower Diverter Faucet

Non-Metallic, Pull-Up Tub/Shower Diverter, Smoked Knobs.

680726 **DF-SA110S-SN** Satin Nickel Finish

680387 **DF-SA110S-BQ** Bisque Finish

680388 **DF-SA110S-WT** White Finish



### Classical Tub/Shower Diverter Faucet

Non-Metallic, Pull-Up Tub/Shower Diverter.

680385 **DF-SA110C-ORB** Oil Rub. Bronze Finish

680386 **DF-SA110C-SN** Satin Nickel Finish



### Shower Slide Bar

Brass, Quick Trigger Slider, Clear Soap Dish.

680504 **DF-SA300CL-SN** Satin Nickel Finish

680503 **DF-SA300CL-ORB** Oil Rub. Bronze Finish



WHITE




BISQUE PARCHMENT



CHROME POLISHED



VENETIAN BRONZE



BRUSHED SATIN NICKEL



OIL RUBBED BRONZE



### Designer Tub/Shower Diverter Faucet

Non-Metallic, Pull-Up Tub/Shower Diverter.

680724 **DF-SA110L-SN** Satin Nickel Finish



### Elegant Tub/Shower Diverter Faucet

Non-Metallic, Pull-Up Tub/Shower Diverter.

680715 **DF-SA110LH-CP** Chrome Finish

680714 **DF-SA110LH-SN** Satin Nickel Finish

### Economy Single Function Shower Wand & Hose Kit

Water-Saving Trickle Switch, 60" Vinyl Hose, Mounting Bracket & Hose Ring

680390 **DF-SA130-ORB** Oil Rub. Bronze Finish

680389 **DF-SA130-BQ** Bisque Finish

680727 **DF-SA130-BK** Black Finish

680728 **DF-SA130-CP** Chrome Finish

680391 **DF-SA130-SN** Satin Nickel Finish

680392 **DF-SA130-WT** White Finish



### Economy Handheld Shower Wand

Water-Saving, Trickle Switch.

680576 **DF-SA135-SN** Satin Nickel Finish

680573 **DF-SA135-BQ** Bisque Finish

680570 **DF-SA135-BK** Black Finish

680574 **DF-SA135-CP** Chrome Finish

680577 **DF-SA135-WT** White Finish



### Handheld Shower Hose

60" Vinyl Hose.

680201 **DF-SA230-WT** White Finish

680579 **DF-SA230-BQ** Bisque Finish

680578 **DF-SA230-BK** Black Finish

680515 **DF-SA230-CP** Chrome Finish

680200 **DF-SA230-SN** Satin Nickel Finish



### Handheld Shower Wand

Single Function Head, Water Saving Trickle Switch.

680400 **DF-SA400-ORB** Oil Rub. Bronze Finish

680398 **DF-SA400-BQ** Bisque Finish

680399 **DF-SA400-CP** Chrome Finish

680401 **DF-SA400-SN** Satin Nickel Finish

680402 **DF-SA400-WT** White Finish



### Stainless Steel Shower Hose

60" Hose, Double Hooked.

680395 **DF-SA200-CP** Chrome Finish

680396 **DF-SA200-ORB** Oil Rub. Bronze Finish

680397 **DF-SA200-SN** Satin Nickel Finish

680500 **DF-SA200-WT** White Finish



### Premium Handheld Shower Wand

4-Function, Water Saving On/Off Switch.

680701 **DF-SA432-SN** Satin Nickel Finish

680702 **DF-SA432-CP** Chrome Finish




### Premium Handheld Shower Wand

4-Function, Water Saving On/Off Switch.

680703 **DF-SA432K-CP** Chrome Finish

680704 **DF-SA432K-SN** Satin Nickel Finish

680706 **DF-SA432K-MB** Matte Black Finish



### Pressure Assist Handheld Shower Wand

Single Function, Water Saving, On/Off Switch

680328 **DF-SA470-CP** Chrome Finish

680327 **DF-SA470-BQ** Bisque Finish

680330 **DF-SA470-SN** Satin Nickel Finish

680336 **DF-SA470-WT** White Finish

### Single Function Shower Wand & Hose Kit

Single Function, Water Saving, On/Off Switch, Self-Pressurizing, 60" SS Hose, Mounting Bracket, and Hose Ring.

680676 **DF-SA400K-CP** Chrome Finish

680677 **DF-SA400K-SN** Satin Nickel Finish

680675 **DF-SA400K-WT** White Finish

680674 **DF-SA400K-MB** Matte Black Finish



### Classical Lever Plastic Handles (Pair)

For Dura Branded Products Only.

680708 **DF-RKC-ORB** Oil Rub. Bronze Finish

680709 **DF-RKC-SN** Satin Nickel Finish



### Faucet Mounting Washers & Nuts

For Dura Branded Products Only.

680526 **DF-RK100**



### Crystal Acrylic Knobs (Pair)

For Dura Branded Products Only.

680554 **DF-RKA**



### Smoked Knobs (Pair)

For Dura Branded Products Only.

680717 **DF-RKS**





Single lever metal kitchen faucet with gooseneck spout. Available with optional Insta-Spray aerator & deckplate.

**682271** SL7000BMT-A Black Matte Finish  
**682272** SL7000BN-A Brushed Nickel Finish



Single lever metal kitchen faucet with gooseneck spout & pull-down sprayer with magnetic catch. Available with optional Insta-Spray aerator & deckplate.

**682275** SL400BMT-A Black Matte Finish



Metallic single lever kitchen with pull-down sprayer & optional deck plate for 1 or 3 hole installation.

**682253** SL2000-A Chrome Finish  
**682251** SL2000N Brushed Nickel Finish  
**681396** SL2000ORB Oil Rub. Bronze Finish



Metallic single lever kitchen with hi-arc bullet style spout & optional deck plate for 1 or 3 hole installation.

**680951** SL4000BN-A Brushed Nickel Finish




Metallic single lever spring kitchen with hi-arc coiled hammer style spout & optional deck plate for 1 or 3 hole installation.

**680954** SP5000N-A Brushed Nickel Finish



Metallic single lever kitchen with pull-out sprayer.

**681399** SL1000 Chrome Finish  
**681397** SL1000N-A Brushed Nickel Finish  
**681398** SL1000ORB Oil Rub. Bronze Finish



8" non-metallic kitchen with gooseneck spout, pull-down sprayer & teapot handles.

**680604** U-YNN2000N Brushed Nickel Finish



Metallic single lever kitchen pull-down with trumpet style spray head, magnetic spray holder, SS flex lines, quick connector & optional deck plate for 1 or 3 hole installation.

**680862** SL3000-N-A Brushed Nickel Finish



8" metallic kitchen with gooseneck spout, teapot handles & sprayer.

**680477** CH801GS Chrome Finish  
**680878** NN801GSN Brushed Nickel Finish  
**680478** OB801GSORB Oil Rub. Bronze Finish



4-hole metallic single lever kitchen with d-spout blade handle & sprayer.

**680599** SL801F-4 Chrome Finish



3-hole metallic single lever kitchen with d-spout, blade handle & on deck sprayer.

**680466** SL801F-3 Chrome Finish



Brass underbody, single handle, 8" centers.

**680890** SL800F Chrome Finish



# KITCHEN & LAVATORY



8" non-metallic kitchen with gooseneck spout & teapot handles.

**680457** U-YCH800GS Chrome Finish  
**682231** U-YNN800GSN-E Brushed Nickel Finish  
**682240** U-YOB800GSOB Oil Rub. Bronze Finish



8" non-metallic kitchen with handles & 25mm gooseneck spout.

**680863** U-YNN800GSN-DH3-25 Brushed Nickel



8" non-metallic kitchen with hi-rise spout & teapot handles.

**680458** U-YCH800RS Chrome Finish  
**682238** U-YNN800RSN Brushed Nickel Finish  
**681948** U-YWI800RSW White Finish  
**681949** UYBB800RSB Biscuit Finish



8" on center installation, plastic or metal underbody, d-spout.

**680874** YJ800F Chrome - Plastic Underbody  
**680870** J800F Chrome - Brass Underbody  
**680875** J801F Chrome - Brass Underbody w/Sprayer



4" lavatory faucet with teapot handles & arc spout.

**680483** U-YCH77-ARC Chrome Finish



4" non-metallic kitchen with solid saber handles & 25mm gooseneck spout.

**682255** U-YNN77N-DH3 Brushed Nickel Finish



4" non-metallic lavatory with teapot handles.

**680459** U-YCH77 Chrome Finish  
**682237** U-YNN77N Brushed Nickel Finish  
**682239** U-YOB77OB-E Oil Rub. Bronze Finish  
**680454** U-YW177W White Finish



4" metallic single layer lavatory.

**680475** SL77LVR-A Chrome Finish  
**680476** SL77NLVR-A Brushed Nickel Finish



4" metallic 2 handle lavatory with brass waterways & brass stems.

**680860** J77-A Chrome Finish



4" non-metallic lavatory with crystal or smoke crystal handles.

**680885** U-YJW77 Chrome Finish  
**680886** U-YJW77W-E White Finish  
**680489** U-YCJW77N Brushed Nickel Finish  
**680887** U-YCJW77B Biscuit Finish





## 4" Plastic Faucet

4" faucet:  
clear acrylic  
handles, 8"  
decorative  
spout, chrome finish, less spray. Plastic  
under body.



681934 PF211305 Phoenix 4" Kitchen 8" Plastic  
Decorative Spout Chrome w/  
Clear Acrylic Knob Handles



## 4" Long Spout

4" deck faucet  
with 8" tubular  
swing spout.



600454 PF211304 Phoenix 4" Kitchen Hi Rise  
Tubular Metal Spout Chrome  
w/Clear Acrylic Knob Handles



## 4" Plastic Faucet

- Plastic compression valve
- Plastic DuraPro™ underbody



600459 PF211310 4" Kitchen 6" Bar Spout Chrome  
w/Clear Acrylic Knob Handles



## Single Handle Faucet

Single handle Hybrid  
kitchen faucet, hardware for  
a three hole or single  
hole faucet included.



681852 PF231321 Chrome Hardware for Three  
Hole or Single Hole Mount  
Included



## 8" Hybrid Faucet



A one piece molded under body formed  
with plastic resin and powder metal  
composite makes this a high performance  
unit. It has sturdy brass encased water  
connections and is LEAD FREE and EPA  
certified for up to 45% water savings.

681850 PF131341 Premium 8" Pull-Down  
Hybrid Lever Chrome  
(SP2104-01-02)

681851 PF231441 Premium 8" Pull-Out Hybrid  
Lever Brushed Nickel



## 8" Single Lever Faucet

Brass underbody,  
single handle, 8"  
centers.



680890 SL800F Faucet 8" Kitchen Single Lever  
Metal Underbody



## 8" Faucet w/ Spray Shutoff

- High performance underbody
- Leak-free ceramic disc cartridge
- 1 hole or 3 hole configuration
- Advanced quick return for smooth retraction



681869 PF231361 Kitchen Faucet w/Spray  
Shutoff 8" Chrome



## 8" Pull Down Faucet

Catalina, 8" Pull-Down, High-  
Rise Kitchen Faucet with  
lever handles.



600105 PF231306 8" Chrome

600110 PF231503 8" Rubbed Bronze



## 8" Hi-Arc Faucet



Phoenix High Arc Spout Deck Faucet  
features 8 inch centers high arc spout  
sleek contemporary styling. Aerated,  
splash-free water flow, quarter turn  
washer-less cartridge, High luster, scratch  
and stain resistant finish, plastic under  
body. One-piece, spin welded.

681950 PF221202 Faucet 8" Hi-Arc 2 Lever 1/4  
Turn Plastic White (R5177-I)

681952 PF221402 Faucet 8" Hi-Arc 2 Lever 1/4  
Turn Plastic Brushed Nickel  
(R5163-I)

681954 PF221302 Faucet 8" Hi-Arc 2 Lever  
1/4 Turn Plastic Chrome  
(R5103-I)



## 8" Hi-Arc Hybrid Faucet

Hybrid lever, 8", 2-handle RV  
kitchen faucet with 1/4" turn  
washerless valve.

Includes Hybrid  
shield and underbody,  
brass/polymer shank.



681854 PF231302 Chrome Two Handle Hybrid  
Hi-Arc Faucet

681855 PF231402 Brushed Nickel Two Handle  
Hybrid Hi-Arc Faucet

681864 PF231301 Premium 8" Hi Arc Chrome  
w/Side Spray



## 8" Hi-Arc Faucet

- 1/4 turn washerless valve
- Plastic Celcon® underbody



681137 PF211344 8" Hi Arc Tubular Spout Chrome  
w/Chrome Lever Handles

# KITCHEN FAUCETS



## 8" Hi-Arc Faucet

Catalina 8" Hi-Arc Kitchen Faucet with lever handles. Available in chrome, nickel or white.



- |        |          |                         |
|--------|----------|-------------------------|
| 600103 | PF221204 | 8" White Hi-Arc Faucet  |
| 600104 | PF221305 | 8" Chrome Hi-Arc Faucet |
| 600106 | PF221403 | 8" Nickel Hi-Arc Faucet |



## 8" Gooseneck Faucet

8" RV kitchen faucet with gooseneck spout and saber handles.



- |        |                   |  |
|--------|-------------------|--|
| 680863 | U-YN800GSN-DH3-25 | Faucet 8" Single Lever Metal Underbody |
|--------|-------------------|--|



## 8" Hi-Rise Faucet

This 8" high rise deck faucet with smoke handles. 1 per box.



- |        |               |                                   |
|--------|---------------|-----------------------------------|
| 681990 | 20380R147WABX | 8" Faucet w/High-Rise Spout White |
|--------|---------------|-----------------------------------|



## 8" Faucet w/ Spout

- 1/4 turn washerless valve
- Plastic Celcon® underbody



- |        |          |   |
|--------|----------|---|
| 600451 | PF221201 | 8" Plastic Decorative Spout White w/White Lever Handles |
|--------|----------|---|



## 8" Faucet

Faucet has a chrome finish, and a plastic under body, 2" shank length. 2.2 GPM



- |        |          |   |
|--------|----------|---|
| 681932 | PF211326 | 8" Plastic Spout Chrome w/ Clear Acrylic Knob Handles |
|--------|----------|---|



## 8" Faucet w/ Crystal Handles

8" Kitchen w/crystal handles & D-spout - Chrome.



- |        |           |                  |
|--------|-----------|------------------|
| 682218 | U-YJW800F | 8" Faucet Chrome |
|--------|-----------|------------------|

# LAVATORY FAUCETS



## 4" Hybrid Faucets

A one piece molded underbody formed with plastic resin and powder metal composite makes this a high performance unit. It has sturdy brass encased water connections and is LEAD FREE.



- |        |          |  |
|--------|----------|--|
| 681856 | PF232323 | 4" Single Lever Tall Ceramic Disc Chrome (S1205-I)               |
| 681857 | PF232421 | 4" Tall Single Lever Ceramic Disc Brushed Nickel (S1265-I)       |
| 681858 | PF232301 | Premium 4" Low Arc Chrome w/Chrome Lever Handles                 |
| 681859 | PF232401 | Premium 4" Low Arc Brushed Nickel w/Brushed Nickel Lever Handles |



## 4" Single-Lever Faucet



4" Catalina single-lever lavatory faucet.

- |        |          |                                |
|--------|----------|--------------------------------|
| 600112 | PF222305 | 4" Single-Lever Chrome         |
| 600113 | PF222404 | 4" Single-Lever Brushed Nickel |




## LaSalle Bristol 4" Faucet



4" center set, white with smoke handles, drilled/less pop-up assembly.

681993 20377RW21 4" White w/Smoke Handles

## PHOENIX 4" Two-Lever Teacup Faucet



- Plastic compression valve
- Plastic DuraPro™ underbody

681118 PF212308 4" Chrome w/ Chrome Lever Handles

## PHOENIX 4" Faucets



4" lavatory faucet has clear acrylic handles. plastic under body.

681923 PF212307 4" Chrome w/Clear Acrylic Knob Handles

681677 PF212203 4" White w/Smoke Acrylic Knob Handles



## 4" Two-Lever D-Spud Faucets



- 1/4 turn washerless valve
- Plastic Celcon® underbody

681128 PF222301 4" Chrome w/Clear D-Spud

681958 PF222401 4" Brushed Nickel w/Clear D-Spud

600472 PF222201 4" White w/White D-Spud

## LaSalle Bristol 4" Utopia Faucet

"4 Utopia Lavatory Faucet with patented non-rotating valve stem tip that eliminates washer wear.



680301 20373207 4" Chrome



## 4" Tub/Shower Faucet

DuraPro Underbody. Brass Stem. Exposed diverter. White finish w/charcoal handles.



681683 PF213264 4" Chrome w/Clear Knob Handles (Spout Diverter)



## 4" Exposed Tub/ Shower Faucet

Tub and shower diverter, 4" centers with built-in anti-siphon mechanism and outlet for hand-held shower. Durapro or Brass Underbody, Plastic Stem & bonnets, Clear Acrylic Handles.



681912 PF213363 Tub/shower "D" Spud Chrome w/Clear Acrylic Knob Handles (spout Diverter)



## 4" Shower Valve Set

Dura pro underbody, brass stem, clear acrylic handles, w/white and chrome shower head.



681916 PF213345 Shower Valve 4" Center Chrome w/Clear Acrylic Knob Handles



## 8" Shower Valve



Chrome plastic upperbody, DuraPro/ plastic underbody, acrylic handles, brass compression valves/stems. Includes shower head kit.

681910 PF214334 8" Shower Chrome w/Clear Acrylic Knob Handles

# TUB & SHOWER FAUCETS



## 8" 3-Valve Tub Faucet

This compression style brass 3 valve diverter is set for 8" centers. The showerhead, arm and flange are ABS with a chrome finish. Use with up to 7/8" wall thickness.



681913 PF214307 8" Metal Spout Chrome w/ Clear Acrylic Knob Handles (Knob Diverter)



## 8" Faucet w/Diverter

Chrome Two Handle Tub/Shower Diverter Faucet with Shower Head Kit. Plastic underbody. Shank length 2 inches, flow rate 2.5 gpm.



681901 PF214348 8" Tub/shower Chrome w/ Clear Acrylic Knob Handles (Spout Diverter)



## 8" Two-Valve Concealed Faucet

8" 2-Handle In-Wall Shower Valve w/ Brass Underbody & Brass Stems - Chrome.




680897 J174-F 8" Chrome



## 8" Two-Valve Shower Diverter w/Head

Celcon underbody, two handles, 8" centers. Male inlet. Chrome only. Showerhead included.



680894 YJ68 8" Male Inlet Chrome Only  
680896 J68 8" Male Inlet Brass Underbody



## 8" Two-Valve Diverter Faucet

8" standard tub and shower faucet with 2-valve diverter.

- Crystal handles
- Less showerhead
- Arm and flange
- Center port lower than hot & cold inlet



681900 20329R111AF 8" 2-Valve Diverter Faucet Silver



## 8" Two-Valve Surface Mount Shower

8" 2-Handle shower valve surface-mount value-added w/HAF.



680899 YJ59-E 8" Valve Surface Mount Exposed Diverter Chrome



## 8" Tub/Shower Diverter

8" 2-handle diverter surface-mount value-added w/HAF.



682250 YJ68L-E 8" Tub/Shower Diverter



## 8" Two-Handle Shower valve

8" 2-handle shower valve surface-mount value-added w/HAF.



682249 YJ59L 8" Chrome Baste Stems



## 4" Dual Tub/ Shower Valve

4" exposed non-metallic shower valve w/ crystal handles & shower kit chrome.



680852 U-YJW54 4" 2-valve Diverter Plastic Diverter Plastic



## 4" Two-Valve Diverter Faucet

4" 2-valve wall-mount diverter w/ brass underbody and brass stems.



680845 J50 4" 2-Handle Wall-Mount Diverter w/Brass Underbody & Brass Stems w/HAF



## 8" 3-Valve Diverter

3 handle concealed-in-wall positive diverter one piece brass underbody, chrome.



680880 J2700R 8" 3-valve Shower Diverter Brass Underbody





## 10" Stainless Steel Sink



10" round 5" deep stainless steel sink

601314 1001418 Sink SS 10" Outside DIA.  
5" Deep



## Square Sink



Square lavatory sink with no ledge. 22 Gauge Steel

601310 1001399 15"x13" Square Lavatory Sink



## Molded Lavatory Sink



Includes 6" long tail flange with ABS glue, 4" rubber sink stopper, mounting clips, and screws. Overall Dimensions: 6"H x 14-7/8"W x 12-3/8"D

600334 95351 14-1/4"W x 11-1/2"D White  
600336 95361 14-1/4"W x 11-1/2"D Parchment



LaSalle Bristol

## Stainless Steel Double Sink

Sink stainless steel double 33" x 19" with ledge. 3 1/2" basket.

601695 13GS33164 Double Stainless Steel



## Plastic Oval Sink

Plastic oval sink, includes tailpiece, stopper plug and installation brackets.

601300 16156PP 10" x 13" Ivory  
601308 16156PW 10" x 13" White



## Plastic Oval Sink

Plastic lavatory sink. 17" x 20"

601301 16370PP 17" x 20" Bone  
601305 16370PW 17" x 20" Polar White



## Poly Pro Sink

Drop-in lavatory sink features ridged walls to keep soap dryer. Features semi-oval, rectangular lavatory bowl without overflow. Made from durable polypropylene for a high gloss stain resistant finish 17" x 20" x 6" deep. Made in the USA.

601312 16270PW 17" x 20" x 6" Polar White  
601306 16270PP 17" x 20" x 6" Deep Ivory





## TUBS & SURROUNDS

### ABS STANDARD TUBS W/APRONS

Tubs 15-1/2" High. Call for special order sizes.

- 690004 **BBC2754CDSPK** Almond 27" x 54" Center Drain Heavy Gauge
- 690005 **BBC2754ALSPK** Almond 27" x 54" Left Hand Drain Heavy Gauge
- 690010 **BBC2754ARSPK** Almond 27" x 54" Right Hand Drain Heavy Gauge
- 690131 **WBC2754CD-SPK** White 27" x 54" Center Drain Heavy Gauge
- 690132 **WBC2754ALSPK** White 27" x 54" Left Hand Drain Heavy Gauge
- 690130 **WBC2754ARSPK** White 27" x 54" Right Hand Drain Heavy Gauge
- 690011 **ALM3060ARSPK** Almond 30" x 60" Right Hand Drain Standard Gauge
- 690134 **WBC3060CDSPK** White 30" x 60" Center Drain Heavy Gauge



### Permalux Polymer Alloy Tubs

Replaces fiberglass, high impact acrylic finish. Durable and stain resistant. No chipping, peeling or spiderwebs. UV protection, 5 year warranty.

- 690056 **WHDR2754CDSP** White 27" x 54" Center Drain
- 690057 **WHDR2754ALSP** White 27" x 54" Left Hand Drain
- 690058 **WHDR2754ARSP** White 27" x 54" Right Hand Drain
- 690059 **WHDR3060CDSP** White 30" x 60" Center Drain

### ABS GARDEN TUBS

Tub has center drain and is 16-7/16" high. Call for special order sizes.

- 690015 **ALM4054-SPK** Almond 40" x 54" Outside Step Standard Gauge
- 690016 **WBC4054-SPK** White 40" x 54" Outside Step Heavy Gauge
- 690020 **ALM4060-SPK** Almond 40" x 60" Outside Step Standard Gauge



### One-Piece Surrounds


Tile square design with molded soap dish for 54" standard or garden tubs.



- 690036 **AUW-27-STD-SPK** Almond 27" x 54" One-Piece Surround (Standard Tub)
- 690037 **WUW-27-STD-SPK** White 27" x 54" One-Piece Surround (Standard Tub)
- 690038 **WUW-54-GT-SPK** White 40" x 54" One-Piece Surround (Garden Tub)
- 500540 **013-139** Almond Plastic 1" Pop Rivets 25-PK
- 500541 **013-140** White Plastic 1" Pop Rivets 25-PK

### Multi-Piece Surrounds

Tile square design with corner shelves.



- 690035 **ALMCWS27-SPK** Almond 27" x 54" & 30" x 60" 3-Piece Surround; For 54" & 60" Standard Tubs
- 690133 **WCWS-27-SPK** White 27" x 54" & 30" x 60" 3-Piece Surround; For 54" & 60" Standard Tubs
- 690040 **ALMCWS42-SPK** Almond 40" x 54" & 40" x 60" 3-Piece Surround; For 54" Or 60" Garden Tubs
- 690041 **WCWS-42-SPK** White 40" x 54" & 40" x 60" 3-Piece Surround; For 54" Or 60" Garden Tubs
- 690034 **A260C-2/PACK** Almond Corner Caddy 2-PK; For 690035/690040
- 690033 **W260C 2/PACK** White Corner Caddy 2-PK; For 690041/690133





## SHOWER PANS



**Update your bathroom with Lippert™.**

Made from scratch-resistant, ABS acrylic, our shower and bathtub replacements are built with durability and longevity in mind -- plus, ABS acrylic is 20 to 25% lighter than fiberglass and it's tested to be more environmentally friendly



**690066 WHDR5428RSPK** White 54" x 28" Permalux Acrylic Right Hand Drain (Pictured Right)

**690067 WDR35428SPK** White Permalux Acrylic 3-Piece Surround 65-1/2" High; For 54" x 28" Shower Pan (Pictured Left)



### Shower Strainer



Fits up to a 2" drain opening; Constructed of durable plastic; Includes: strainer, grid, foam gasket, and locknut.

<b>601112</b>	<b>9495-211-022</b>	Shower Strainer w/Grid Packaged
<b>601205</b>	<b>95155</b>	White Packaged
<b>601207</b>	<b>95175</b>	Chrome Packaged



### Strainer w/ Rubber Stopper



Fits up to a 2" drain opening; Constructed of durable plastic; Includes: strainer, rubber stopper, foam gasket, and locknut; Stopper is 1-3/4".

<b>601114</b>	<b>9495-205-022</b>	2" Strainer w/Stopper Packaged
---------------	---------------------	--------------------------------



### Complete Sink Strainer



Basket seats and seals at the twist of the wrist.

<b>601115</b>	<b>39117</b>	2-1/2" Basket Strainer Chrome
---------------	--------------	-------------------------------



### Complete Sink Strainer



Sink strainer complete 3-1/2" basket strainer.

<b>601180</b>	<b>1000356</b>	Complete 3-1/2" Basket Strainer
<b>601182</b>	<b>1000214</b>	2-1/2" Sink Strainer w/5/8" Barb Tailpiece Gasket & Locknut
<b>601560</b>	<b>1000213</b>	Complete Metal 2-1/2" Bulk Chrome



### Large Sink Strainer



Fits any sink opening 3-1/2" - 4". Constructed of plastic or stainless steel. Includes: tailpiece, plastic washer & slipnut, push-in basket.

<b>601217</b>	<b>95275</b>	3-1/2" Or 4" Sink Strainer White
<b>601218</b>	<b>95285</b>	3-1/2" Or 4" Sink Strainer Chrome
<b>601219</b>	<b>95295</b>	3-1/2" Or 4" Sink Strainer Stainless Steel



### Sink Strainer Pop-Up Stopper



Fits up to a 2" drain opening; Constructed of durable plastic; Includes: strainer, stopper, foam gasket, and locknut; Stopper has single plastic stem.

<b>601190</b>	<b>95095</b>	2" Strainer White Pkg
---------------	--------------	-----------------------



### ABS Trap Adapter



Abs Adaptor Trap 1 1/2" FIP 1 1/2"S".

<b>600795</b>	<b>6332117</b>	Trap 1-1/2" FIP 1-1/2"S
---------------	----------------	-------------------------

# SINK STRAINERS & STOPPERS



## Sink Strainer Basket only

Replacement sink strainer basket.



601181 1000995 Stainless Basket Only 3-1/2"

601545 1000220 Chrome Basket Only 2-1/2"



## Shower Strainer

Replacement shower strainer.



601395 1000217 2-1/2" Shower Strainer



## Complete Shower Strainer

Shower strainer 3-1/2" flat top strainer for showers and kitchen sinks.



601394 33R450LES 3-1/2" Shower Strainer



## Tub Drain

Tub drain 2-1/2" plastic body with rubber stopper.



601396 65CAR227 2-1/2" Tub Drain Plastic



## Strainer Rubber Stopper Only

Stopper is 1-3/4"; Use with Arrow Part #s 95055, 95065, 95076.



601175 95085 1-3/4" Rubber Stopper Only Fits 601172/73/74 Pkg



## Plastic Pop-Up Sink Strainer

Fits up to a 2" drain opening; Constructed of durable plastic; Includes: strainer, stopper, foam gasket, and locknut; Stopper has single plastic stem.



601191 95115 2" Pop-Up Packaged Parchment



## Pop-Up Sink Strainer w/Tail Piece

- Fits any sink opening 1-3/8" to 1-3/4."
- 1-1/4" tailpiece attaches to current plumbing drain pipe
- Includes: strainer, stopper, foam gasket, and locknut
- Stopper is 1-1/4" and has four flat plastic stems



601210 95215 1-1/4" x 5" Pop-Up Polar White

601211 95235 1-1/4" x 5" Pop-Up Parchment

601212 95255 1-1/4" x 5" Pop-Up Chrome



## Sink Strainer Pop-Up Stopper Only

Fits any sink opening 1-3/8" to 1-3/4". 1-1/4" tailpiece attaches to current plumbing drain pipe. Includes: strainer, stopper, foam gasket & locknut. Replacement stopper is 1-1/4" and has 4 flat plastic stems.



601213 95205 Replacement Stopper - White

601215 95245 Replacement Stopper - Chrome

601214 95225 Replacement Stopper - Parchment



## Lavatory Rubber Sink Stopper

- Replacement for one-piece molded sinks
- Fits into 1-3/8" molded sink opening



601176 95335 Lavatory Sink Stopper White

601178 95345 Lavatory Sink Stopper Parchment



## Lavatory Sink Drain

1-1/4" x 5" one-piece CO plug with stainless steel ring.



601105 1000357 1-1/4" x 5" Lavatory Sink Drain



## Plastic Lock Nut

1-1/2" plastic lock nut.

601397 6339273 1-1/2" Plastic Lock Nut



## Stainless Steel Sink Strainer

Help prevent clogs with these stainless steel strainers. These strainers easily fit into your drain to keep food out of your plumbing. Bonus 3-pack for both sink and shower drains.



601118 42273 Sink Strainer 3-PK





## Drinking Water Utility Hose

- High pressure, non-toxic drinking water hose
- Includes easy to use hose gripper
- 160 psi working pressure
- NSF listed materials



681439 W01-5048 1/2" x 4' White



## Neverkink Commercial Water Hose

Constructed with NTS Reflex Mesh® patented technology eliminates kinks, twists & tangles. Featuring MicroShield® antimicrobial protection guards against mold & mildew. Power Coil® collar eliminates kinking at the faucet. Power Coil coupling for a maximum fit at the faucet. All Weather Flexible to 45°F. Not approved for drinking water.



681813 8884-50 5/8" x 50' Hose Neverkink



## Garden Hose Washers



Stop your garden hose from leaking at the faucet and hose connections. Self-locking tabs prevent loss of washer when hose is disconnected.

681444 20183 3-PK

681442 20153 10-PK Carded



## Garden Hose Washers

Replacement Garded Hose washers. Ten per card, blue colored.



681445 W1516VP 10-PK Carded Blue



## Flexible Hose Protector

Coiled attachment eliminates hose crimping at the faucet. Comes complete with Easy Gripper for effortless attachment to the faucet.



681250 22703 Hose Protector



## 45° Hose Elbow

Prevent hose crimping and strain, and extend hose life. 45° elbows eliminate unnecessary stress and strain on all RV water intake hose fittings. Perfect for RVs, or just around the house. Made of brass for years of trouble-free use.



681711 22605 45° Hose Elbow w/Gripper - Packaged



## 90° Hose Elbows

Prevent hose crimping and strain, and extend hose life. 90° elbows eliminate unnecessary stress and strain on all RV water intake hose fittings. Perfect for RVs, or just around the house. Made of brass for years of trouble-free use.



681772 22505 90° Hose Saver Carded

681710 22504 90° Hose Elbow w/Gripper - Bulk



## Blow Out Plug

Completely clear your water lines with RV Blow-out plugs. Screw the plug into the city water inlet, open all drains and faucets, attach and activate air pump until all lines are clear. Patented. 6/ctn



620054 36103 Blow Out Plug - Plastic



## Blow Out Plug Brass Finish

- Allows for easy blow out of excess water from your fresh water plumbing before winterizing
- Air compressor end allows for one person operation



660048 P23518LFVP Brass Blow Out w/ Schrader Valve Carded



## RV Brass Winterizing Plug

Completely clear your water lines with the Camco RV Brass Blow Out Plug. Screw the plug into the city water inlet, open all drains and faucets, attach and activate the air pump until all lines are clear. Helps clear the water lines in your RV during winterization and dewinterization.



620060 36153 Brass Blow-Out Plug




# PEX HOT/COLD WATER SYSTEMS

PEX tubing's versatility makes it perfect for many residential, commercial, and industrial applications. It not only meets ASTM standards, but goes well beyond these requirements. PEX features: PEX will handle all normal temperatures and pressures for residential potable water systems and radiant floor heating applications. PEX tubing stays flexible at all temperatures. It is easy to install year round. PEX tubing is practically inert. Nothing sticks to it. This means PEX resists mineral buildup, rust, corrosion, and electrolysis. PEX piping can be connected to galvanized, copper, polyethylene, and CPVC systems with standard Zurn fittings. Pressure Ratings: 160 psi (11 BAR) at 73°F (23°C), 100 psi (7 BAR) at 180°F (82°C), 80 psi (5.5 BAR) at 200°F (93.3°C).

**NOTE: DO NOT** bend PEX radius smaller than **eight (8)** times the outside diameter of the tubing. If bending against the coil direction when using coiled tubing, the bending radius is 24 times the outside diameter of the tubing.

Tubing Size	Natural Radius	Radius Against Coil
3/8"	4"	12"
1/2"	5"	15"
3/4"	7"	21"
1"	9"	27"

**For bends smaller than 8 x outside tube diameter, install an elbow fitting.**



602042	41274	1/2" ID x 5/8" OD 20' Straight - Blue Sticks
602043	41275	1/2" ID x 5/8" OD 20' Straight - Red Sticks
602044	41272	3/8" ID x 1/2" OD 20' Straight - Blue Sticks
602040	41273	3/8" ID x 1/2" OD 20' Straight - Red Sticks
602045	41276	3/4" ID x 7/8" OD 20' Straight - Blue Sticks
602046	41277	3/4" ID x 7/8" OD 20' Straight - Red Sticks
682100	41308	3/8" ID x 1/2" OD 100' Coil - White
682101	41289	1/2" ID x 5/8" OD 100' Coil - White
682102	41290	3/4" ID x 7/8" OD 100' Coil - White
682103	41281	1/2" ID x 5/8" OD 100' Coil - Red
682104	41280	1/2" ID x 5/8" OD 100' Coil - Blue
682105	41291	1/2" ID x 5/8" OD 20' Straight - White
682106	41292	3/4" ID x 7/8" OD 20' Straight - White
682152	16050	3/8" ID x 5' Safeplex Sticks - Cold
682154	16051	1/2" ID x 5' Safeplex Sticks - Cold
682214	41283	3/4" ID x 7/8" OD 100' Coil - Red

Resistance, limited protection against breakage due to freezing water and economical cost. Flair-It believes that domestic plumbing water should generally not exceed 140° F.



## PEXLock Elbows w/Clamps



602549	30815	3/8" x 3/8" Elbow w/ Clamps
602550	30800	1/2" x 1/2" Elbow w/ Clamps

## PEXLock Male Elbow



602551	30803	1/2" x 1/2" Male Elbow
--------	-------	------------------------

## PEXLock Swivel Elbows



602552	30816	1/2" x 1/2" Swivel Elbow FPT
602553	30817	3/8" x 1/2" Swivel Elbow FPT

## PEX Drop Ear Elbow



602320	06801	1/2" x 1/2" FPT Drop Ear
--------	-------	--------------------------

## PEX Flare x Flare Elbows

Elbows with Flair-It connections on both ends.



602300	06800	1/2" P x 1/2" P
602319	06806	3/4" P x 3/4" P
602472	06815	3/8" P x 3/8" P

## PEX Flare x MPT Elbows

Elbows with male thread pipe and a Flair-It connection.



602302	06803	1/2" P x 1/2" MPT
602321	06810	1/2" x 3/8" MPT
602322	06808	3/4" P x 1/2" MPT
602332	06799	3/8" x 1/2" MPT

## PEX Flare x FPT Elbow

Elbows with female thread pipe and a Flair-It connection.



602334	06802	1/2" x 1/2" FPT
--------	-------	-----------------

## PEX Swivel Elbows

Faucet connection to a Flair-It connection.



602301	06816	1/2" x 1/2" FSWV BSP
602324	06807	3/4" x 3/4" FSWV
602473	06811	1/2" x 3/4" FSWV
602474	06817	3/8" x 1/2" FSWV BSP

## Brass Swivel Elbow



602446	51197	3/8" X 1/2" FSWV Plastic Nut
--------	-------	------------------------------

## PEX Couplings

Couplings with Flair-It connections on both ends.



602305	06840	1/2" P x 1/2" P
602331	06846	3/4" P x 3/4" P
602450	06855	3/8" P x 3/8" P

## Reducer Couplings



602330	06845	1/2" P x 3/4" P
602310	06853	1/2" P x 3/8" P

## PEXLOCK Couplings



Couplings w/PEXLock Clamps on both ends.

602557	30840	1/2" Coupling - Black
602560	30855	3/8" Coupling - Black

## PEXLOCK Reducing Coupling



Couplings w/PEXLock Clamps on both ends.

602559	30853	1/2" x 3/8" Reducing Coupling
--------	-------	-------------------------------

## PEX Swivel Adapters

Female pipe thread swivel BSP. This will fit PEX and polyethylene. Self-sealing washer.



602307	06873	1/2" x 1/2" FSWV BSP
602311	06874	3/8" x 1/2" FSWV BSP
602455	06849	3/4" x 3/4" FSWV
602456	06856	1/2" x 3/4" FSWV
602457	06865	1/2" x 3/4" FSWV BCT
602458	06869	3/8" x 3/4" FSWV BCT

## Garden Hose Fitting



602459	06866	1/2" x 3/4" FSWV GH
--------	-------	---------------------



**PEXLOCK Termination Swivel**

Couplings w/PEXLOCK Clamps on both ends.

**602561 30873** 1/2" P x 1/2" FPT Swivel BSP

**Ecopoly Swivel Elbow**

Ecopoly Swivel Elbow fitting - 1/2" x 1/2"

Female Pipe Thread.



**681654 28816** 1/2" x 1/2" FPT SWV BSP

**PEX Flare x MPT Adapters**

Adapters with male threads and Flair-It connection.



**602306 06842** 1/2" P x 1/2" MPT

**602309 06852** 1/2" P x 3/8" MPT

**602333 06850** 3/8" P x 3/8" MPT

**602454 06868** 1/2" P x 3/4" MPT

**602476 06870** 3/8" P x 1/2" MPT

**PEX MPT Adapter**

Male Adapter 3/4" x 3/4" Male Pipe Thread BSP. This will PEX and Polybutylene. This

is to be used only when connecting to a 3/4" Female Pipe Thread Flexible Copper Connector. This fitting has BSP Parallel threads so it can seat against the washer in the Copper Connector. On 3/4" Polybutylene you must use a 06792 adapter.



**602453 06872** 3/4" x 3/4" MPT BSP Water Heater Connection

**PEXLOCK Female Adapter**

PexLock female pipe thread adaptor.



**602558 30841** 1/2" FPT - Black

**PEXLOCK Male Adaptor**

PexLock Male pipe thread adaptor.

**602567 30842** 1/2" MPT - Black

**PEX Flare x Female Adapters**

Flair-It x female pipe thread.



**602308 06851** 1/2" P x 3/8" FPT

**602451 06841** 1/2" x 1/2" FPT

**602452 06847** 3/4" x 3/4" FPT

**PEX Swivel Tee**


Tees with a female pipe thread swivel in the middle.



**602469 06821** Swivel Tee 1/2" x 1/2" x 1/2" FSWV

**PEX Tees**

Tee with a female pipe thread and a Flair-It connection.



**602471 06831** 3/8" P x 3/8" P x 3/8" P

**602303 06820** 1/2" P x 1/2" P x 1/2" P

**PEX Reducing Tees**

**602304 06830** 1/2" P x 1/2" P x 3/8" P

**602327 06825** 3/4" x 1/2" x 3/4" Tee

**PEX Male Tee**

Tees with a female pipe thread swivel in the middle.



**602329 06822** 1/2" x 1/2" x 1/2" Tee

**PEXLOCK Tees**

PexLock Male pipe thread adaptor.

**602554 30820** 1/2" Tee w/Clamp

**602555 30822** 1/2" x 3/8" Tee w/Clamp

**602556 30831** 3/8" Tee w/Clamp

**PEX Fitting Caps**

Use to cap off a Flair-It fitting.



**602312 06860** 1/2" FTG

**602460 06859** 3/8" FTG

**602462 06861** 3/4" FTG

**Transition Fittings**

Transition from copper to Pex Tubing, copper to copper or copper to CPVC.



**602478 06343** 1/2" x 1/2"; 5/8" OD

**602479 02347** 3/4" x 3/4"



## PEX Plug Couplings

Used for inserting a plug into the end of a pipe. 3/8" and 1/2" fittings will fit PEX or polybutylene tubing. 3/4" fittings will fit PEX tubing only, to use on polybutylene use adapter.



602461	06863	1/2" Plug
602463	06862	3/8" Plug
602464	06864	3/4" Plug

## PEX Center Drain Valves

A drain valve with Flair-It connections on both ends.



602314	06884	1/2" P x 1/2" P
--------	-------	-----------------

## PEX Angle Stop Valve

A 90 degree valve with Flair-It connections on both ends.



602467	06885	1/2" x 1/2" Angle Stop Valve
--------	-------	------------------------------

## PEX Straight Stop Valves

Flair-It straight stop valve 1/2" or 3/8".



602313	06880	1/2" x 1/2" Straight Stop Valve
602465	06879	3/8" x 3/8" Straight Stop Valve

## PEXLOCK Straight Stop Valve

Flair-It straight stop valve 1/2" or 3/8".



602563	30879	1/2" x 1/2" Straight Stop Valve
--------	-------	---------------------------------

## PEX Bypass Valve

Flair-It water bypass with 90 degree turn.



620048	06900	3/8" P x 3/8" P x 3/8" P Shut-Off
--------	-------	-----------------------------------

## PEXLOCK Bypass Valve

Three-way bypass shut off valve with PEXLock clamps.



602564	30910	1/2" P x 1/2" P x 1/2" P Shut Off
--------	-------	-----------------------------------

## PEX 3-Way Valve

Flair-It 3-Way Water Heater Valve. 1/2inch all 3 hubs. This will work on PEX and Polybutylene Pipe. Easy to Install in your In-Line or Water Heater. Inexpensive way to by-pass for winter storage.



602443	06914	1/2" P x 1/2" P x 1/2" P Center
602480	06910	1/2" P x 1/2" P x 1/2" P Water Heater Bypass
602481	06912	1/2" P x 1/2" MPT x 1/2" P

## PEXLOCK Clamp

3-pack PEX ring clamps



602565	30760	3/8" PEX Clamps 3Pk
602566	30761	1/2" PEX Clamps 3Pk

## Saniprene Swivel Seals

602317	06435	1/2" Saniprene Swivel Seal
602445	06465	3/4" Saniprene Swivel Seal

## PEX Fitting Wrenches

Used to tighten Flair-It fittings.



602468	06391	1/2" - 3/4" PEX Fitting Wrench
--------	-------	--------------------------------

## Drain Valve

Male pipe thread x male garden hose.



681106	64V514	1/2" MPT X GH
--------	--------	---------------

## Female Coupler

Made of Polybutylene plastic.



681010	64QC33F	1/2" FPT x 1/2" FPT
681015	64QC44F	3/4" FPT x 3/4" FPT

## Male Elbow

Made of Polybutylene plastic.



681050	79SCTE33	1/2" MPT x 1/2" MPT
681055	64QE43T	3/4" M x 1/2" M
681060	64QE44T	3/4" MPT x 3/4" MPT
681061	64QE55T	1" MPT x 1" MPT

## Male Coupler



681016	64QC55T	1" MPT x 1" MPT
681025	79SCTC33	1/2" MPT x 1/2" MPT
681030	64QC43T	3/4" MPT x 1/2" MPT
681035	64QC44T	3/4" MPT x 3/4" MPT
681037	QC54T	Coupler 3/4" X 1" MPT

## Check Valve

Qest check valve 1/2" M x 1/2" M



681092	642500	1/2" MPT x 1/2" MPT
--------	--------	---------------------

## Male Tee

Made of Polybutylene plastic.



681065	64QT333TX	1/2" MPT x 1/2" MPT x 1/2" MPT
--------	-----------	--------------------------------





**LaSalle Bristol**


## QUEST F-Adapter

Quest F Adapters 3/4" MPT x 1/2" FPT or 3/4" MPT x 1/2" FPT



681036	64QC43TF	3/4" MPT x 1/2" FPT
681041	64QC54TF	1" M x 3/4" F Adapter 50Pk

## Female Test Cap



681004	64RXP3	1/2" Cap
--------	--------	----------

## Male Test Plug

3/4" Male Pipe Thread Test Plug



681006	79STP3T	1/2" Male Test Plug
681008	79SCTP4	3/4" MPT Plug - White

## Nut Ring Cone

Bulk Sets include (nut, ring & cone per poly bag)



### BULK SETS

680982	64QFNCR2	3/8" ID 2Pk
--------	----------	-------------

64QFN3/

680997	64QR3/64QC3	1/2" ID 2Pk
--------	-------------	-------------

680998	64QFNCR3	1/2" ID 25Pk
--------	----------	--------------

### NUTS ONLY

681000	64QFN3	1/2" Nut
--------	--------	----------

680936	64QFN4	3/4" Nut
--------	--------	----------

### CONE ONLY

680985	64QC2	3/8" Cone ID
--------	-------	--------------

680965	Q4QC1	1/4" Cone ID
--------	-------	--------------

680995	64QC3	1/2" Cone ID
--------	-------	--------------

680938	64QC4	3/4" Cone ID
--------	-------	--------------

### RING ONLY

680980	64QR2	3/8" Ring
--------	-------	-----------

680937	64QR4	3/4" Ring
--------	-------	-----------

**WATTS®**

Watts Water Technologies, Inc.

**PEX FITTINGS**

## Stackable Tees

35 Series products are manufactured in polysulfone and certified to NSF-61, NSF-14, CSA B137.5, ASTM F877, IGC 188-04c and recognized by the Uniform Plumbing Code. Rated: 180°F @ 100-PSI (82°C @ 6.8 bar) 75°F @ 250-PSI (24°C @ 17.25 bar).



### BULK SETS

602335	3533-10	1/2" CTS
--------	---------	----------

602347	3533-14	3/4" CTS
--------	---------	----------

### RETAIL PKG

602377	013533-10	1/2" CTS
--------	-----------	----------

## Pipe Clip



602362	2370-1557	1/2" Pipe Clip BULK
--------	-----------	---------------------

## Stackable Branch Tee

35 Series Stackable Branch Tee 1/2".



602387	0959342 3534-10	1/2" CTS BULK
--------	-----------------	---------------

## Union Tee

35 Series products are manufactured in polysulfone and certified to NSF-61, NSF-14, CSA B137.5, ASTM F877, IGC 188-04c and recognized by the Uniform Plumbing Code. Rated: 180°F @ 100-PSI (82°C @ 6.8 bar) 75°F @ 250-PSI (24°C @ 17.25 bar).



### BULK SETS

602345	3523-14	3/4" CTS
--------	---------	----------

### RETAIL PKG

602374	013523-08	3/8" CTS
--------	-----------	----------

602375	013523-10	1/2" CTS
--------	-----------	----------

## Reducing Tee



602368	013524-1410	3/4" CTS x 1/2" CTS BULK
--------	-------------	--------------------------

602369	013524-1004	1/2" CTS x 1/4" OD BULK
--------	-------------	-------------------------

## Union Elbow

35 Series products are manufactured in polysulfone and certified to NSF-61, NSF-14, CSA B137.5, ASTM F877, IGC 188-04c and recognized by the Uniform Plumbing Code. Rated: 180°F @ 100-PSI (82°C @ 6.8 bar) 75°F @ 250-PSI (24°C @ 17.25 bar).



### BULK SETS

602346	3517-14	3/4" CTS
--------	---------	----------

### RETAIL PKG

602389	013517-10	1/2" CTS
--------	-----------	----------

## Female Swivel Elbow

35 Series products are manufactured in polysulfone and certified to NSF-61, NSF-14, CSA B137.5, ASTM F877, IGC 188-04c and recognized by the Uniform Plumbing Code. Rated: 180°F @ 100-PSI (82°C @ 6.8 bar) 75°F @ 250-PSI (24°C @ 17.25 bar).



### BULK SETS

602384	013520-1008	1/2" CTS x 1/2" NPS
--------	-------------	---------------------

602385	013520-0808	3/8" CTS x 1/2" FNPS
--------	-------------	----------------------

### RETAIL PKG

602339	3520-1012	Large Diameter 1/2" CTS X 3/4" NPS
--------	-----------	------------------------------------

602341	3520-1014	Female Swivel Elbow 1/2" CTS X 3/4" FGHT
--------	-----------	--

## Male Elbow

Sea Tech® Connectors utilize a swivel nut with NPS straight threads and a cone seal, allowing you to thread onto NPT, NPS, BSP, and most other threads without tools or sealant. Simply hand-tighten for a zero-leak seal. Manufactured from high-performance thermal plastic. Uses EPDM ring. Max pressure is 100 PSI.



602497	3519-1008	1/2" CTS x 1/2" NPT BULK
--------	-----------	--------------------------



## Female Connector



602383 81902240 3/8" CTS x 1/2" NPS BULK

## Stackable Hose Barb Elbow

35 Series products are manufactured in polysulfone and certified to NSF-61, NSF-14, CSA B137.5, ASTM F877, IGC 188-04c and recognized by the Uniform Plumbing Code. Rated: 180°F @ 100-PSI (82°C @ 6.8 bar) 75°F @ 250-PSI (24°C @ 17.25 bar).



602372 013512-1008 1/2" CTS RETAIL PKG

## Stackable Elbow

35 Series products are manufactured in polysulfone and certified to NSF-61, NSF-14, CSA B137.5, ASTM F877, IGC 188-04c and recognized by the Uniform Plumbing Code. Rated: 180°F @ 100-PSI (82°C @ 6.8 bar) 75°F @ 250-PSI (24°C @ 17.25 bar).



### BULK SETS

602356 013518-08 3/8" CTS

602357 013518-10 1/2" CTS

### RETAIL PKG

602496 3518-10 1/2" CTS

602349 3518-14 3/4" CTS

## Drop Ear Elbow

1/2" CTS X 1/2" FNPT Drop Ear Elbow. 35 Series High Performance Thermal Plastic.



602358 013521-1008 1/2" CTS RETAIL PKG

## Union Connectors

35 Series products are manufactured in polysulfone and certified to NSF-61, NSF-14, CSA B137.5, ASTM F877, IGC 188-04c and recognized by the Uniform Plumbing Code. Rated: 180°F @ 100psi (82°C @ 6.8 bar) 75°F @ 250psi (24°C @ 17.25 bar).



602350 3515-14 3/4" CTS BULK

602493 013515-10 1/2" CTS RETAIL PKG

## 35 Series Reducing Union

35 Series products are manufactured in polysulfone and certified to NSF-61, NSF-14, CSA B137.5, ASTM F877, IGC 188-04c and recognized by the Uniform Plumbing Code. Rated: 180°F @ 100psi (82°C @ 6.8 bar) 75°F @ 250psi (24°C @ 17.25 bar).



### RETAIL PKG

602364 013516-1008 1/2" CTS X 3/8" CTS

602494 3516-1004 1/2" CTS X 1/4" OD

### BULK SETS

602440 3515R-1410 3/4" CTS X 1/2" CTS

## 24 Series Reducing Union

24 Series fittings are manufactured from acetal for general plumbing use. These fittings interconnect with Sea Tech's 35 Series connections. Rated: 140°F @ 100psi (60°C @ 6.8 bar) 75°F @ 250psi (24°C @ 17.25 bar).



602365 012416-1008 1/2" CTS x 3/8" CTS BULK

602489 2416-1008 1/2" CTS x 3/8" CTS RETAIL PKG

## Female Swivel Connector

CTS = Copper Tube Size, NPS (National Pipe Straight Thread).



### BULK SETS

602491 3510-1008 1/2" CTS x 1/2" NPS

### RETAIL PKG

602383 0959790/3510-0808 3/8" CTS x 1/2" NPS

602382 013510-1008 1/2" CTS x 1/2" NPS

602343 3510-1013 1/2" CTS x 3/4" Closet

602342 3510-1012 1/2" CTS x 3/4" NPS

602344 3510-1014 1/2" CTS x 3/4" FGHT

602351 3510-1412 3/4" CTS x 3/4" NPS

## Reducing Stem

3/8" CTS x 1/2" CTS Stem. 35 Series High Performance Thermal Plastic.



602352 3514-1410 3/4" CTS x 1/2" CTS BULK

602361 013514-1008 1/2" CTS x 3/8" CTS RETAIL PKG

## Reducing Stem Tube

24 series fittings are manufactured from acetal for general plumbing use. These fittings interconnect with Sea Tech's 35 series.



602488 2414-1008 1/2" CTS x 3/8" CTS

## Hose Barb Fitting

35 Series products are manufactured in polysulfone and certified to NSF-61, NSF-14, CSA B137.5, ASTM F877, IGC 188-04c and recognized by the Uniform Plumbing Code. Rated: 180°F @ 100-PSI (82°C @ 6.8 bar) 75°F @ 250-PSI (24°C @ 17.25 bar).



602370 013513-1008 1/2" CTS x 1/2" HB RETAIL PKG

602492 3513-1008 1/2" CTS x 1/2" HB BULK





Watts Water Technologies, Inc.

# PEX FITTINGS

## Male Connector

35 Series products are manufactured in polysulfone and certified to NSF-61, NSF-14, CSA B137.5, ASTM F877, IGC 188-04c, and recognized by the Uniform Plumbing Code. Rated: 180°F @ 100psi (82°C @ 6.8 bar); 75°F @ 250psi (24°C @ 17.25 bar).



### BULK SETS

602353	3501-1412	3/4" CTS x 3/4" NPT
602490	3501-1008	1/2" CTS x 1/2" NPT

### RETAIL PKG

602379	013501-0808	3/8" CTS x 1/2" NPT
602380	013501-1008	1/2" CTS x 1/2" NPT

## 3-Way Bypass Valve

35 Series products are manufactured in polysulfone and certified to NSF-61, NSF-14, CSA B137.5, ASTM F877, IGC 188-04c and recognized by the Uniform Plumbing Code. Rated: 180°F @ 100-PSI (82°C @ 6.8 bar) 75°F @ 250-PSI (24°C @ 17.25 bar).



602367	013541-10	1/2" CTS RETAIL PKG
--------	-----------	---------------------

## 3-Way Selector Valve

35 Series products are manufactured in polysulfone and certified to NSF-61, NSF-14, CSA B137.5, ASTM F877, IGC 188-04c and recognized by the Uniform Plumbing Code. Rated: 180°F @ 100-PSI (82°C @ 6.8 bar) 75°F @ 250-PSI (24°C @ 17.25 bar).



602366	013538-10	1/2" CTS RETAIL PKG
--------	-----------	---------------------

## Reducing Stackable Valve

Reducing Stackable Valve 1/2" CTS Tube Size x 1/4" O.D. Tube Size, Bulk.



602337	3543-1004	1/2" CTS x 1/4" OD BULK
602359	013543-1004	1/2" CTS x 1/4" OD RETAIL PKG

## Stackable Valve

products are manufactured in polysulfone and certified to NSF-61, NSF-14, CSA B137.5, ASTM F877, IGC 188-04c.



602360	013543-10	1/2" CTS RETAIL PKG
--------	-----------	---------------------

## Shut-Off Valve

35 Series products are manufactured in polysulfone and certified to NSF-61, NSF-14, CSA B137.5, ASTM F877, IGC 188-04c and recognized by the Uniform Plumbing Code. Rated: 180°F @ 100psi (82°C @ 6.8 bar) 75°F @ 250psi (24°C @ 17.25 bar). CTS=Copper Tube Size.



602336	3539-10	1/2" CTS BULK
--------	---------	---------------

## Union Check Valve

35 Series products are manufactured in polysulfone and certified to NSF-61, NSF-14, CSA B137.5, ASTM F877, IGC 188-04c and recognized by the Uniform Plumbing Code. Rated: 180°F @ 100-PSI (82°C @ 6.8 bar) 75°F @ 250-PSI (24°C @ 17.25 bar).



602373	013540-10	1/2" CTS RETAIL PKG
--------	-----------	---------------------

## End Stop

35 Series products are manufactured in polysulfone and certified to NSF-61, NSF-14, CSA B137.5, ASTM F877, IGC 188-04c and recognized by the Uniform Plumbing Code. Rated: 180°F @ 100psi (82°C @ 6.8 bar) 75°F @ 250psi (24°C @ 17.25 bar). CTS=Copper Tube Size.



602378	013545-10	1/2" CTS RETAIL PKG
--------	-----------	---------------------

## Collet Clips

35 Series products are manufactured in polysulfone and certified to NSF-61, NSF-14, CSA B137.5, ASTM F877, IGC 188-04c and recognized by the Uniform Plumbing Code. Rated: 180°F @ 100-PSI (82°C @ 6.8 bar) 75°F @ 250-PSI (24°C @ 17.25 bar).



602354	3547-10	1/2" CTS 100PK
602355	3547-14	3/4" CTS 100PK
602390	013547-10	1/2" CTS 3PK



## PEX Swivel Elbow

Barbed end 1/2" to PEX 1/2" FPT. Requires crimping. Swivel end to coupling or copper fitting.



682139	43233	1/2" X 1/2" FPT/P
--------	-------	-------------------



## PEX Adapter

3/8 CTS Lav Swivel ADPT.



682134	XP2L2	Pex Adapter 3/8" Compression X Lav
--------	-------	------------------------------------



## Female Brass Adapters

Brass female adapters 3/8" FL X 1/2" F.NPT.



670140	049211424	3/8" FL X 1/2" F. NPT
670165	04046-0808	1/2" FL X 1/2" F.NPT
670160	140JF40059	1/2" FL X 3/8" F.NPT



## Swivel Nut

Brass Swivel Nut 1/2" x 1/2".



670040	5165410109800	5/8" Swivel Nut
--------	---------------	-----------------



## Swivel Nut

3/8" x 3/8" brass OD forged swivel nut union valve connector.



670030	140JF40095	Swivel Nut 3/8"
--------	------------	-----------------



## Brass Compression Fitting

Brass compression tube fitting, adapter, 1/4" tube OD x 1/4" NPT male.



670625	2719304989800	Compression Fitting 1/4" sleeve
--------	---------------	---------------------------------



## Brass Reducing Bushings

Brass reducing bushings 3/8" MPT X 1/4" FPT.



670385	040201700	3/8" MPT X 1/4" FPT
--------	-----------	---------------------



LaSalle Bristol

**Swivel Cone**

1/2" ID includes:  
rubber cone, brass barb  
termination fitting, and  
basin nut.



681487 49PX02345 1/2" BRB X 1/2" FPT  
SWVL Cone

**Flair-It****Brass Ballcock**

Barb Brass Ballcock/  
Plastic Nut 1/2" X 7/8"



682119 41179 1/2" X 7/8"

**Flair-It****Termination Brass Barb**

1/2" barb faucet  
term. brass and  
plastic nut.



682117 41177 1/2 Insert X Lav B

**Flair-It****Brass Swivel Adapter**

FPT brass swivel  
adapter.



682118 41196 1/2" x 1/2" FPT  
682128 41199 3/4" x 3/4" FPT

**Flair-It****PEX Insert Tee**

Use brass tees to add  
extra lines and use brass  
reducer tees to run  
smaller lines to faucets,  
toilets, etc.



682111 41151 1/2" x 1/2" x 1/2"  
682112 41160 3/4" x 3/4" x 1/2"  
682113 41152 3/4" x 3/4" x 3/4"

**Flair-It****PEX Insert Elbow**

682130 41139 1/2" x 1/2"  
682131 41143 3/4" x 1/2"  
682132 41140 3/4" x 3/4"  
682136 41149 1/2" x 1/2" FPT  
682138 41145 1/2" x 3/8" MPT

**Flair-It****PEX Brass Adapter**

One brass  
adapter.  
Includes  
crimp rings



682115 41164 1/2" PB x 1/2" PEX  
682116 41165 3/4" PB x 3/4" PEX

**Flair-It****PEX Brass Coupler**

Join two pieces of PEX pipe. Requires crimping.

682217 41131 3/8" x 3/8" PEX  
682121 41132 1/2" x 1/2" PEX  
682123 41133 3/4" x 3/4" PEX  
682122 41136 3/4" x 1/2" Reducer Fitting

**Flair-It****Brass Insert**

682151 41123 1/2" Insert X 3/4" MPT  
682209 41124 3/4" Insert X 1/2" MPT

**Flair-It****PEX Adapter**

682124 41122 1/2" x 1/2" MPT  
682125 41125 3/4" x 3/4" MPT  
682151 41123 1/2" x 3/4" MPT

**Flair-It****PEX Brass Adapter**

682137 41130 3/4" PEX x 3/4" FPT

**Flair-It****Ball Valve**

Flair-It 3/4" X 3/4" Ball  
Valve Stop Valve.



682212 41183 3/4" X 3/4" Ball Valve

**Flair-It****Washing Machine Water Valve**

PEX Fittings DAHL 10 PACK. DAHL  
Brass washing machine valve 1/2"  
X 3/4" MPT GH RED. Connects  
1/2" PEX and 3/4" washing  
machine hose. DAHL brass insert  
fittings meet ASTM F 877, F 1807  
and CSA B137.5 standards.



682208 41188 BestPEX 1/2" x 3/4" Washing  
Machine Faucet BLUE  
682200 41186 BestPEX Brass 1/2" x 3/4"  
Wash Machine Faucet RED

**OMAHA Winnelson****Brass Ball Valve**

This Safety Exhaust Ball Valve valve  
acts as an isolation valve on a  
compressed air line, allowing  
for safe disconnect of  
components downstream  
and assures that a device  
is not under pressure.



670465 0770FBV3CC Brass Ball Valve 221  
1/2" x 1/2" FPT

**OMAHA Winnelson****Brass Flare Shutoff**


3/8 in. Brass Flare Shut  
Off Cock.



670455 140JN01014 Brass Flare Shutoff  
3/8" X 3/8"

**OMAHA Winnelson****Garden Hose Adapter**

Ideal for use with any  
standard 3/4 in. (20mm)  
garden hose. Working Pressure: 75psi.



670595 040402141M 3/4" Male Hose x 3/4"  
MIP OD (1/2" FIP" ID)

**OMAHA Winnelson****Garden Hose Nipple**

Garden Hose Nipple 1/2" MPT X 3/4" MGH



670585 140JG20002 1/2" MPT X 3/4" MGH

**OMAHA Winnelson****Brass Pipe Nipples**

Metals Brass Pipe Fitting, Reducing Hex  
Nipple, 1/2" Male Pipe x 3/8" Male Pipe.



670410 6618808069800 1/2" x 3/8" MPT Hex  
670415 140JP12208 1/2" MPT Hex




OMAHA  
**Winnelson**  
COMPANY**Brass Close Nipple**

Brass Pipe Fitting, Close Nipple, 1/2" NPT Male.



670405	40211520	Brass Close Nipple 1/2" MPT
--------	----------	-----------------------------

OMAHA  
**Winnelson**  
COMPANY**Brass Male Adapters**

670205	49212177	3/8" x 1/2" M NPT
670210	49212176	3/8" x 3/8" M NPT
670215	140JF40068	3/8" FL x 1/4" MPT
670225	140JF40073	1/2" FL x 3/8" MPT
670235	5110108129800	1/2" x 3/4" M NPT

OMAHA  
**Winnelson**  
COMPANY**Brass Female Adapters**

670141	5110506049800	3/8" X 1/4" FPT
670142	49211422	3/8" x 3/8" F NPT

LaSalle Bristol

**Hanger Pipe Clamps**

680950	7652110	Hanger Strap 3/8" ID
680955	7652120	Hanger Strap 1/2" ID

**PATRICK INDUSTRIES, INC.****Hose Clamp**

601290	1000055	1/2" To 1 1/2" Size 12
601295	1000056	3/4" To 1 1/2" Size 16
601405	1000059	5/16" To 7/8"

**PATRICK INDUSTRIES, INC.****Narrow Band Clamps**

601400	1001269	7/32" To 5/8"
--------	---------	---------------

**Flair-It****Oetiker Clamp**

PEX tubing stainless steel clamp.

601801	41117	3/8" Pex & Polybutylene #145
601807	41118	1/2" Pex & Polybutylene #175
601808	41119	3/4" Pex Clamp


**Flair-It****PEX Copper Crimp Ring**

These copper crimp rings provide a secure connection for the Viega PEX Crimp system. Use only with Viega PEX Crimp fittings and tools.

682148	43600	PEX Black Copper Crimp Ring 3/8"
682149	43620	PEX Black Copper Crimp Ring 1/2"
682150	43640	PEX Black Copper Crimp Ring 3/4"

**Flair-It****PEX Stop**

BESTPEX insert x comp fittings.



682140	41248	1/2" Insert x 1/4" Comp
682144	41247	1/2" Insert x 3/8" Comp

**Flair-It****PEX Stop**


BESTPEX insert x insert fittings.



682143	41249	1/2" Insert x 1/2" Insert Chrome
682142	41201	1/2" Insert x 1/2" Insert Brass

**PATRICK INDUSTRIES, INC.****MPT Plug**

Plug 1/2" black.



680785	1001228	Plug 1/2" MPT
--------	---------	---------------

**Flair-It****PEX Test Plug**

Flair-it PEX test plug 1/2" insert.



682109	28863	1/2" Insert
682110	28864	3/4" Insert


OMAHA  
**Winnelson**  
COMPANY**Copper Tubing**

Copper Tubing 3/8" OD X 50'.

681336	042520760	3/8" OD x 50'
--------	-----------	---------------

**Flair-It****PEX Caliper**

Measures 3/8", 1/2", 3/4" finished crimp by Go/No-Go.



682141	18021	Pex Caliper 3/8"-1/2"-3/4"
--------	-------	----------------------------

**Flair-It****Tubing Cutter**


A cutting tool that offers a straight, burr-free cut every time.

602298	01150	Complete Cutter
--------	-------	-----------------

**Flair-It****Pipe Cutter**

Comfort grip handle with heavy duty steel blade. Quick clean cuts. Use to cut Pex, Polybutylene, PVC, CPVC and rubber hose up to 3/4" ID

602316	01175	Pipe Cutter
--------	-------	-------------

**VALTERA****Teflon Tape**

- .0035 mil thickness
- .35 density

172080	A05-0265	PTFE Tape 1/2" X 520"
420175	A05-0260	PTFE Tape 1/2" X 260"





# Thermaline®

## Freezeless Sanitary Water Connector

The Thermaline® is a compact unit especially designed to provide water service to mobile homes. It is ideal wherever a freezeless sanitary tight line installation is needed, such as, waterers for livestock.

The Thermaline® is protected from freezing by a bonded polyurethane foam insulation permanently molded in a high strength plastic casing, and a 15 watt (110-120v) portable insert heater, which costs about a penny a day to operate even at 50° below zero.

The heater can be inserted and removed from the Thermaline® without interrupting the water service.

Galvanized steel riser pipe with coal-tar coating on lower end, brass fittings, structural foam protective surface cover, and extra lagre cushion valve all combine to make the Thermaline® water connector virtually maintenance free.

When not in use, wheel handle at surface level shuts off water below the frost line. Water above the frost line can be removed completely with forced air or suction pump.

### SPECIFICATIONS:

**Patent** – <https://www.woodfordmfg.com/patents/>

**HEAD** - Brass casting with 3/4" N.P.T. outlet

**COVER** - Pressure molded polypropylene rigid structural foam

**HEATER** - 15 watt (110-120V) portable insert heater with grounded metal alloy sheath and 3-prong standard plug

**RISER PIPE** - 1" galvanized steel pipe  
Optional - 1" brass pipe

**Operating Pipe** - 1/4" galvanized steel pipe  
Optional - 1/4" brass pipe

**INSULATION** - Molded polyurethane foam

**CASING** - 3 1/4" O.D. plastic tubing

**VALVE** – Permanent type brass valve body with hemispherical seating surface. 3/4" N.P.T. inlet

Bury Depth (ft)	1	2	3	4	5	6	7*	8*
Weight (lbs)	6.5	9	11.5	14	16.5	19	21.5	24

\*Must ship by truck line due to length.

### Specify as follows:

"Water Connectors shall be Woodford Thermaline\_\_\_\_\_ft. Bury, with 15 watt portable insert heater, bonded polyurethane insulation, sanitary tight-line design."


681894 THERM-04 Thermaline System 4'

681892 THERM-05 Thermaline System 5'

681890 THERM-06 Thermaline System 6'




### Rough-In Dimensions





### Thermaline Repair Kit 681745 **RK-THERM**



### THERMALINE PARTS LIST

ITEM	ARROW#	MFG#	DESCRIPTION
1	NLA	80055	Cover, Woodford
2	NLA	80056	Cover, Thermaline
3	NLA	80073	Carriage Bolt
4	NLA	80068	Wing Nut
5	681743	80014	Handle (Brass)
*5a	681741	80013	Handle (Brass) (For units sold before 6/1/2011)
6	681755	80017	Packing Nut
*6a	681748	80005	Packing Nut (For units sold before 6/1/2011)
7	681749	30247	Packing
*7a	681756	80008	Packing (For units sold before 6/1/2011)
8	681738	85064	Head Nut Assembly
9	681746	80066	Yoke Nut
10	NLA	85015	Combination Valve Assembly
**11	681750	80062	Heater Well Thumb Nut
12	681744	80063	Heater Well Washer
**13	NLA	85001	1' Heater Well Assembly (Includes Item 12 Standard on 1'-2' Hydrants)
**13a	681742	85002	2' Heater Well Assembly (Includes Item 12) Standard on 3'-6' Hydrants
**13b	NLA	85004	4' Heater Well Assembly (Includes Item 12) Optional on 6' hydrants and standard on 7'-8' hydrants
**14	681734	85061	1' Heater Assembly (Includes Item 15) Standard on 1'-2' Hydrants
**14a	681736	85062	2' Heater Assembly (Includes Item 15) Standard on 3'-6' Hydrants
**14b	NLA	85065	4' Heater Assembly (Includes Item 15) Optional on 6' hydrants and standard on 7'-8' hydrants
15	681754	80061	Heater Cover
<b>681745</b>	<b>RK-THERM</b>		<b>Repair Kit (Includes Items 5 Thru 12)</b>

OPERATING PIPE (For Brass Head)			
ITEM	ARROW#	MFG#	DESCRIPTION
16	NLA	80081	1' Bury (11-1/8" long)
	NLA	80082	2' Bury (23-1/8" long)
	NLA	80083	3' Bury (35-1/8" long)
	NLA	80084	4' Bury (47-1/8" long)
	NLA	80085	5' Bury (59-1/8" long)
	NLA	80086	6' Bury (71-1/8" long)
	NLA	80087	7' Bury (83-1/8" long)
	NLA	80088	8' Bury (95-1/8" long)

OPERATING PIPE (For Cast Iron Head)			
ITEM	ARROW#	MFG#	DESCRIPTION
16a	NLA	80031	1' Bury (9-3/8" long)
	NLA	80032	2' Bury (21-3/8" long)
	NLA	80033	3' Bury (33-3/8" long)
	NLA	80034	4' Bury (45-3/8" long)
	NLA	80035	5' Bury (57-3/8" long)
	NLA	80036	6' Bury (69-3/8" long)
	NLA	80037	7' Bury (81-3/8" long)

\* Parts 5a, 6a & 7a cannot be used with 85064 Head Nut Assembly.

\*\* Old style heaters originally used in Thermalines with cast iron covers are replaced by items 11, 13 and 14.






# Thermaline®

## RV-THERM Repair Kit (8 Parts)


### Arrow #681745 (RK-THERM)

[See Diagram on previous page for a complete breakdown]

#### For Replacement Parts Order RK-THERM For Repair/Upgrade



#### Replacement Parts For Hydrants Built Prior To 6/1/11



681745 (RK-THERM) 8-PC Replacement Kit. See Previous Page



## Fiberglass Pipe Insulation

Reduces sweating on cold pipes. Helps prevent frozen pipes and potential pipe bursts. Plastic moisture barrier included.



630107 43374-04929 3" x 1/2" x 25'



## InnoFoam® Polyethalene Pipe Insulation

- Efficient, low thermal conductivity
- Long lasting – Excellent moisture, mechanical and UV protection
- GREENGUARD Gold Certified for low chemical emissions (VOCs)
- Environmental Product Declarations (EPD's)
- No CFCs, HFCs, HCFCs, PBDEs, formaldehyde, nitrosamine or fibers



630105 543209595 7/8" ID x 6'  
630106 543209600 1-1/8" ID x 6'



## EasyHeat™ Freeze Free™ Connectors



EasyHeat™ Freeze Free™ self-regulating pipe heating cables provide flexible protection against pipe freeze-ups in the most challenging applications. The cut-to-length technology is ideal for installations that require protection of numerous pipes of varied lengths. The self-regulating effect of the cable reduces power consumption when the pipe does not require freeze protection. They are ideal for use on residential metal or plastic water supply and drain pipes subject to freezing temperatures; water supply lines underneath manufactured homes; and cottages, barns and outbuildings that are not regularly used.

630231 2102 100' Cable Roll  
630235 2302 300' Cable Roll  
630237 2502 500' Cable Roll  
630241 10803 Connector w/30" Cord

#### Accessories:

630239 EH-38 EH38 Preset Thermostat  
630243 FFEC Gel End Caps 5Pk



EH-38



## Hose Clamps

For 3" drain hose, 1/2" band.



601150	H03-0058	# 48 Galvanized Steel 2-1/2" - 3-1/2" Bulk
601151	H03-0009	#56 Stainless Steel 4" Bagged



## Drain Hose Clamp

- For 3" drain hose
- 1/2" band



601152	H03-0058VP	# 48 Galvanized Steel 2-1/2" X 3-1/2" 2Pk
--------	------------	--



## #48 Hose Clamp

1/2" Stainless steel band & housing, plated screw.



601275	H03-0008	#48 Stainless Steel 2-1/2" x 3-1/2" Bagged
--------	----------	---



## Hose Clamps

3/8 x 7/8 galvanized 10/pkg




500991	62048	2-9/16" x 3-12" 10PK
500992	3506	3/8" x 7/8" 10PK



## Plumbing Vent

Heng's Plumbing Vent. Made of tough exterior plastic with a weather resistant finish. Features a unique cap which can be locked on or removed with a twist of the wrist without the need of tools. These vents are made to fit pipes up to 2 Inch in depth with a 2-1/2 Inch projection above the roof.



520014	10001-C	Polar White
520044	10002-C	Colonial White

# SEWER & DRAIN FITTINGS



## ABS Female Adapter

Abs female adapter Hub x FPT.



600745	1001151	1-1/2" Female Adapter Fitting
600755	1001152	3" Female Adapter Fitting



## ABS Coupling

Used to join straight lengths of pipe in drain-waste-vent applications.



600435	1001145	1-1/2" ABS Coupling Hxh
600440	1000789	2" Coupling Hxh (100ctn)
600445	1001147	3" Coupling Hxh (50ctn)



## ABS Elbow

Used to change direction in piping in drain-waste-vent applications. ABS 1/16 bend. Black.




600685	1001177	1/16 Bend 3"
--------	---------	--------------



## ABS Couplings

600406	633000	1-1/4" ABS Coupling
600446	633001	1-1/2" ABS Coupling



## Street Elbow

1/4" Bend, Spigot x Hub.



602449	632451	1-1/2" ABS Elbow
--------	--------	------------------



## Long Street Elbow



600410	632453	3" 90° Long Street Elbow Hub
--------	--------	------------------------------



## 45° Vent

Abs Elbow 45 Degree Street 3". St. Ell Spigot x Hub 45°.



600635	1001163	45 Degree Street 1-1/2"
600640	1001164	45 Degree Street 2"
600630	1001165	45 Degree Street 3"



## 45° Standard Vent

Abs Elbow 45 Degree Standard 1-1/2". Hub x Hub 45°.



600655	1001160	45 Degree Standard 1-1/2"
600660	1001161	45 Degree Standard 2"
600665	1001162	45 Degree Standard 3"



## Standard Bend ABS Elbow

1/6 BEND (60° LONG ELBOW) 3" Elbow, A=1-11/16".



600705	632603	3" ABS Elbow
--------	--------	--------------



## 90° Elbow

ABS elbow 90 Deg. Standard 3" Female pipe thread x Hub.



600610	632253-1	3" FPTH
--------	----------	---------



## ABS Long Sweep Elbow

ABS Elbow 90 Degree Long Sweep & Turn. Hub x Hub.



600600	1001169	2" ABS Elbow
--------	---------	--------------





## ABS 90° Elbow

Abs Elbow 90 Degree.  
Hub x Hub.



600580	1001166	1-1/2"
600470	630703	2"
600585	1001167	3"



## 90° ABS Elbow

Abs Elbow 90 Degree  
Heel 3" X 3" X 1-1/2".  
Ell with heel inlet Hub  
x Hub x Hub.



600565	1001205	3" X 3" x 1-1/2"
--------	---------	------------------



## ABS Pipe


Abs Pipe 1-1/2"  
SCH-40 10'.



600420	061150140	1-1/2" SCH-40 10'
600425	061150142	2" SCH-40 10'
600430	061150144	3" SCH-40 10'



## Threaded Nipple



### THREADED ON BOTH ENDS

600970	T3503	ABS Nipple 3" x 3" Threaded On Both Ends
600975	T3504	ABS Nipple 3" x 4" Threaded On Both Ends
600985	T3506	ABS Nipple 3" x 6" Threaded On Both Ends
600990	T3508	ABS Nipple 3" x 8" Threaded On Both Ends

### THREADED ON ONE END

601097	T3523	ABS Nipple 3" x 3" Threaded On One End
601098	T3524	ABS Nipple 3" x 4" Threaded On One End



## 90° ABS Elbow Vent

1/4 BEND, VENT (90° ELBOW) 1 1/4" , A=1"



600540	632200	1-1/4"
--------	--------	--------



## 3" Male Adapter

1-1/2" or 3" Male Adapters.



632873	632873	3" Hub 3" MPT
--------	--------	---------------



## ABS 90° Vent

Abs Elbow 90 Degree Vent.  
Vent Ell Hub x Hub.



600545	1001170	1-1/2" ABS Elbow Vent
600465	1001171	3" ABS Elbow Vent



## 1-1/2" Male Adapter



602391	632871	1-1/2" Male Adapter
--------	--------	---------------------



## 90° ABS Elbow Street

1-1/2" 90 Degree Street Elbow. St. Ell Spigot  
x Hub 90°.



600636	1001172	1-1/2" 90 Degree
--------	---------	------------------



## ABS Tee Sanitary

Abs Tee Sanitary Hub x  
Hub x Hub.



600520	63-2150	1-1/4" ABS Tee Vent
--------	---------	---------------------



## ABS Tee Sanitary

Abs Tee Sanitary 3" X 3" X  
1-1/2". Hub x Hub x Hub.



600485	1001184	Tee Sanitary 3" x 3" x 1-1/2"
600525	1001181	Tee Sanitary 1-1/2"
600535	1001182	Tee Sanitary 3"



## Double Elbow

Abs Elbow 90 Degree Double  
3". Hub x Hub x Hub.



600569	1001201	3" Double Elbow
--------	---------	-----------------



## ABS Tee Vent

Abs Tee Vent 1 1/4".



600505	632115	2" ABS Tee Vent
600510	632103	3" ABS Tee Vent



## ABS Tee Sanitary

Abs Tee Sanitary 3" X 3" X  
3". Hub x Hub x Hub.



600517	632153	ABS Tee Sanitary 3"
--------	--------	---------------------



### ABS Wye

45° WYE Slip x slip x slip.




600447 632331 3" x 3" x 1-1/2" ABS Wye Adapter



### ABS Bushing Flush

Abs Bushing Flush. Spigot x Hub.



600490 1001149 2" x 1-1/2"  
600710 1001148 1-12" x 1-14"



### ABS Male Adapter

Abs Male Adapter MPT/ Hub.



600735 1001157 1-1/2" MPT Hub  
600742 1001158 3" MPT Hub



### ABS Cleanout Adapter

Cleanout Adapter - Hub x female pipe thread ABS fitting, sold as each.



600427 633701 1-1/2" Cleanout Adapter  
600442 63-3703 3" ABS Co Adapter



### ABS Plug Male



600437 63-3051 1-1/2" APB Male Plug



### Cleanout ABS Plug

3" Abs Clean Out Plug.



600443 63-3053 3" Plug



### ABS Red Bushing

ABS Pipe Increaser: 1 1/2" x 2", A=1 7/32".



600765 633022 1-1/2" x 2"  
600770 633023 1-1/2" x 3"  
600775 633024 3" X 2"



### Cleanout MPT Plug



600428 633052 Cleanout Plug 2" ABS



### ABS Bend Elbow



600482 632551 2-1/2" ABS Elbow Hub X Hub 1-1/2"



### ABS Street



600418 632401 1-1/2" ABS 45-Degree Elbow Spt X Hub  
600409 632403 3" ABS 45-Degree Elbow Spt X Hub



### 45° Bend Elbow



600479 632503 3" 45-Degree Elbow Hub x Hub



### 90° ABS Elbow



600478 632251 1-1/2" 90-Degree ABS Elbow Hub x Hub



### Vent Elbow



600419 632201 1-1/2" ABS 90-Degree Vent Elbow Hub X Hub



### Long Bend ABS Elbow



600412 632276 1-1/2" ABS 90-Degree Lt Elbow Hub X Hub



### Sanitary ABS Tee



600476 632151 1-1/2" ABS Tee



### **PATRICK INDUSTRIES, INC.** **ABS Adapter**

Abs Male Adapter Trap 1-1/2" X 1-1/4".



600725 1001150 Male 1-1/2" X 1-1/4"

### **LaSalle Bristol** **ABS Vent Tee**



600477 632101 1-1/2" ABS Vent Tee

### **LaSalle Bristol** **Swivel Strainer Adapter**



600208 633214 1-1/4" Spt x 1-1/2" FPT Swivel Adapter  
602247 633215 1-1/2" Spt x 1-1/2" FPT ABS Swivel Adapter 1-3/4"  
602248 633216 1-1/2" Spt x 1-1/2" FPT ABS Swivel Adapter 1-1/2"

### **LaSalle Bristol** **3" Female Adapter**




600408 632893 3" ABS FPT Adapter X Hub

### **LaSalle Bristol** **ABS Trap Adapter**



600417 632850A Female 1-1/4" x 1-1/4"

### **LaSalle Bristol** **ABS Swivel Adapter**



600308 633218 1-1/4"H x 1-1/2" Hub FPT Swivel Adapter ABS  
600800 633217 1-1/2"H x 1-1/2" Hub FPT Swivel Strainer Adapter ABS

### **LaSalle Bristol** **ABS P-Trap**



600421 633220A P-Trap & Slip Joint Union 1-1/4"

### **LaSalle Bristol** **ABS Sink Tail Piece**



601304 91500107 1-1/2 X 6" Black Tailpiece

### **LaSalle Bristol** **Adjustable Continuous Waste Tubular**

1-1/2" Adjustable Continuous Waste W/ Dishwasher Branch



600841 65-JN101205 1-1/2"

### **PATRICK INDUSTRIES, INC.** **Continuous Waste Tubular**

Continuous Waste Tubular 1-1/2".



600840 1000070 1-1/2"

### **LaSalle Bristol** **Tubular Hi-Line P-Trap**



600809 65-P806HLBP 1-1/2" P-Trap ABS Tubular Hi-Line

### **LaSalle Bristol** **ABS P-Trap**

Hub X Hub



600790 633211N 1-1/2" P-Trap w/Union

### **LaSalle Bristol** **P-Trap PVC w/Union Slip**



P Trap PVC with union slip 1 1/2". Hub x Hub.

601714 673211N 1-1/2" PVC P-Trap

### **LaSalle Bristol** **ABS Trap Vent**

Trap vent (replaces 601170).



601171 7425011AAVABS ABS Pipe Fitting

### **LaSalle Bristol** **ABS Sink Tailpiece**



Sink tailpiece for 17" X 20" sink (1 1/2" X 4").

601307 65JN101403B Sink Tailpiece

### **LaSalle Bristol** **ABS Adapter**

Abs Adapter Trap 1 1/2" FIP 1 1/2S".



600795 633211-7 Trap 1-1/2" FIP 1-1/2"S

### LaSalleBristol Rubber Washer

Washer For Swivel Drain.

600842 34JN341057 Rubber Washer 1-1/2"



### LaSalleBristol Plastic Slip-Nut Gasket

Slip Joint Washer: 1-1/2".

600861 65JN300001 1-1/2"



### LaSalleBristol Slip-Joint Nut ABS

Abs slip joint nut 1 1/2".

602148 633931 1-1/2"



### LaSalleBristol ABS Female Adapter

Made of ABS 1-1/2 x 1-1/2 hub by female adapter.

600481 632891 1-1/2" Hub 1-1/2" FPT



### OMAHA Winnelson Fernco Coupling

Fernco 3" x 3" Socket Coupling Fitting Features: flexible, socket to pipe connection, made of tough elastomeric polyvinyl chloride.

602600 01711056150 1-1/2"

602605 0171105633 3" x 3"



### OMAHA Winnelson Fernco

### Fernco Reducing Coupling

Fernco reducing coupling 4" X 3".

602610 1056-43 4" X 3"



### VALTERIA

### Flexible Coupler

- Convert RV flexible drain hose system to a rigid pipe connection
- Includes hose clamp at each end
- Couples standard 3" schedule 40 ABS pipe
- Inner diameter: 3-1/2" x 3-1/2"

650402 F02-2103 Flexible Coupler 3"



### VALTERIA

### Flexible Rubber Coupler

- Couples thin walled 3" pipe with 3" schedule 40 ABS pipe
- I.D.: 3-1/2" x 3"

650242 F02-2104 Flexible Reducer Coupler 3"



### JMF Your Single Source Solution

### PVC Coupling

3-in Diameter PVC coupling fitting.

601575 0416538389802 PVC Coupling 3"



### LaSalleBristol PVC Pipe

Durable, white PVC pipe. Available in two sizes at 10' lengths.

600405 61P5010 1-1/2" Sch-40 10' White



### LaSalleBristol

### PVC Street Elbow

PVC 3" 45 degree street elbow SCH40.

601591 6748062T 3" - 45 Degree



### LaSalleBristol

### PVC 90° Street Elbow

PVC elbow 90 degree street 3".

601620 674807LTT LG/Turn 3"

601625 674807T 90 Degree STD 3"



### LaSalleBristol PVC 90° Elbow

PVC elbow 90 degree. STD. 1 1/2".

601640 674807P 1-1/2"



### LaSalleBristol

### PVC Clean Out Adapter

3" Clean Out Adapter PVC SCH 40.

602266 6748032T 3" C.O. Adapter PVC SCH 40




### LaSalleBristol

### Cleanout Plug PVC

3" cleanout plug PVC SCH 40.

602267 674818T 3" Cleanout Plug PVC SCH 40







## Plumber Strap



610307	76PS9	3/4" x 10' Roll - 28 Gauge
680900	76PS-10	3/4" x 100' Plumber Strap Galvanized



## TiteBond II Construction Adhesive

Tite Bond II is a polymer based adhesive for use with EIF systems applied over most substrates. Tite Bond II provides a superior bond between foam and substrate.



420335	TITEBOND	11 Oz Construction Adhesive
--------	----------	-----------------------------



## Multi-Purpose Pipe Cleaner

All-purpose pipe cleaner designed to thoroughly clean pipe. Can be used on ABS, CPVC, and PVC pipe and fittings. Apply at temperatures from 40 degrees to 100 degrees Fahrenheit. Flows freely and evaporates quickly. Dauber can.



420160	019130-12	32 oz Clear Pipe Cleaner
--------	-----------	--------------------------



## Harvey Seal

TFE Paste is a white thread lubricant and sealant made with PTFE. Brushable paste dries slowly, is non hardening, and withstands up to 3,000 PSI on gases at temps from -50°F. to +500°F. Use on water, steam, natural and LP gas, oils, fuels, and dilute acids. Apply to metals: PVC, CPVC, ABS, polypropylene, and nylon. TFE Paste is our best all-purpose sealant for heavy-duty applications.



600370	025020	Harvey Seal 4 oz
--------	--------	------------------



## ABS Cement

ABS Tank Fill Kit is tasteless, odorless and non-toxic. It will never rust or corrode and is algae free; The tanks is light weight. One-piece extruded construction eliminates the possibility of leakage.



400016	A05-0303	ABS Solvent Cement 773 - 1/4 pint
--------	----------	-----------------------------------



## ABS Cement

A-6 Black ABS Cement is a medium bodied, medium set, ABS solvent cement designed for use on non-pressure ABS pipe and fittings: Schedule 40, Types I and II, up to 6". Apply at temperatures 40°F. to 100°F. NSF certified and UPC listed. Meets requirements of ASTM D-2235.



400010	018500-24	Cement ABS 4 OZ
400015	018510-24	Cement ABS 8 OZ
400020	018520-12	Cement ABS 16 OZ



## All-Purpose Cement

All-Purpose Cement is a multipurpose - medium bodied cement designed for use on PVC, CPVC, and ABS pipe and fittings: Schedule 40 and 80, Types I II, up to 6 inch. For potable water, pressure pipe, gas, conduit, drain waste, and vent pipe. Flows freely and provides a thick layer of cement on the pipe and loose fitting joints. Apply at temperatures 40 degrees to 100 degrees Fahrenheit.



400030	018000-24	Cement All Purpose 4 OZ
400035	018010-24	Cement All Purpose 8 OZ
400045	018030-12	Cement All Purpose 32 OZ



## BATH/TUB Epoxy Repair Kit

Color matched repairs for all bath and tub fixtures. Excellent for fiberglass, plastic and enamel. Repairs holes up to 1" diameter or tears up to 5" in length.

400001	002-90216	White/Almond-Bisque Kit
--------	-----------	-------------------------



# GUARDIAN® MANUFACTURED HOUSING FURNACES



# GUARDIAN®

## Always on Duty.

### GAS FURNACE - MH FOOTPRINT DGAA SERIES MODELS

- **Louvered front door panel** construction for durability
- **Fits standard manufactured housing space** for ease of installation
- **Electronic hot surface ignition** saves fuel costs with increased dependability and reliability
- **Whisper quiet operation** that results from a full-louver design to enhance airflow while reducing noise
- **Scratch-resistant**, durable white appliance finish that provides an attractive, protective coating
- **Quiet burner performance** that is due to a “relaxed angle” flame spreader that minimizes noise; no primary air adjustments needed
- **A/C ready**

ARROW	MFG	INPUT BTUH	OUTPUT BTUH	AFUE	DIMENSIONS HxWxD (Inches)
Special Order	DGAX056BDTA	56	45	80	76.0x19.5x24.5
Special Order	DGAX070BDTA	70	56	80	51.5x19.5x24.0
Special Order	DGAX077BDTA	77	62	80	51.5x19.5x24.0
Special Order	DGAX090BDTA	90	72	80	51.5x19.5x24.0



## CAMCO

### WALL THERMOSTATS



- For use on single-stage heat only systems
- Features rugged snap-action contacts, adjustable heat anticipator and bimetal thermometer
- Temperature range: 50-90 degree F
- Mercury-free mechanical thermostat

**300082 09231** Heat Only - White



- Heat and cool wall RV thermostat
- Used for single-stage only
- Convenient on/off switch
- Operates on 12V and 24V Systems

**330332 09221** Heat & Cool - Beige






## Floor Registers



Nearly indestructible and molded in color, these registers eliminate bent fins, scratches, dents, and jammed mechanisms.

300050	7848RBR	4" x 8" Plastic Brown
300051	7848RWH	4" x 8" Plastic White

## Floor Registers



- Opposed blade damper
- Reinforced steel construction

300035	L30W0408	4" x 8" Metal Brown
300045	L30W0410	4" x 10" Metal White
300060	L30B0408	4" x 8" Metal Brown
300065	L30B0410	4" x 10" Metal Brown
300067	L30B0606	6" x 6" Metal Brown

## Metal Faceplates




300030	F305B0408	4" x 8" Brown
300040	F305B0410	4" x 10" Brown
300046	F305W0410	4" x 10" White



# FLOOR REGISTERS

Perfect for replacing your worn or damaged screw coverings, the inserts are constructed of the highest quality vinyl which makes them very flexible for easy installation. Inserts are One Inch wide and available in a variety of lengths and colors. 1Pk.



- Constructed of durable steel
- Long lasting, powder coated color
- OEM replacement size
- Extra collar depth for better air control
- Screw hole for secure installation

### 2" x 10"

300070	02-28905	2"X 10" Metal Dampered White
300072	02-28915	2"X 10" Metal Dampered Brown
300073	02-28925	2"X 10" Metal Undampered White
300074	02-28935	2"X 10" Metal Undampered Brown
501002	02-29145	2"X 10" Metal Undampered Black

### 4" x 8"

300078	02-28965	4"X 8" Metal Dampered White
300084	02-28975	4"X 8" Metal Dampered Brown
501003	02-29155	4"X 8" Metal Dampered Black
300076	02-28945	4"X 8" Metal Undampered White
300077	02-28955	4"X 8" Metal Undampered Brown

### 4" x 10"

300044	02-29005	4"X 10" Metal Dampered White
300043	02-29015	4"X 10" Metal Dampered Brown
300052	02-28985	4"X 10" Metal Undampered White
300054	02-28995	4"X 10" Metal Undampered Brown



LIVE. WORK. PLAY.

## PROPORTIONAL BRAKE CONTROLS

### Innovative trailer braking solutions

For over 25 years, Tekonsha has been delivering the most reliable and trusted Proportional Trailer Brake Controls on the market. Proportional Technology that senses the type of braking even and applies appropriate power to the trailer brakes.

### FEATURES

#### Digital LCD display with complete diagnostics readout

Why spend time looking for instructions to determine what the flashing means? The digital display allows for real time, comprehensive diagnostics.

OEM brake controls rely on a dashboard display or trailer brake control display for their own warning indicators or changes in trailer braking. Why wouldn't you?

#### Proportional braking

Fully tested for a smooth highway, in-city or off-road experience. No need to switch to a manual mode!

#### Manual override

Unlike a push knob for manual override, Tekonsha incorporates a variable override. This feature manually gives your brakes a little or a lot of stopping power depending on your needs.

#### "Boost" feature

Provides your trailer brakes with more initial power.

#### "Plug & Play" feature

Provides you with quick and easy connections.

#### Ease of installation and removal

By simply mounting the pocket mount bracket to your dash, you can easily remove your brake control for storage or use in another vehicle. Includes mounting bracket, hardware and pigtail harness kit.

#### Storable settings

Allows you to store up to 5 different settings giving personalized preferences at the push of a button for multiple users and/or multiple trailers (available on Prodigy P3).

#### Limited lifetime warranty

On all digital, proportional brake controls.



#### P3®

1-4 braking axles

**Arrow # 730587**

Mfg. # 90195



#### Prodigy® P2

1-4 braking axles

**Arrow # 240885**

Mfg. # 90885



#### Primus® IQ

1-3 braking axles

**Arrow # 739160**

Mfg. # 90160



#### Voyager®

1-4 braking axles

**Arrow # 730573**

Mfg. # 9030



#### Brake-EVN®

1-4 braking axles

**Arrow # S0**

Mfg. # 8508220



## SHUR-SET III Breakaway Kit

- Intended for use on single, tandem and tri-axle trailers equipped with electric brakes
- Mounts on jackpost or A-frames: Quick easy one-bolt installation; no need for cutting or drilling
- Resistant, rust-proof heavy duty polyethylene plastic case protects battery and charger from elements and corrosion
- Meets or exceeds D.O.T. specifications regarding breakaway/holding requirements
- Full kit includes: battery case with mounting bracket, 12-volt sealed rechargeable battery, nylon breakaway switch and a battery charger.



**730034 2026** Kit NO Charger Jack Mount

**730036 2023** Battery ONLY 5-AMP Lead Sealed

## Shur-Seal III Breakaway Kit

For use on single, tandem and tri-axle trailers equipped with electric brakes. Mounts on any flat surface. Quick, easy, 4-bolt installation. Weather/corrosion resistant. Rust-proof heavy duty polyethylene plastic case protects battery and charger from elements and corrosion. Meets or exceeds D.O.T. specifications regarding breakaway/holding requirements.



**730038 20005** Kit NO Charger w/Bolt On Box

## Breakaway Switches

- Reinforced nylon case with weldable metal tab and coated 48" lanyard
- Rust and corrosion-free
- Silver contact points
- Nylon pull pin can't freeze up



<b>730524 2005-P</b>	Switch w/48" Wires
<b>730525 2010-P</b>	Switch Nylon Pkg
<b>730526 2010-B125</b>	Switch Nylon Pkg (Bulk 125)

## Breakaway Kit

At last, a breakaway cable that won't drag! If you are tired of frayed and broken breakaway cables, the new Fastway® Zip™ is a must for you. The coiled cable keeps itself up off the ground and out of harm's way while you're towing. Connects and removes quickly and easily with included carabiner. 4' with switch.



<b>730053 80-00-2040</b>	4' Fastway Zip Breakaway Cable + Switch
<b>730054 80-01-2140</b>	4' Fastway Zip Breakaway Cable
<b>730055 80-01-2160</b>	6' Fastway Zip Breakaway Cable
<b>730056 80-00-2060</b>	6' Fastway Zip Breakaway Cable + Switch



## Hydraulic Bottle Jacks

- Two piece zinc plated handle
- No leak "Uni-weld" construction
- Longer wear life due to internally machined oil passages, smooth bearing surfaces and close tolerances
- Heavy-duty extension screw and release valve designed to eliminate parts and reduce the chances of breakage and excessive wear
- Safety oil by-pass system prevents the ram from being overextended and causing damage to the cylinder



<b>12-Ton Capacity</b>	
<b>870030 76412</b>	Low Lift Height 9.4488"; High Lift Height 18.8976"; Stroke: 5.90"
<b>22-Ton Capacity</b>	
<b>870035 76520</b>	Low Lift Height: 10.86268"; High Lift Height: 20.1969"; Stroke: 6.6142"



## Hitch Pin Clip

These replacement hitch pin clips are made of durable zinc plated steel for a long life. Rust and corrosion resistant.



**700042 01004 5/32" x 2-7/8" 2/Pkg**



## Hub/Drum Only

12" 5200 lb hub and drum with 6 on 5 1/2 bolt pattern and 1 1/2" studs. Bearings, grease seal, lug nuts, dust cover, and spindle not included. This drum takes an 15123 outer bearing sold separately.



771160 008-201-09 12" Brake Drum Only  
6 On 5-1/2"

## Brake Drums



720061 RVD-U-5459 10" 5 Bolt 4.5" 3500 LBs  
771203 RVD-U-5500 10" 5 Bolt 5" 3500 LBs  
720036 RVD-U-6550 10" 6 Bolt 5.5" 3500 LBs  
720037 RVD-U-655 12" 6 Bolt 5.5" 5200 LBs  
720038 RVD-H-865 12" 8 Bolt 6.5" 6000 LBs



## Wheel Bolts

Dexter Axle 007-040-00  
Dexter Wheel Bolt.



720180 007-040-00 1/2" - 20



## Wheel Nut

1/2" - 20 Cone Wheel Nut.



720170 014-122076 Cone Wheel Nut



## Lug Bolts

Wheel Bolts M/H  
Coarse 1-5/8".  
Mobile Home  
lug bolts. Fine  
thread 1/2"-20,  
or coarse 1/2"-13.



720077 786711708150 1/2" x 13" x 1-5/8" Coarse  
720078 786711708200 1/2" x 20" x 1-7/8" Coarse  
720079 786711708130 1/2" x 13" x 2-1/4" Fine



## Rim Clamp



Zinc plated 9/16" I.D. rim clamp used to mount wheels to Dexter 5-Spoke 12"x2" Demountable Brake Drum.  
Dexter Part #015-002-00.

720210 015-002-00 Fits 9/16" Studs



## Lube Spindle Nut



720165 FA-SN100 1-1/4" E-Z Lube Spindle Nut For 10" Hub



## Slotted Spindle Nut



720071 4754 1"-1/4" Slotted Spindle Nut



## Retainer Nut For Spindle



720802 006-211-00 .845" Inner Diameter

## Hex Nut

Axle nut for a no slot spindle. 13/16"-20 thread.



720804 P32414 13/16"-20 Thread



## U-Bolt Hex Nut



720075 4203-2 9/16" -18 Thread



## U-Bolt Hex Nut



720026 750730008030 U-Bolt Nut 1/2" - 20



## Grease Seals

Double lip grease seals.



771161 GS-2250DL 2.25" ID x 3.376 OD  
720196 GS-2125DL 2.125" ID x 3.376 OD  
720206 GS-1719DL 1.71" ID x 2.565" OD  
771123 GS-1250DL 1.25" ID x 1.986" OD  
771124 GS-1500DL 1.50" ID x 1.987" OD



## Grease Seals

GREASE SEALS should be inspected frequently and replaced if they show signs of wear such as excess grease build up on the inside of wheel hub or trailer rim. Hub grease seals help prevent water and dirt from entering the hubs providing protection against bearing failure.



### PACKAGED

771126 K71-301-00 7" Hub 1.50" ID x 1.987" OD 2Pk  
771127 K71-302-00 10" x 1.50" Hub 1.72" ID x 2.565 OD 2Pk  
771128 K71-303-00 10" x 2.25" Hub 1.72" ID x 2.565" OD 2Pk  
771129 K71-304-00 12" x 2" Hub 2.125" ID x 3.376" OD 2Pk  
771121 K71-305-00 12" x 2" Hub 2.25" ID x 3.376" OD 2Pk

### BULK

771141 010-009-00 7" Hub 1.50" ID x 1.987" OD Bulk  
771139 010-019-00 10" x 2.25" Hub 1.72" ID x 2.565" OD Bulk  
720195 010-010-00 12" x 2" Hub 2.125" ID x 3.376" Bulk  
771199 010-036-00 12" x 2" Hub 2.25" ID x 3.376" OD Bulk  
720207 010-040-00 12" x 2" Hub 1.983" ID x 2.510" OD MHU





## Grease Seals



720082	5603	Grease Seal 2Pk Outer: 1.987" Inner: 1.5"
720083	5604	Seal (Axle Set) 2Pk Outer: 2.561" Inner: 1.719"
720080	5605	Grease Seal Only 2Pk Outer: 3.38" Inner: 2.2"
720084	5606	Seal (Axle Set) 2Pk Outer: 3.378" Inner: 2.085"
720085	5607	Grease Seal 2Pk Outer: 2.331" Inner: 1.75"



## Bearing Set Cup & Cone



For 2 & 4 brake trailers, 100% solid state, easy sync adjustment. No hydraulic connections. No moving parts or pendulums. Mounts anywhere. No leveling required.

720367 5508 w/Cup (14276) & Cone (14125A)



## Bearings & Cones



### INNER/OUTER BEARINGS

771180	L-44643	1.0000" ID: 7" Hubs
771182	L-44649	1.0625" ID: 7" Hubs; OD: 10" Hubs 84# Outer
720400	LM-67048	1.2500" ID: 10" x 1-1/2" Hubs; OD: 12" 5.2K Hubs
771174	25580	1.7500" ID: 12" 8K Hubs; OD: 12" 9K & 10KGD Hubs

### OUTER BEARINGS

720321	14125A	1.2500" ID: 12" x 2" 7K Hubs 8-Bolt
771164	15123	1.2500" ID: 12" x 2" 6K Hubs 6-Bolt

### INNER BEARING

720410	L-68149	1.3775" ID: 10" x 2-1/4" Hubs
--------	---------	-------------------------------

### CUP/RACE

771181	44610	1.98" OD; Inner: 7" Hub; Outer: 10" Hub
720411	L-68111	2.2614" OD: 10" x 2-1/4" Hub
771175	25520	2.265" OD; Inner: 12" 8K Hub; Outer: 12" 9K & 10KGD Hub
771165	15245	2.4409" OD: 12" x 2" 6K 8-Bolt Hub
720322	14276	2.7170" OD: 12" x 2" 7K 8-Bolt Hub



## Universal Rubber Dust Plug

Universal rubber plug for lubed dust caps.



720765 014-122065-5 Rubber Plug 5/ctn



## EZ Lube Grease Cap & Plug Kit



Fits Dexter 7", 10 x 1-1/2" and 10 x 2-1/4" hub. 1.99 OD, chrome.

### 1.99 OD CAP & PLUG KITS

771171	K71-315-00	E-Z Lube Grease Cap & Plug Kit - 1.99 OD
771185	021-041-01	E-Z Lube Cap Kit, Bulk
771176	085-001-00	E-Z Lube Plug Only, Bulk

### 2.45 OD CAP & PLUG KITS

771177	K71-317-00	E-Z Lube Grease Cap & Plug Kit - 2.45 OD
771186	021-042-01	E-Z Lube Cap, Bulk

### 2.72 OD CAP & PLUG KITS

771178	K71-319-00	E-Z Lube Grease Cap & Plug Kit - 2.72 OD 2PK
771187	021-043-02	E-Z lube Cap, Bulk
720057	006-190-00	E-Z Lube Retainer, Bulk



## Grease Dust Caps



Grease Cap axle set. Two per pack.

720086 5651 7" & 10" All 1.99 OD Grease Cap 2PK



## Grease Dust Caps



Grease Cap axle set. Bulk set.

720220	DC-200	7" & 10" All 1.99 OD Non-Lubed Grease Cap Bulk
720221	DC-250	12" All 2.45 OD Grease Cap Bulk



## Grease Dust Caps




Grease Cap axle set. Two per pack.

720224 021-039-00 12" x 2" 865 Hub 2.72 OD, 7K Grease Cap 2PK



## Electric Brake Spring Kit




- 7" Has (1) Adjusting screw spring (2) Shoe hold down spring (1) Retractor spring (1) magnet spring (2) shoe centering spring.
- 10" & 12" Has (2) Retractor spring (1) Adjusting screw spring (2) Shoe hold down spring (1) magnet spring.
- 12" Has (1) Retractor spring (1) Centering Spring (1) Adjusting Spring.

720603	K71-361-00	7" Electric Brake Spring Kit
720604	K71-363-00	10" & 12" Electric Brake Spring Kit
720605	K71-506-00	12" Electric Brake Spring Lot Large



## Magnet Kit



Fits Dexter 10 x 2-1/4" brake and 10" x 1 1/2" brake. Replaces the oval magnet with the yellow lead wire produced after 9-1-1988.

720329	K71-104-00	10" Magnet Kit
720331	K71-105-00	12" Magnet Kit (5K)
720333	K71-125-00	12" Magnet Kit (7K)



## Magnet Retainer Kit



2-1/4" x 3-3/8" Magnet kit (part# K71-375-00) includes (1) magnet assembly, retainer & spring. Fits 12-1/4" Dexter 8,000 lbs. capacity electric brakes made after 6/92.

720008	027-050-00	Magnet Retainer Clip
720323	K71-378-00	12-1/4" 8K White Wire



## Electric Complete Brake Assemblies

These direct OEM replacements are for single, tandem and triple axle applications.



### 10" BRAKE ASSEMBLIES

720671	K23-026-00	Complete 10" X 2-1/4" Assembly - LH
720672	K23-027-00	Complete 10" X 2-1/4" Assembly - RH

### 12" BRAKE ASSEMBLIES 7200 LBS

720695	K23-180-00	12" Brake Assembly, 7,000 lb, LH
720696	K23-181-00	12" Brake Assembly, 7,000 lb, RH



## Spindle Washer

Round spindle washer 1".



720062	FA-SW100	1" Spindle Washer
--------	----------	-------------------



## Spindle Washer

"D" spindle washer for 3500 pound EZ Lube axles. Used for the final assembly of an axle when the spindle has a flat spot vs. a cotter pin hole.



720160	786930000000	1" Spindle D Washer
--------	--------------	---------------------



## Tang Washer

Spring axle spindle tang washer for 10" and 12" hubs.



720161	770963120000	1" Tang Washer 10"/12" Hubs
--------	--------------	--------------------------------



## RV Flat-D Washer

Flat, round D-slot washer for EZ Lube spindles.



721142	FA-DW100	1" Flat Round D-Slot
--------	----------	----------------------



## D-Slot Spindle Washer

1-3/4" long x 9/16" inner diameter Nylon Bushing.



781149	4753-D	"D" Spindle Washer - 7/8"
--------	--------	---------------------------



## Shackle Nut & Bolt

Suspension bolt attaches leaf spring to front or rear hanger. Locknut sold separately



720183	FA-7-3	9/16" x 3"
720186	FA-916DLN	9/16" x 18"



## Shackle Nut & Bolt

Suspension bolt attaches leaf spring to front or rear hanger. Locknut sold separately



720184	007-017-00	9/16" x 3-1/2"
--------	------------	----------------



## Shackle Link



720171	SL-225	Shackle Link 2-1/4" Center
720175	SL200	Shackle Link 2" Center
720176	SL-256	Shackle Link 2-1/2" Center
720177	SL-350	Shackle Link 3-1/2" Center
720178	SL313	Shackle Link 3-1/8" Center

VIA PACIFIC INC.

## Shackel Strap Center Lined



Shackle link helps connect double-eye leaf spring to rear hanger or equalizer on trailer suspension systems. Shackling the 2 components together allows the necessary pivot of the springs. Measures 2-5/8" from center of hole to center of hole.


720187	4101-2A	Shackle Strap 2-5/8" Center Line
720191	4101-2	Shackle Strap 3-1/8" Center Lined




## **Round U-Bolt** **DEXTER**

Wide round u-bolt, 1/2" material, UNF thread.  
Manufactured from high quality plain carbon steel.

Arrow#	MFG#	A	L
720027	011-063-00	3-1/2"	6-7/8" x 1/2" - 20 Thread



## **Round U-Bolt**




- Yellow zinc-plated U-bolt for 3" tube
- A: 1 1/2" Dia.
- L: 6-1/2" x 1/2" - 20 Thread
- 2-pack

720060 014-122070 6.5" x 1-1/2"-20 2Pk

## **Round U-Bolt**

Wide round u-bolt, 1/2" material, UNF thread.  
Manufactured from high quality plain carbon steel.

Arrow#	MFG#	A	L
720028	UBR-300700-50F	3"	7" x 1/2" - 20 Thread




## **U-Bolt Nut**

1/2"-20 Thread Zinc  
U-Bolt Lock Nut.




720026 750730008030 U-Bolt Nut 1/2" - 20


## **Double Eye Equalizers**




**EQ-E1**



**EQ-310**



**EQ-104**



**EQ-356**

Arrow#	MFG#	A	B	C	D	E
721200	EQ-E1	7-3/4"	3-7/8"	1-3/4"	9/16"	2-7/8"
721201	EQ-310	1-3/4"	-	1-3/4"	9/16"	4"
721207	EQ-104	5-5/8"	2-13/16"	1-3/4"	9/16"	2"
721202	EQ356	9-1/8"	3-1/16"	1-3/4"	9/16"	2-1/2"

## **Bronze Bushing Kit**

Dexter bronze  
bushing kit for  
2-3/8" diameter  
3500 lbs axle.



781168 K71-291-00 Bushing Kit 4Pk

## **Nylon Spring Bushing**


Nylon Spring  
Bushing-9/16".



721120 799961200000 9/16" Spring Bushing

## **Spring Hangers**

AXIS PRODUCTS				
Arrow#	MFG#	Spring	H	Location
720442	028-005-00	1-3/4"	3-1/4"	Center



## **Cotter Pin**



720162 019-002-00 1/8" x 1-3/4" Cotter Pin  
For 10"/12" Hubs

# Double Eye Springs




ARROW #	MFG #	MANUFACTURER	CAPACITY	LENGTH	WIDTH	LEAFS
721112	DE-7234	TRP Corporate	1250 lb.	30"	1-3/4"	3
721103	DE-7223	TRP Corporate	1500 lb.	25-1/4"	1-3/4"	4
720041	AWS3	TRP Corporate	1500 lb.	26"	1-3/4"	3
720053	DE-AWS4	TRP Corporate	2250 lb.	26"	1-3/4"	4
721105	7650073	TRP Corporate	2500 lb.	25-1/4"	1-3/4"	4
720042	DE-AWS5	TRP Corporate	2500 lb.	26"	1-3/4"	5
721106	DE-7226	TRP Corporate	3000 lb.	25-1/4"	1-3/4"	4
720066	AWS6	TRP Corporate	3000 lb.	26"	1-3/4"	6
721107	DE-7227	TRP Corporate	3500 lb.	25-1/4"	1-3/4"	6
720043	AWS7	TRP Corporate	4250 lb.	26"	1-3/4"	7
720044	9150014	TRP Corporate	1750 lb.	25-1/4"	1-3/4"	4
720045	432-30	TRP Corporate	3000 lb.	25-1/4"	1-3/4"	4
720063	DE-SW5	TRP Corporate	2900 lb.	25-1/4"	1-3/4"	5

**AXIS**  **PRODUCTS, INC.**

## Axle/Spring Tie Plates

ARROW #	MFG #	A	B	C	Spring Width	Axle Size
720350	787812380000	3-9/16"	2-5/16"	9/16"	1-3/4"	3"
720351	787814122000	3-9/16"	2-11/16"	9/16"	2"	3"
720352	012-003-00	2-15/16"	2-15/16"	9/16"	1-3/4"	2-3/8"
720353	012-001-00	2-15/16"	2-9/16"	9/16"	2"	2-3/8"





**A**

ABS Fittings.....	84-88
Adhesives .....	34-35, 37-39, 89
Anchor Drive Machine.....	15
Anchors .....	13-14
Axle Parts .....	94-98

**B**

Backsets, Door .....	29
Barbed Fittings .....	77-79
Bath Surrounds .....	68-69
Bath Tugs.....	68-69
Bearing Sets.....	95
Bi-Fold Door Parts .....	31, 44
Brake Controllers.....	92
Brake Magnets .....	96
Brake Shoes.....	96
Brakes.....	94
Brass Fittings.....	71, 73, 78-79
Breakaway Systems .....	93
Bushing, Nylon.....	97
Butane.....	40
Butt Connector .....	54

**C**

Carbon Monoxide Detector.....	40
Catches.....	44
Caulk .....	37-39
Caulking Gun .....	39
Cements .....	89
Chains, Safety.....	25
Clamps, Oetiker.....	80
Clamps, Hose .....	80, 84
Cleaners.....	89
Closet Door Guide.....	31, 45
Connectors, Electrical.....	54
Cord, Dryer/Range.....	54
Cords, Extension .....	52-53
Cords, Power .....	52-53
Couplers .....	75, 79, 88
Crimp Tools, Ring.....	15, 80

**D**

Door Chain .....	25
Doors, Entry .....	24, 26
Doors, Interior.....	23
Doors, Storm.....	25
Double Eye Equalizer.....	97
Double Eye Springs .....	98
Drains, Sink/Tub .....	67-70
Drawer Slide.....	45
Drip Cap.....	30
Drip Rail .....	30
Dryer Hose .....	32

**E-F**

Electrical Box Cover .....	47, 49-50
Electrical Tape .....	38, 51

Enclosure Wrap .....	11
EverRock Skirting .....	3
Fan Blades.....	32
Faucet Parts.....	60
Faucets .....	56-66
Faucets, Kitchen .....	56-57, 61-64
Faucets, Lavatory.....	58, 61-62, 65
Faucets, Tub & Shower .....	59-60, 65-66
Fire Extinguisher.....	40
Flair-It Plumbing System.....	72-74, 79-80
Floor Registers .....	91
Floor, Seam Binder.....	30
Furnaces.....	90

**G**

Gas Connector .....	55
Gas Control Wrench .....	55
Gas Line Hook-Ups.....	45
Gas Lighters.....	40
Gasket, Plumbing.....	88
Gasket, Rubber.....	88
Grease Caps & Seals .....	94-95
Ground Cover .....	11

**H-I**

Harvey Seal .....	89
Heating Cable .....	83
Heating Elements (Water Heater) .....	55
Heat Registers.....	91
Hinges.....	44
Hitch Pin .....	93
Hose Clamps .....	80, 84
Hose, Utility .....	71
Hose, Washers.....	71
Insert Bit .....	42

**J-K-L**

Jacks, Hydraulic.....	93
Knobs, Door .....	29
Knobs, Window .....	30
Lag Screw.....	21, 43
Latches .....	29-30, 44
Lifestyle Skirting .....	4-7
Lights .....	46
Locks, Doors.....	29
Lug Bolts .....	94

**M-N-O**

Nut Driver .....	42
Nuts, Wheel .....	94, 96

**P**

Paint, Spray .....	39
Pex Fittings.....	72-80
Pier Pads .....	21
Pipe Insulation .....	83
Plastic Pop Rivet .....	68

Plugs, Blow Out.....	71
Plugs, Electrical.....	52-53
Plumbing Repair.....	89
Plumber Strap.....	89
Power Bits.....	42
Power Outlet Box.....	46
Power Socket.....	47-49
Primer/Sealer, Roof.....	34-37
PVC Fittings.....	87-88

## Q-R

Qest Plumbing Supplies.....	75-76
Range.....	32-33
Range Hoods.....	32
Receptacle.....	47-49
Receptacle, Cover.....	49-51
Receptacle, Dryer.....	47
Receptacle, Range.....	47
Registers, Floor.....	91
Repair Kits.....	30, 37, 41, 89
Return Spring Sets (Elec. Brake).....	95
Roof Coatings.....	36
Roof Covering.....	11
Roof Edge.....	30
Rosettes.....	42

## S

Screens Parts/Repair.....	25, 27, 30
Screwdrivers.....	42
Screws.....	43
Seam Binder.....	30
Sewer Fittings.....	84-88
Shower Diverters.....	59-60, 65-66
Shower Heads.....	60
Shower Pan.....	69
Shower Parts.....	60, 69-70
Silicone.....	37-37
Sinks.....	67
Sink & Drain Fittings.....	69-70
Sink Stoppers.....	69-70
Skirting.....	3-9
Skirt Guard.....	6
Smoke Detector.....	40
Split Bolt.....	15
Spring Tie Plates.....	98
Sta-Put.....	39
Steps, Wood.....	22
Steps, Fiberglass.....	22
Steps, Metal.....	22
Storm Door Closer.....	25
Storm Door Kit.....	25
Storm Doors.....	25
Strainers, Sink & Tub.....	69-70
Straps, Utility.....	89
Straps, Anchor.....	14-15, 19
Strike Plate.....	30

Struts, Concrete Installation.....	16-20
Switch Covers.....	50-51
Switches, Light.....	47-48

## T-U-V

T-Lok Skirting.....	5
Tank Ballcocks.....	79
Tape, Duct.....	12, 38
Tape, Electrical.....	38, 51
Tape, Non-Slip Grid.....	41
Tape, Putty.....	38
Tape, Roof.....	37
Tape, Teflon.....	38, 80
Terminal, Blade.....	54
Terminal, Ring.....	54
Terminal, Spade.....	54
Thermocouple Kits.....	55
Thermoline System.....	81-82
Thermoline Repair Kit.....	83
Thermostat, Heat/Cool.....	90
Tub Surrounds.....	68-69
Tube Bender.....	80
Tube Cutter.....	80
Tubs.....	68-69
U-Bolts.....	97
Underbelly Board.....	11
Valve, 3-Way.....	75, 78
Valve, Ball.....	79
Valve, Bypass.....	75, 78
Valve, Drain.....	55
Valve, Relief.....	55
Valve, Shower.....	65-66
Valve, Stop.....	75, 78
Vents, Ceiling.....	33
Vents, Dryer.....	33
Vents, Floor.....	91
Vents, Plumbing.....	33, 84
Vents, Range.....	32
Vents, Skirting.....	3-5
Volt Meter, A/C.....	51
Vinyl Punch.....	30

## W

Wall Plates.....	50-51
Washers, Screws.....	21, 43
Washers, Spindle.....	96
Washers, Garden/Faucet.....	71
Water Heater.....	55
Weatherstripping.....	30
Wedges Plastic/Wood.....	21
Window Cranks, Parts.....	30-31
Window Frame Parts.....	30-31
Window Operator Parts.....	31
Window Parts.....	27-28
Windows.....	27-28
Wire.....	54
Witten Foundation Vents.....	10











